









CALL US TODAY IF YOU HAVE ANY QUESTIONS, OR WOULD LIKE TO PLACE AN ORDER!

Ultimate Solutions Corporate Office

15571 Container Lane, Huntington Beach, CA 92649 Phone: 800-983-5834 | Fax: 714-901-8404

www.sandiaplastics.com www.mercuryfloormachines.com



This logo represents machines

that may be Private Labeled!




ABOUT US

We are an international organization that designs, develops and manufactures innovative cleaning products to liberate the cleaning world at work! Ultimate Solutions includes our family of brands: Sandia Products and Mercury Floor Machines. One of our core values is to "stop spreading dirt and start spreading joy"! Our revolutionary ideas will change the way you think about cleaning. We really care about the cleaning business because we really care about people. Using our knowledge and expertise, we want to change perspectives by making life easier and more fun for those who clean the world.

ABOUT OUR PRIVATE LABEL PROGRAM

Build your Brand Recognition, Reputation and Business Skills

to WOW their buyers with the highest quality machines representing their own brand!



CLIENT WARRANTY INFORMATION

All equipment is inspected and tested before shipping from the manufacturer. All parts are warranted to be new and free from defects in workmanship and material, under normal use to the original retail purchaser. This warranty limits manufacturer's liability for defects in workmanship or materials for replacement of defective parts only. The manufacturer accepts no liability for incidental or consequential damages arisen from the use of any equipment, defective or not. This warranty is in lieu of all expressed or implied warranties and is extended only to the original retail purchaser. Manufacturer sales and service representatives are not authorized to waive or alter the terms of this warranty, or to increase the obligations of the manufacturer under the warranty. Parts replaced or repaired under this warranty are warranted for the remainder of the original warranty period.

Labor is only provided by authorized service centers. If an authorized service center is not near you, it is the purchaser's responsibility to take their machine to an authorized service center. International clients are responsible for all shipping needed for complete warranty. Freight charges and travel charges are not covered by the manufacturer.

The manufacturer covers up to one (1) year (365 days) of service labor at the manufacturer's calculated hourly labor rate/repair time when performed by a manufacturer-authorized service provider. Ultimately, labor reimbursement costs are at the discretion of the manufacturer. At no time is the manufacturer responsible for travel time to complete on-call repairs. After one (1) year, the original retail purchaser is responsible for all labor costs with no manufacturer reimbursement.

The original purchaser must contact the manufacturer to follow correct RMA/warranty procedures. They must include a copy of the RMA Sheet enclosed in the box with the returned item. No returns shall be authorized unless the proper RMA procedures are followed. It is the responsibility of the distributor to repair the client's equipment as soon as possible.

The manufacturer charges a 25% restocking fee for any items that are being returned to stock. Items must be new, unused, free of damage and are only good for up to 30 days. After 30 days, the manufacturer does not accept the return of any items for a store credit.

Authorized warranty replacement parts need to come directly from the manufacturer. Any use of any other parts will void warranty. The manufacturer does not reimburse for parts used by client that were not supplied directly for the machine under warranty.

The client must contact the manufacturer prior to working on or changing out of any parts, etc. The manufacturer must issue an RMA Sheet containing approved labor time and replacement parts. Do not send parts or equipment back to the manufacturer without an RMA Number and approval. No labor will be paid for, nor parts cost paid for or reimbursed, that have not previously been approved by the manufacturer. All warranty work must be approved and authorized to qualify, and appropriate warranty procedures must be followed.

The warranty starts on the purchase date by the original purchaser from an authorized distributor, subject to proof of purchase. The Machine Registration Form must be completed online at the time of purchase. If proof of purchase cannot be identified, the warranty start date is ninety (90) days after the date of sale to an authorized distributor.

Register your machine online!



TABLE OF CONTENTS

Sandia Products

Sniper 12-Gallon Carpet Extractors	3
OPTIMIZER 12-Gallon Portable Carpet Extractors	4
Sniper 12-Gallon Carpet Extractor Upgrades	5
Sniper 12-Gallon Carpet Extractor Accessories	5
Sniper 12-Gallon Hard Surface Extractor	6
Sniper 12-Gallon Hard Surface Extractor Accessories	6
Sniper 24-Gallon Flood Pumper	7
Sniper 24-Gallon Flood Pumper Accessories and Replacement Parts	7
Sniper 6-Gallon Carpet Extractors	8
Sniper 6-Gallon Carpet Extractor Accessories	9
Sniper Carpet Extractor Replacement Parts	9
Indy Automotive Line	13
Spot Extractor Kits	14
Spot Extractor Accessories	15
Spot Extractor Replacement Parts	16
Raven 10-Quart Backpack Vacuums	17
Raven 6-Quart Backpack Vacuums	18
Hipster 6-Quart Hip Vacs	19
Backpack and Hip Vacuum Replacement Bags	20
Backpack and Hip Vacuum Accessories	
Backpack and Hip Vacuum Sidewinder Tools	22
Backpack and Hip Vacuum Replacement Parts	22
Gen-Air Air Mover	25
FORCE 14 Upright Vacuum	26
FORCE 14 Upright Vacuum Filters and Bags	26
Mercury Floor Machines	
Floor Machines	27
Burnishers	30
Air Movers	31
ACE Backpack Vacuum	31
Wet / Dry Vacuums	32
Cold High Pressure Washers	33
Hot High Pressure Washers	34





SNIPER 12-GALLON CARPET EXTRACTORS







Warranty: Lifetime warranty on body, 2-years on vacuum motors, 1-year on 200, 300, 500, 800 PSI pumps, 2-years on 100 PSI pump, 1-year on all electrical components, 90-days on tools and accessories.

- Powerful vacuum motors offer up to 205" water lift for efficient solution recovery that results in better extraction and faster carpet drying.
- High performance motors stay cool with an innovative air intake design that
 uses the vacuum's own cooling fans to pull cool, outside air over the motors,
 reducing motor temperature and preventing overheating.
- Heated units include an in-line heater that lets you extract with 200 degree Fahrenheit solution!
- 12-gallon solution and recovery tanks allow for quick and easy fill and dump disposal, reducing downtime.
- Waist-high controls prevent bending and stooping to operate the machine.
 The controls are recessed in the machine and stay protected during use, in transit or in storage.
- 10" non-skid, non-marking wheels make stair climbing easy and do not scuff floors.
- Roto-molded polyethylene tanks withstand the toughest working environments and resist dents, chips and cracks.
- Includes 25-foot long safety power cord(s).
- Optional crush-resistant, 25-foot vacuum and solution hoses, "S" shaped stainless steel wand with dual spray jets and 4" stainless steel upholstery tool available. Order separately.

APPLICATIONS

The best tool designed for deep cleaning carpet. Designed to be portable and to be used where a Truck Mount Machine cannot reach.

SPECIFICATIONS

Solution Pump: 100, 200, 300, 500 or 800 PSI In-Line Heated Units: 2000 Watt, up to 200° F Vac Motor: Dual 2-Stage or Dual 3-Stage Available

Water Lift: Up to 205"

Available in Single or Dual Stack Units! Ask about 230 Volt Models.



MODELS

Model	Pump	Vac Motors	In Line Heat	Cord	Shipping Weight	Model	Pump	Vac Motors	In Line Heat	Cord	Shipping Weight
80-2100	100 PSI	Dual 2-Stage	No	1	110 lbs.	80-2300-H	300 PSI	Dual 2-Stage	Yes	2	116 lbs.
80-2100-H	100 PSI	Dual 2-Stage	Yes	2	112 lbs.	80-3300	300 PSI	Dual 3-Stage	No	2	129 lbs.
80-3100	100 PSI	Dual 3-Stage	No	2	112 lbs.	80-3300-H	300 PSI	Dual 3-Stage	Yes	2	131 lbs.
80-3100-H	100 PSI	Dual 3-Stage	Yes	2	114 lbs.	80-2500	500 PSI	Dual 2-Stage	No	1	131 lbs.
80-2200	200 PSI	Dual 2-Stage	No	1	112 lbs.	80-2500-H	500 PSI	Dual 2-Stage	Yes	2	133 lbs.
80-2200-H	200 PSI	Dual 2-Stage	Yes	2	114 lbs.	80-3500	500 PSI	Dual 3-Stage	No	2	131 lbs.
80-3200	200 PSI	Dual 3-Stage	No	2	114 lbs.	80-3500-H	500 PSI	Dual 3-Stage	Yes	2	133 lbs.
80-3200-H	200 PSI	Dual 3-Stage	Yes	2	116 lbs.	80-2800	800 PSI	Dual 2-Stage	No	1	134 lbs.
80-2300	300 PSI	Dual 2-Stage	No	1	114 lbs.						





OPTIMIZER 12-GALLON PORTABLE CARPET EXTRACTORS



TIP: We have designed all of our extractors so that the working components of the machine may be easily accessed. There is plenty of room in the base of our machines for easy maintenance.

MODELS

Model	Pump	Vac Motors	In Line Heat	Cord
66-2100	100 PSI	Dual 2-Stage	No	2
66-2100-H	100 PSI	Dual 2-Stage	Yes	2
66-2200	200 PSI	Dual 2-Stage	No	2
66-2200-H	200 PSI	Dual 2-Stage	Yes	2
66-2300	300 PSI	Dual 2-Stage	No	2
66-2300-H	300 PSI	Dual 2-Stage	Yes	2

Warranty: Lifetime warranty on body, 2-years on vacuum motors, 2-years on 100 PSI pump, 1-year on 200 and 300 PSI pumps and all electrical components, 90-days on tools and accessories.

- Powerful dual, 2-stage 6.6" vacuum motors require less amp draw and provide optimal 215" water lift for efficient solution recovery that results in better extraction and faster carpet drying.
- Thermal protected, sealed motors with a patented "Eternity Brush System" provide three times longer motor brush life.
- Advanced fan and chamber motor design allow for a lower amp draw.
- High performance motors stay cool with an innovative air intake design that
 uses the vacuum's own cooling fans to pull cool, outside air over the motors,
 reducing motor temperature and preventing overheating.
- Heated units include an in-line heater that lets you extract with 200 degree Fahrenheit solution!
- 12-gallon solution and recovery tanks allow for quick and easy fill and dump disposal, reducing downtime.
- Waist-high controls prevent bending and stooping to operate the machine.
 The controls are recessed in the machine and stay protected during use, in transit or in storage.
- 10" non-skid, non-marking wheels make stair climbing easy and do not scuff floors.
- Roto-molded polyethylene body withstands the toughest working environments and resist dents, chips and cracks. Looks professional longer.
- Includes (2) 25-foot, 12/3-gauge safety power cords.
- Optional crush-resistant, 25-foot vacuum and solution hoses, "S" shaped stainless steel wand with dual spray jets and 4" stainless steel upholstery tool available. Order separately.

SPECIFICATIONS

Solution Pump: 100, 200 or 300 PSI

In-Line Heated Units: 2000 Watt, up to 200° F Vac Motor: Dual 6.6", 2-Stage Motors (25.2 Amps)

Water Lift: Up to 215"

CFM: 133

Ask about 230 Volt Models.

APPLICATIONS

The best tool designed for deep cleaning carpet. The OPTIMIZER 12-Gallon Portable Extractor gives you the power of a Truck Mount in a portable extractor. It's class leading 6.6" vac motors are 42% more efficient, allow for more sealed suction and provide 5" more water lift than traditional 5.7" 3 stage vacuum motor. Experience more bang for your buck and the convenience of Truck Mount power in a portable extractor.









Ultimate Solutions Corporate Office 15571 Container Lane, Huntington Beach, CA 92649 Phone: 800-983-5834 | Fax: 714-901-8404

SNIPER 12-GALLON CARPET EXTRACTOR UPGRADES

Auto Fill and Auto Dump features available upon request for an additional charge. Factory installed options available on new extractors only and must be noted on the purchase order. Auto Dump cannot be added to units built in Dual Stack (In Parallel).

80-1000

Auto Fill / Auto Dump Upgrade

80-1001

Auto Dump Upgrade Only

80-1002

Auto Fill Upgrade Only

80-1500

Dual Stack Upgrade

SNIPER 12-GALLON CARPET EXTRACTOR ACCESSORIES



10-0501 4 in. Stainless Steel Upholstery Tool, Required for Machines with Heat



10-0512 Stainless Steel Crevice Tool



10-086112 in. Stainless Steel
Dual Jet S-Bend
Wand



10-0863 12 in. Titanium Dual Jet Wand with Teflon Glides



80-050025 ft. Vacuum and Solution Hoses and Stainless Steel Dual Jet Wand Kit



80-0502 25 ft. Solution Hose Assembly with 1/4 in. Female and Male Quick Disconnects





80-0503 25 ft. Vacuum Hose with Cuffs Assembly



80-0510 Black Mesh Utility Bag (24 x 36)



HOSE HANGER Hose Hanger for Extractors

TIP: Extractors dispense water, either hot or cold, into a carpet at various rates called PSI (Pounds per Square Inch). The higher the PSI, the more water output into carpet. The solution hose dispenses the water and the vacuum hose sucks the water out of the carpet. Ultimate Solutions offers a variety of PSI and vacuum pump choices to meet the needs of your specific job.





SNIPER 12-GALLON HARD SURFACE EXTRACTOR



SPECIFICATIONS

Model No: 80-5000

Capacity: 12-Gallon Solution and Recovery

Tanks

Vac Motors: (1) 2-Stage and (1) 3-Stage

Lamb Ametek (Dual Motor)

Solution Pump: 1200 PSI (adjusts down to

400 PSI)

Water Lift: 170" Volts: 110 / 120 Amp Draw: 19 / 16

CFM: 99

Shipping Weight: 150 lbs.

Warranty: Lifetime warranty on body, 2-years on vacuum motors, 1-year on pump and all electrical components, 90-days on all accessories.

- The one 2-stage and one 3-stage vacuum motors allow for 170" of water lift for efficient solution recovery that results in better extraction and faster carpet drying.
- High performance motors stay cool with an innovative air intake design that
 uses the vacuum's own cooling fans to pull cool, outside air over the motors,
 reducing motor temperature and preventing overheating. This allows for
 performance with less maintenance.
- Powerful 1200 PSI adjustable pump adjusts down too 400 PSI, providing the perfect pressure for cleaning everything from tile to concrete.
- 12-gallon solution and recovery tanks allow for quick and easy fill and dump disposal, reducing downtime. Auto fill and auto dump capability allows for constant working pressure from start to finish.
- Waist-high controls prevent bending and stooping to operate the machine. Adjustments can be made standing comfortably. The controls are recessed in the machine and stay protected during use, in transit or in storage.
- 10" non-skid, non-marking wheels make stair climbing easy and do not scuff floors.
- Roto-molded polyethylene tanks withstand the toughest working environments and resist dents, chips and cracks. They have a professional look with ultimate durability.
- Includes (2) 25-foot, 12/3-gauge safety power cords.
- Includes clear view in-line filter, 50-foot auto fill hose, 50-foot auto dump hose, 25-foot vacuum hose, 25-foot solution hose, 4-foot vacuum hose, 13" self priming hose and (2) 25-foot safety power cords. Wand and hard surface tools sold separately.
- An optional 7" or 12" turbo cleaning tool is available for hard surface cleaning and is built with stainless steel components. Order separately.

APPLICATIONS

A powerful and versatile portable extractor that is specifically designed for high-pressure cleaning of hard surfaces. With an adjustable 400 to 1200 PSI pump, you can clean tile, concrete and everything in between!

Ask about 230 Volt Models.

ACCESSORIES



10-0859 12 in. Hard Surface Turbo Brush Tool



10-08747 in. Hard Surface
Turbo Brush Tool



HOSE HANGER
Hose Hanger for
Extractors



Ultimate Solutions Corporate Office 15571 Container Lane, Huntington Beach, CA 92649 Phone: 800-983-5834 | Fax: 714-901-8404

SNIPER 24-GALLON FLOOD PUMPER – ALL NEW DESIGN!



SPECIFICATIONS

Model No: 80-6001

Motor: (1) 3-Stage

Pump: (1) 3/4 HP totally enclosed, fan cooled,

1725 RPM Waste Dump Pump

Pump-Out Rate: 40.0 GPM
Water Lift / CFM: 110" / 120 CFM
Air Watts / Amps: 520 AW / 14.3 Amps
Overflow Protection: Automatic On/Off

Weight: 106 lbs.



10-0488 14 in. White Blade Squeegee Floor Tool



Manufactured with

Pride in the U.S.A.

10-0472 14 in. Easy Glide Carpet and Floor Tool

Warranty: Lifetime warranty on body, 2-years on vacuum motor, 1-year on pump and all electrical components, 90-days on tools and accessories.

- A powerful 3-stage vacuum motor and 40 GPM flow-through pump allows all waste water to be recovered at 40 gallons per minute.
- The auto pump-out feature works continuously, automatically dumping water so tanks don't have to be emptied when full. 24-gallon capacity.
- The high performance motor stays cool with an innovative air intake design that uses the vacuum's own cooling fans to pull cool, outside air over the motor, reducing motor temperature and preventing overheating.
- Waist-high controls prevent bending and stooping to operate the machine. The controls are recessed in the machine and stay protected during use, in transit or in storage.
- 10" non-skid, non-marking wheels make stair climbing easy and do not scuff floors.
- Roto-molded polyethylene body withstands the toughest working environments and resist dents, chips and cracks. Looks professional longer.
- Includes (1) 25-foot, 12/3-gauge safety power cord.
- Includes (1) 25-foot 1-1/2" vacuum hose and (1) 25-foot 1-1/2" dump hose.

APPLICATIONS

Designed specifically for the purpose of vacuuming large amounts of water. Ideal for flood clean-up. It pumps out liquid at a rate of 40 gallons per minute.

Ask about 230 Volt Models.

ACCESSORIES AND REPLACEMENT PARTS



10-0029 56 in. 2-Piece, 2-Bend Aluminum Wand with 3-Piece Head Kit



10-0170 14 in. Squeegee Floor Tool



10-0185-15-S15 in. Sidewinder
Squeegee Floor Tool



10-0800 Flood Pumper Pump



10-0825-COM Flood Pumper Motor with Gasket



HOSE HANGER
Hose Hanger for
Extractors





SNIPER 6-GALLON CARPET EXTRACTORS







Warranty: Lifetime warranty on body, 2-years on vacuum motor(s), 1-year on 200 and 300 PSI pumps, 2-years on 100 PSI pump, 1-year on all electrical components, 90-days on tools and accessories.

- Powerful vacuum motors offer up to 205" water lift for efficient solution recovery that results in better extraction and faster carpet drying.
- High performance motors stay cool with an innovative air intake design that uses the vacuum's own cooling fans to pull cool, outside air over the motors, reducing motor temperature and preventing overheating.
- Heated units include an in-line heater that lets you extract with 200 degree Fahrenheit solution!
- 6-gallon solution and recovery tanks allow for quick and easy fill and dump disposal, reducing downtime.
- Waist-high controls prevent bending and stooping to operate the machine. The controls are recessed in the machine and stay protected during use, in transit or in storage.
- 10" non-skid, non-marking wheels make stair climbing easy and do not scuff floors.
- Roto-molded polyethylene tanks withstand the toughest working environments and resist dents, chips and cracks.
- Includes 25-foot long safety power cord(s).
- Optional 15-foot vacuum and solution hoses, single jet carpet wand and 4" stainless steel upholstery tool available. Order separately.

APPLICATIONS

The best tool designed for deep cleaning carpet. Designed to be portable and to be used where a Truck Mount Machine cannot reach.

SPECIFICATIONS

Solution Pump: 100, 200, or 300 PSI

In-Line Heated Units: 2000 Watt, up to 200° F (Model 86-R3100-H has a 600

Watt Heater)

Vac Motor: Single 3-Stage, Dual 2-Stage or 3-Stage Vacuum Motors

Available

Vac Power: Up to 205" Water Lift Ask about 230 Volt Models.

MODELS

Model	Pump	Vac Motors	In Line Heat	Cord	Shipping Weight		Model	Pump	Vac Motors	In Line Heat	Cord	Shipping Weight
86-R3100	100 PSI	Single 3-Stage	No	1	72 lbs.	1	86-2200-H	200 PSI	Dual 2-Stage	Yes	2	97 lbs.
86-R3100-H	100 PSI	Single 3-Stage	Yes	1	82 lbs.		86-3200	200 PSI	Dual 3-Stage	No	2	93 lbs.
86-2100	100 PSI	Dual 2-Stage	No	1	78 lbs.		86-3200-H	200 PSI	Dual 3-Stage	Yes	2	103 lbs.
86-2100-H	100 PSI	Dual 2-Stage	Yes	2	88 lbs.		86-2300	300 PSI	Dual 2-Stage	No	1	93 lbs.
86-3100	100 PSI	Dual 3-Stage	No	2	82 lbs.	1.50	86-2300-H	300 PSI	Dual 2-Stage	Yes	2	103 lbs.
86-3100-H	100 PSI	Dual 3-Stage	Yes	2	92 lbs.	K	86-3300	300 PSI	Dual 3-Stage	No	2	95 lbs.
86-2200	200 PSI	Dual 2-Stage	No	1	87 lbs.		86-3300-H	300 PSI	Dual 3-Stage	Yes	2	105 lbs.



Ultimate Solutions Corporate Office 15571 Container Lane, Huntington Beach, CA 92649 Phone: 800-983-5834 | Fax: 714-901-8404

SNIPER 6-GALLON CARPET EXTRACTOR ACCESSORIES



10-0501 4 in. Stainless Steel Upholstery Tool, Required for Machines with Heat



10-0502Jet for 4 in. Stainless Steel
Upholstery Tool



10-0504Valve for 4 in. Stainless
Steel Upholstery Tool



10-0512 Stainless Steel Crevice Tool



50-1008-AComplete 15 ft. Vacuum
Hose Assembly (1-1/4 in.)



80-0510Black Mesh Utility Bag (24 x 36)



80-8007-A15 ft. Solution Hose
Assembly with
1/4 in. Female and Male
Quick Disconnects



80-8008 12 in. Stainless Steel Single Bend 1-Jet Wamd



80-8009-A12 in. Stainless Steel Single
Bend, 1-Jet Wand with 15
ft. Vaccum and Solution
Hoses



80-80104 in. Stainless Steel
Upholstery Tool with 15
ft. Vacuum and Solution
Hoses



HOSE HANGERHose Hanger for
Extractors

SNIPER CARPET EXTRACTOR REPLACEMENT PARTS



10-0803On/Off Switch for Extractor



10-0803-HLighted On/Off Heater
Switch for Extractor



10-0804-COM
6 in. Hatch Cover for
Extractor with T-Handle
and Gasket



10-0805 *Dump Valve*



10-0807 *10 in. Wheel for Extractor*





SNIPER CARPET EXTRACTOR REPLACEMENT PARTS CONTINUED



10-0808
Caster for Extractor



10-0810-COM 3-Stage Extractor Motor with Gasket, 120 V



10-0811-66-COM 2-Stage 6.6" Extractor Motor, 120 V



10-0811-COM 2-Stage Extractor Motor with Gasket, 120 V



10-0812 100 PSI Pump



10-0814Sensor for Heater



10-0822Intake/Exhaust Grate



10-0836 19 in. Axle for Extractor **10-0820**

End Cap for Axle



10-0845 1/4 in. Strainer



10-086025 ft. Extension Cord for Extractors



10-0868 1/4 in. Female Quick Disconnect



10-0869 200 PSI Pump



10-0869-REG 200 PSI Pump Regulator



10-0869-RA 200 PSI Pump Rebuild Kit A Plunger and Seals



10-0869-RB 200 PSI Pump Rebuild Kit B Valve and Seals



10-0869-RC 200 PSI Pump Rebuild Kit C Bearing



10-0870 1/4 in. Male Quick Disconnect



10-0910-2-1 2000 Watt Heater for 100 PSI Extractor



10-0910-2-2 2000 Watt Heater for 200 PSI Extractor



10-0910-2-3 2000 Watt Heater for 300 PSI Extractor





SNIPER CARPET EXTRACTOR REPLACEMENT PARTS CONTINUED



10-0910-2-5 2000 Watt Heater for 500 PSI Extractor



10-0920Dual Rod Heat Exchanger
Tube for Extractor



10-1030-S2 2-Stage Motor Gasket



10-1030-S33-Stage Motor Gasket



10-1500-A 1000 Watt Heater Element



10-1500-B 600 Watt Heater Element



80-0003-C 28" Black/Gray Hose Assembly with Cuffs and Steel-Type Inserts



80-0007 #1 Tip for Dual Jet Extractor Wand



80-0007-A #1 Tip for a Single Jet Extractor Wand



80-0007-B #2 Tip for a Single Jet Extractor Wand



80-0007-D#3 Tip for Single and
Dual Jet Extractor Wands



80-0012Shut-Off Assembly



80-0016 500 PSI Pump



80-0016-RA 500 PSI Pump Rebuild Kit A Plunger and Seals



80-0016-RB 500 PSI Pump Rebuild Kit B Valve and Seals



80-0016-RC 500 PSI Pump Rebuild Kit C Bearing



80-0016-REG 500 PSI Pump Regulator



80-0059 500 PSI Extractor Gauge



80-0059-2 200 PSI Extractor Gauge



80-0059-3 300 PSI Extractor Gauge





SNIPER CARPET EXTRACTOR REPLACEMENT PARTS CONTINUED



80-0059-4 1200 PSI Extractor Gauge



80-0080 300 PSI Pump for Extractor



80-0080-RA 300 PSI Pump Rebuild Kit A Plunger and Seals



80-0080-RB 300 PSI Pump Rebuild Kit B Valve and Seals



80-0080-RC 300 PSI Pump Rebuild Kit C Bearing



80-0080-REG 300 PSI Pump Regulator



80-0101-M 1/4 in. Male Brass Check Valve



80-0112 1200 PSI Pump Kit for 1200 PSI Extractor Only



80-0112-RA 1200 PSI Pump Rebuild Kit A Plunger and Seals



80-0112-RB 1200 PSI Pump Rebuild Kit B Valve and Seals



80-0112-RC 1200 PSI Pump Rebuild Kit C Bearing



80-0112-UN 1200 PSI Unloader Valve Regulator



80-0505Valve for Single and Dual
Jet Extractor Wands



80-0505-AValve Repair Kit for Valve on Single and Dual Jet Wands



80-0800 800 PSI Pump



T-A001-1Cooling Ducting



TIP: We custom build machines for our clients with flexibility in model, motor and pump types. Add the auto-fill or auto-dump feature and build your machine in single or dual stack. Motors may also be built in series or parallel!





Ultimate Solutions Corporate Office 15571 Container Lane, Huntington Beach, CA 92649 Phone: 800-983-5834 | Fax: 714-901-8404

INDY AUTOMOTIVE LINE

Warranty: Lifetime warranty on body, 2-years on motor and pump, 1-year on all electrical components, 90-days on tools and accessories.

- · Fastest soil pick-up with high CFM airflow.
- A durable pump delivers heated extracting solution into the carpet. The powerful vacuum motors recover the spent solutions and soils.
- Waist-high controls on 6- and 12-Gallon Carpet Extractors prevent bending and stooping to operate the machine. The controls are recessed in the machine and stay protected during use, in transit or in storage.
- These heated units include an in-line heater that lets you extract with 200 degree Fahrenheit solution!
- · The 3-Gallon Spot Extractor includes a black carrying-handle that slides out for easy machine transport.
- Non-skid, non-marking 10-inch wheels on 6- and 12-Gallon Extractors make stair climbing easy and do not scuff floors.
- The 3-Gallon Spot Extractor includes double ball-bearing urethane wheels for easy transport.
- All units include (1) 25-foot, 12/3-gauge safety power cord.

APPLICATIONS

Designed specifically for detailing automobiles.

Ask about 230 Volt Models.



12-GALLON EXTRACTOR

Model No: 80-4000-H

Capacity: 12-Gallon
Pump: 100 PSI

Vac Motor: Single 3-Stage, 1258 Watt /

99 CFM

Voltage: 115 V Lift: 117"

In-Line Heater: 1200 Watt

Hoses: 25-Foot Vacuum / Solution Hoses

Upholstery Tool: 4" Stainless Steel

Weight: 110 lbs.

Dimensions: 27"L x 20"W x 38"H



Included



6-GALLON EXTRACTOR

Model No: 86-4000-H

Capacity: 6-Gallon Pump: 100 PSI

Vac Motor: Single 3-Stage, 1258 Watt /

99 CFM

Voltage: 115 V

Lift: 117"

In-Line Heater: 1200 Watt

Hoses: 15-Foot Vacuum /Solution Hoses

Upholstery Tool: 4" Stainless Steel

Weight: 82 lbs.

Dimensions: 26"L x 17"W x 35"H







Manufactured with Pride in the U.S.A.



3-GALLON SPOT EXTRACTOR

Model No: 50-7000

Capacity: 3-Gallon

Pump: 55 PSI

(also available with 100 PSI pump)

Vac Motor: Single 2-Stage, 804 Watt /

100 CFM

10-0512 Stainless

Steel Crevice Tool

Optional

Voltage: 115 V

Lift: 76"

In-Line Heater: 600 Watt

Hoses: 15-Foot Vacuum /Solution Hoses

Upholstery Tool: 4" Stainless Steel

Weight: 42 lbs.

Dimensions: 25"L x 11" W x 29" H





SPOT EXTRACTOR KITS

Warranty: Lifetime on body, 2-years on motor and pump, 1-year on all electrical components, 90-days on tools and accessories.

- The Spot Extractor offers fast, efficient spot cleaning of carpets, rugs and upholstery with 76" lift
- Lightweight and great for small upholstery and spot cleaning jobs.
- A durable 55 PSI pump delivers extracting solution into the carpet. 100 PSI available!
- The 1-stage Ametek 804 Watt / 100 CFM vacuum motor efficiently recovers spent solution and soils which allows for faster carpet drying.
- The 3-Gallon Spot Extractor with heat, heats extracting solution up to 200 degrees Fahrenheit with a 600 Watt in-line heater. The steel heater chassis is mounted in its own rotomolded tank and frame.
- Roto-molded polyethylene body withstands the toughest working environments and resist dents, chips and cracks.
- The 2-Gallon Spot Extractor includes two easy access ports allow for quick and easy fill and dump disposal, reducing downtime. Molded carrying-handle makes machine transport easy.
- The 3-Gallon Spot Extractor (with and without heat) includes a smooth-glide slide-out, molded carrying handle and double ball-bearing urethane wheels for easy machine transport. The recovery tank separates for clean, easy disposal of spent solution and soils.
- All models include (1) 20-Foot, 16/3-gauge safety power cord.

APPLICATIONS

The best tool designed for cleaning small upholstery and spot cleaning jobs. Designed to be portable and to be used where larger Carpet Extractors cannot reach.

Ask about 230 Volt Models.



Pride in the U.S.A.



ASK ABOUT OUR NEW SUPER SPOT EXTRACTOR!

The Super Spot Extractor includes a 2-stage super motor, that allows for 30% more water lift than our standard model. Feel the power of the Super Spot Extractor with 98.8" of water lift!



2-GALLON SPOT EXTRACTOR

50-2000: Spot Extractor with 7 ft. Vacuum and Solution Hoses and 4"Clear View Upholstery Tool

Shipping Weight: 15 lbs.

Dimensions: 20"L x 8" W x 17"H



Choose from a 55 PSI or 100 PSI Pump



Kits Available with a Stainless Steel or Clear View Upholstery Tool

3-GALLON SPOT EXTRACTOR KITS

50-1000: Spot Extractor with 7 ft. Vacuum and Solution Hoses and 4"Clear View Upholstery Tool

50-1001: Spot Extractor with 7 ft. Vacuum and Solution Hoses and 4" Stainless Steel Upholstery Tool

50-1002: Spot Extractor Machine Only - No Hoses or Tools

50-3000: SUPER Spot Extractor with 7 ft. Vacuum and Solution Hoses and 4"Clear View Upholstery Tool

50-3001: SUPER Spot Extractor with 7 ft. Vacuum and Solution Hoses and 4" Stainless Steel Upholstery Tool

Shipping Weight: 19 lbs. (Model No. 50-1000)

Dimensions: 21"Lx10"Wx19"H



3-GALLON SPOT EXTRACTOR WITH HEAT

50-4000: Spot Extractor with Heat and 1.25" x 15 ft. Vacuum and Solution Hoses with 4" Stainless Steel Upholstery Tool

In-Line Heater: 600 Watt Shipping Weight: 4 2 lbs.

Dimensions: 25"L x 11" W x 29"H



Ultimate Solutions Corporate Office 15571 Container Lane, Huntington Beach, CA 92649 Phone: 800-983-5834 | Fax: 714-901-8404

SPOT EXTRACTOR ACCESSORIES



10-0401-E 4 in. Clear View Plastic Upholstery Tool with External 7 ft. Hoses for machines WITHOUT Heat



10-0401-I 4 in. Clear View Plastic Upholstery Tool with Internal 7 ft. Hoses for machines WITHOUT Heat



10-04507 ft. Vacuum and
Solution Hoses (Internal)



10-0450-A7 ft. Vacuum and
Solution Hoses (External)



10-0455Stainless Steel Spotter
Wand with Blue 3000 PSI
Hose and #2 Jet



10-0500-E 4 in. Clear View Plastic Upholstery Tool for External Hoses for Machines WITHOUT Heat



10-0500-I 4 in. Clear View Plastic Upholstery Tool for Internal Hoses for Machines WITHOUT Heat



10-0501 4 in. Stainless Steel Upholstery Tool for use with External Hoses for Machines with or without Heat



10-0503 4 in. Stainless Steel Upholstery Tool and 7 ft. External Vacuum and Solution Hoses



10-0508 4 in. Stainless Steel Upholstery Tool with Clear View Head for External Hoses



10-0512 Stainless Steel Crevice Tool for External Hoses (for Indy Line)



80-8010-SP4 in. Stainless Steel
Upholstery Tool with
15 ft. External Vacuum
and Solution Hoses



80-8011 15 ft. Vacuum and Solution Hoses with 1-1/4 in. Straight Cuffs, NO Upholstery Tool



TIP: We have the ability to vary the strength of the Spotter's heater elements, thus reducing amp draw. This is great for older buildings that require machines that pull under 15 amps.





SPOT EXTRACTOR REPLACEMENT PARTS



10-0300 55 PSI Pump for 2-Gallon and 3-Gallon Spotters



10-0302 5 in. Hatch Cover for 2-Gallon Solution Tank



10-0302-A 5 in. Gasket for Hatch Cover for 2-Gallon and 3-Gallon Spotters



10-0303 Rollerblade Wheel for Spotter 10-0387

Bolt for Spotter Wheel



10-0304Spotter Cap and Float
Assembly for 3-Gallon
Spotter



10-0354-COM 3-Gallon Spotter Motor with Gasket



10-0366-COM 3-Gallon Super Spotter Motor with Gasket



10-0447-COM 2-Gallon Spotter Motor with Gasket



10-0499-ATee Jet for 4 in. Clear View
Upholstery Tool



10-0504Valve for Stainless Steel
Upholstery Tool for Part
Number 10-0501



10-0504-ARepair Kit for 4 in.
Stainless Steel Upholstery
Tool Valve



10-0900 Single Rod Heater Exchanger Tube for Spotter



10-0910-SP 600 Watt Heater for Spotter



10-0507 8 in. Black Hose for 4 in. Stainless Steel Upholstery Tool



10-1030Spotter Motor Gasket for 2-Gallon and 3-Gallon Spotters



TIP: Easy transport! Our clients say our Spotter is like "a suitcase on wheels."



RAVEN



RAVEN 10-QUART BACKPACK VACUUMS

Warranty: Lifetime warranty on body, 5-years on motor and all electrical components, 90-days on tools and accessories.

- Fastest soil pick-up with high CFM airflow, making the Raven significantly more proficient than traditional uprights.
- Collects the most soils, leaving exhaust air cleaner with a disposable, heavy-duty paper micro-bag mounted inside a washable cloth shakeout bag.
- Lightweight ergonomic design, with a cushioned back-pad that fits the curve of any operator's back. The comfortable shoulder and waist belt design reduces fatigue, making work easier.
- 2 Lever-style latches lock the lid to the body and a static-dissipating vacuum hose securely threads into the backpack's lid, allowing for right- and left-handed vacuuming. The interchangeable lid converts the Raven into a powerful blower.
- Easy-to-reach On/Off power switch, quiet motor and 50-foot long safety power cord.
- 5-piece tool kit included on select models: 56" 2-piece 2-bend aluminum wand, 14" scalloped floor tool, 17" crevice tool, 5" upholstery tool and 3" dust brush.



Designed for vacuuming, carpet, hard floors and upholstery. Worn on the back to allow for easy and quick vacuuming while walking. Ideal for hallways, airplanes and commercial spaces.

Ask about 230 Volt Models.





Model	Туре	Includes	Model
20-1000	Super	Machine Only	20-20
20-1001	Super	5-Piece Tool Kit	20-30
20-1002	Super	Power Head Kit	20-300
20-1003	Super	5-Piece Tool Kit / Power Head Kit	20-30
20-2000	WHISPER	Machine Only	20-30
20-2001	WHISPER	5-Piece Tool Kit	20-50
20-2002	WHISPER	Power Head Kit	20-50

Model	Type	Includes
20-2003	WHISPER	5-Piece Tool Kit / Power Head Kit
20-3000	HEPA	Machine Only
20-3001	HEPA	5-Piece Tool Kit
20-3002	HEPA	Power Head Kit
20-3003	HEPA	5-Piece Tool Kit / Power Head Kit
20-5000	Aviation	Machine Only
20-5001	Aviation	5-Piece Tool Kit

SUPER RAVEN

Capacity: 10-Quarts Airflow: 150 CFM Power: 1340 Watts Motor: 1.5 HP, 1-Stage dB: 67

Amps: 11.5 **Volts: 115 V** Static/Lift: 95 Weight: 10 lbs. Height: 23"

WHISPER RAVEN

Capacity: 10-Quarts Airflow: 120 CFM Power: 1122 Watts Motor: 1.5 HP, 2-Stage **dB**: 61 **Amps:** 9.6

Volts: 115 V Static/Lift: 95 Weight: 11 lbs. Height: 23"

HEPA RAVEN

Height: 23"

Capacity: 10-Quarts Airflow: 150 CFM Power: 1340 Watts Motor: 1.5 HP, 1-Stage dB: 67 **Amps:** 11.5 **Volts:** 115 V Static/Lift: 95 Weight: 10.5 lbs.

AVIATION RAVEN

Capacity: 10-Quarts Airflow: 150 CFM Power: 1340 Watts Motor: 1.5 HP, 1-Stage

dB: 67 **Hz:** 400 Hz **Volts: 115 V** Static/Lift: 95 Weight: 10.5 lbs.

Height: 23"





Manufactured with


Pride in the U.S.A.






RAVEN 6-QUART BACKPACK VACUUMS





- Fastest soil pick-up with high CFM airflow, making the Raven significantly more proficient than traditional uprights.
- Collects the most soils, leaving exhaust air cleaner with a disposable, heavy-duty paper microbag mounted inside a washable cloth shakeout bag.
- Lightweight ergonomic design, with a cushioned back-pad that fits the curve of any operator's back. The comfortable shoulder and waist belt design reduces fatigue, making work easier.
- Twist top lid with static-dissipating vacuum hose and swivel cuff for right- and left-handed vacuuming. The interchangeable lid converts the Raven into a powerful blower.
- Easy-to-reach On/Off power switch, quiet motor and 50-foot long safety power cord.
- 5-piece tool kit included on select models: 56" 2-piece 2-bend aluminum wand, 14" scalloped floor tool, 17" crevice tool, 5" upholstery tool and 3" dust brush.

APPLICATIONS











Model	Type	Includes	
70-1000	Avenger	Machine Only	
70-1001	Avenger	5-Piece Tool Kit	
70-1002	Avenger	Power Head Kit	
70-1003	Avenger	5-Piece Tool Kit / Power Head Kit	
70-2000	Super	Machine Only	
70-2001	Super	5-Piece Tool Kit	
70-2002	Super	Power Head Kit	
70-2003	Super	5-Piece Tool Kit / Power Head Kit	
70-3000	WHISPER	Machine Only	

	Model	Туре	Includes
	70-3001	WHISPER	5-Piece Tool Kit
A	70-3002	WHISPER	Power Head Kit
	70-3003	WHISPER	5-Piece Tool Kit / Power Head Kit
	70-4000	HEPA	Machine Only
1	70-4001	HEPA	5-Piece Tool Kit
h	70-4002	HEPA	Power Head Kit
ľ	70-4003	HEPA	5-Piece Tool Kit / Power Head Kit
	70-5000	Aviation	Machine Only
	70-5001	Aviation	5-Piece Tool Kit

AVENGER RAVEN

Capacity: 6-Quarts Airflow: 112 CFM Power: 802 Watts Motor: 1.5 HP, 1-Stage

dB: 60 **Amps:** 6.8 Volts: 115 V Static/Lift: 85 Weight: 9 lbs. Height: 23"

SUPER RAVEN

Capacity: 6-Quarts Airflow: 150 CFM Power: 1340 Watts Motor: 1.5 HP, 1-Stage dB: 67

Amps: 11.5 **Volts:** 115 V Static/Lift: 95 Weight: 9 lbs. Height: 23"

WHISPER RAVEN

Capacity: 6-Quarts Airflow: 120 CFM Power: 1122 Watts Motor: 1.5 HP, 2-Stage dB: 61 Amps: 9.6 Volts: 115 V Static/Lift: 91 Weight: 10 lbs.

Height: 23"

HEPA RAVEN

Static/Lift: 95

Height: 23"

Weight: 9.5 lbs.

Capacity: 6-Quarts Airflow: 150 CFM Power: 1340 Watts Motor: 1.5 HP, 1-Stage dB: 67 **Amps:** 11.5 **Volts: 115 V**

Motor: 1.5 HP, 1-Stage dB: 67 Hz: 400 Hz Volts: 115 V Static/Lift: 95

Weight: 10 lbs.

Height: 23"

AVIATION RAVEN

Capacity: 6-Quarts

Airflow: 150 CFM

Power: 1340 Watts

18





HIPSTER 6-QUART HIP VACS







Warranty: Lifetime warranty on body, 5-years on motor and all electrical components, 90-days on tools and accessories.

- Collects the most soils, leaving exhaust air cleaner with a disposable, heavyduty paper micro-bag mounted inside a washable cloth shakeout bag.
- The innovative bag support plate keeps the bag from depleting airflow, allowing for constant power.
- A patented noise suppressing exhaust chamber makes the Hipster the quietest vacuum in its class.
- Lightweight design and four-way belt tensioner ensure maximum adjustability and comfort. The comfortable waist belt design reduces fatigue, making work easier.
- The reversible cap makes adjustment easy for both left- and right-handed
- Unbreakable stainless steel latches, impact-proof polyethylene body and a 1.5" industrial hose makes the Hipster durable and long-lasting.
- Includes an easy-to-reach On/Off power switch, quiet motor and 50-foot long safety power cord.
- 5-piece tool kit included on select models: 56" 2-piece 2-bend aluminum wand, 14" scalloped floor tool, 17" crevice tool, 5" upholstery tool and 3" dust brush.

APPLICATIONS

Designed for vacuuming carpet, hard floors and upholstery. Worn on the hip to allow for easy and quick vacuuming while walking. Ideal for hallways, and commercial spaces.

Ask about 230 Volt Models.

Model	Type	Includes
30-1000	DP	Machine Only
30-1001	DP	5-Piece Tool Kit
30-1002	DP	Power Head Kit
30-1003	DP	5-Piece Tool Kit / Power Head Kit
30-2000	Super	Machine Only
30-2001	Super	5-Piece Tool Kit

Model	Туре	Includes
30-2002	Super	Power Head Kit
30-2003	Super	5-Piece Tool Kit / Power Head Kit
30-3000	HEPA	Machine Only
30-3001	HEPA	5-Piece Tool Kit
30-3002	HEPA	Power Head Kit
30-3003	HEPA	5-Piece Tool Kit / Power Head Kit

TIP: The No. 1 choice of our female clients based on comfort!

DP HIPSTER

Capacity: 6-Quarts
Airflow: 112 CFM
Power: 802 Watts
Motor: 1.5 HP, 1-Stage

dB: 65 Amps: 6.8 Volts: 115 V Weight: 7 lbs.

Dimensions: 11" H x 8" W

SUPER HIPSTER

Capacity: 6-Quarts
Airflow: 150 CFM
Power: 1340 Watts
Motor: 1.5 HP, 1-Stage

dB: 69 Amps: 11.5 Volts: 115 V Weight: 7.5 lbs.

Dimensions: 11" H x 8" W

HEPA HIPSTER

Capacity: 6-Quarts
Airflow: 150 CFM
Power: 1340 Watts

Motor: 1.5 HP, 1-Stage

dB: 69

Amps: 11.5

Volts: 115 V

Weight: 7.5 lbs.

Dimensions: 11" H x 8" W"



HOSES

Choose from 1-1/2" Standard or 1-1/2" Super Flex

Hoses



FOUR WAY BELT

Tensioner ensures maximum adjustability and

comfort





BACKPACK AND HIP VACUUM REPLACEMENT BAGS



10-0006 10-Quart Vacuum Micro-Lined Filter Bag (10 Pack)



10-0006-HEPA 10-Quart Vacuum HEPA Micro-Lined Filter Bag (10 Pack)



10-0007-66-Quart Vacuum Cloth
Filter Bag with L-Style
Grommet



10-0007-10 10-Quart Vacuum Cloth Filter Bag with L-Style Grommet



10-0197 6-Quart Vacuum Micro-Lined Filter Bag (10 Pack)



10-0197-HEPA 6-Quart Vacuum HEPA Micro-Lined Filter Bag (10 Pack)





Cylindrical design reduces airflow as the bag bulges and sags.

TIP: The 10-Quart Backpack Vacuum has a tapered versus cylindrical body. By tapering the body 3/4" per side, it prevents a bulging bag from contacting its sides, allowing airflow around the bag.

TIP: The bag support plate keeps sagging heavy bags from impending air flow. The bag does not suffocate the motor, allowing you to use 100% of the bag!

BACKPACK AND HIP VACUUM ACCESSORIES



10-0029 56 in. 2-Piece, 2-Bend Aluminum Wand with 3-Piece Head Kit



10-0031 *5 in. Upholstery Tool*



10-0032-CComplete 14 in. Scalloped Floor Tool with Bumper



10-0033 *17 in. Crevice Tool*



10-0034Standard 5-Piece Tool Kit



10-0037 3 in. Round Dust Brush



10-0170 14 in. Squeegee Floor Tool



10-0163

Power Head Kit, Includes
Wand, Electrical Fittings
and Vacuum Head



10-017314 in. Felt Floor Tool



10-0176 1 in. to 4 in. Overhead Pipe Cleaner Wand Attachment





Ultimate Solutions Corporate Office 15571 Container Lane, Huntington Beach, CA 92649 Phone: 800-983-5834 | Fax: 714-901-8404

BACKPACK AND HIP VACUUM ACCESSORIES CONTINUED



10-0176-A 4 in. to 8 in. Overhead Pipe Cleaner Wand Attachment



10-0177 4 in. Car Utility Tool



10-0181 28 in. Crevice Tool



10-0183 14 in. Nylon Brush Hardwood Floor Tool



10-0220 5 in. Aluminum Dust Brush



10-0224 59 in. 1-Piece, 2-Bend Aluminum Wand



10-0340 14 in. Scalloped Felt Floor Tool



10-0342-A60 in. Straight Extension
Aluminum Wand



10-0345 11 in. Crevice Tool



10-0409Backpack Waist Belt
Extension (Extends up to 12 in.)



10-0430 15 in. Smooth Glide Carpet Brush



10-0438 14 in. Slotted Horse Hair Carpet Brush



10-0440 14 in. Quick Clean Paddle (for Pews and Benches)



10-0441 14 in. Horse Hair Hardwood Floor Brush



10-045436 in. Aluminum Vacuum Wand Extension



10-0497Hipster Waist Belt
Extension (Extends up to 12 in.)



10-2300Turbo Brush Kit, Includes
Telescopic Wand, 1-1/2 in.
to 1-1/4 in. Hose Handle



10-2507 1-1/4 in. Turbo Brush

TIP: The 10-Quart Backpack Vacuum's static dissipating vacuum hose is angled into the lid at a 45 degree angle. This prevents bending and breaking. The hose also twists in and swivels, allowing for right- or left-handed vacuuming and prevents clogging.





BACKPACK AND HIP VACUUM SIDEWINDER TOOLS



10-0184

59 in. 2-Piece Sidewinder Wand

10-0184-1

59 in. 1-Piece Sidewinder Wand

10-0184-1-EXT

59 in. 1-Piece Sidewinder Extension Wand

10-0188

32 in. Sidewinder Half Curve Adapter Pipe Cleaner Wand



10-0185

18 in. Sidewinder Carpet Tool

10-0185-15

15 in. Sidewinder Carpet Tool

10-0185-8

8 in. Sidewinder Carpet Tool



10-0185-F

18 in. Sidewinder Felt Floor Tool

10-0185-15-F

15 in. Sidewinder Felt Floor Tool

10-0185-FS

18 in. Sidewinder Scalloped Felt Floor Tool

10-0185-15-FS

15 in. Sidewinder Scalloped Felt Floor Tool



10-0185-H

18 in. Sidewinder Horsehair Floor Tool

10-0185-15-H

15 in. Sidewinder Horsehair Floor Tool

10-0185-8-H

8 in. Sidewinder Horsehair Dusting Brush



10-0185-N

18 in. Sidewinder Nylon Floor Tool

10-0185-15-N

15 in. Sidewinder Nylon Floor Tool



10-0185-15-S

18 in. Sidewinder Squeegee Tool

BACKPACK AND HIP VACUUM REPLACEMENT PARTS



10-0002-A

Complete Vacuum Lid for 10-Quart Backpack (NO Hose)



10-0002-B

Complete Vacuum Lid with Hose and Cuff for 10-Quart Backpack



10-0002-H-LID

Complete Hipster Lid with Hose and Cuff



10-0002-6-A

Vacuum Lid for 6-Quart Backpack



10-0008-B

Complete Dome Filter with Bag Support





BACKPACK AND HIP VACUUM REPLACEMENT PARTS CONTINUED



10-0012-COMWHISPER 2-Stage Motor
with Gasket



10-0013-COMSuper 1-Stage Motor with Gasket



10-0018Sound Dampening
Band



10-0019
10-Qt. Dual Cell Noise Filter
10-0019-6
6-Ot. Dual Cell Noise Filter



10-0020Cushioned Back Pad



10-0021Shoulder and Waist Belt



10-0021-BA
Deluxe Padded Waist
Belt for Backpacks Only
(not for Hip Vacuums)



10-0022Screw for Shoulder and Waist Belt



10-0023Washer for Shoulder and Waist Belt



10-0024-COMComplete 4 ft. Vacuum
Hose with Cuff for 10-Quart
(1-1/2 in. Diameter)



10-0024-6-COM Complete 4 ft. Vacuum Hose with Cufs for 6-Quarts (1 Swivel and 1 Straight)



10-0025On/Off Switch for Backpacks



10-0026-A 17 in. Complete Pigtail Cord with Strain Relief Nut and Electrical Connectors



10-0028 50 ft. Electrical Cord with Lit Ends



10-0036Complete 4 ft. Super Flex Vacuum Hose with Cuffs (1-1/2 in. Diameter)



10-0042Aviation Backpack 400 Hz
Motor Brush Kit (Set of 2)



10-0155 Straight Hose Cuff



10-0055-L Long Screws for Top of Hipster Waist Belt



10-0055-SShort Screws for Bottom of Hipster Waist Belt



10-0165Copper Ring 3-Piece
Head Kit





BACKPACK AND HIP VACUUM REPLACEMENT PARTS CONTINUED



10-0173-AReplacement Blades for 14 in. Felt Floor Tool



10-0175-AReplacement Brushes for 16 in. Carpet Tool with Adjustable Brush



10-0183-A 14 in. Replacement Brush for Nylon Floor Tool



10-0195 Swivel Cuff (1-1/2 in. Diameter)



10-0199 *Vacuum Motor Gasket*



10-0217Washer for Waist Belt for 6-Quart Backpacks and Hipsters



10-0219-HComplete HEPA Filter with Bag Support for 6-Quart HEPA Hipster



10-0219-6 Complete HEPA Filter with Bag Support for 6-Quart HEPA Backpack



10-0219-10-N Complete HEPA Filter with Bag Support for 10-Quart HEPA Backpack



10-0223-B 3-Piece Head Kit for Wand



10-0340-A 14 in. Felt Replacement Blades for 14 in. Scalloped Felt Floor Tool



10-0346-COMDP Hipster Motor with
Gasket for Hipsters



10-0372Waist Belt Clip for Backpack Vacuum



10-0421Waist Belt for 6-Quart
Hipster



10-0422Power Head Connector
Kit



10-0441-AReplacement Brushes for 14 in. Horse Hair Brush



10-0489White Replacement
Blades for 14 in. Squeegee
floor Tool (4 Pack)



10-1333Black Super Motor
Brushes, Single Stage
(Set of 2)



10-1333-OOrange WHISPER Motor
Brushes, 2-Stage (Set of 2)







GEN-AIR AIR MOVER



Stack up to 3 units for compact storage!

Handle fits conveniently into the bottom of the air mover to stack three units easily and safely.

Operate at 3 different fan speeds!

Low - 780 RPM at 1500 CFM Med - 1000 RPM at 1900 CFM High - 1150 RPM at 2400 CFM

Designed to operate at 3 angles!

Aim at the floor, tip back or tip up to move air and dry floors, furniture, curtains, walls and ceilings!

Designed to Operate at Three Angles



Warranty: Lifetime warranty on body, 1-year on motor and all electrical components.

- The 1/2 HP, 3-speed motor gives ample power for drying surfaces and moving musty air.
- Includes a 10" wide, steel fan blade and frame with a 14" chassis opening.
- Air intake and outlet screens keep airflow free from debris and protect fingers from the powerful steel fan blades.
- Designed to operate at three angles and tilts at both 45and 90-degree angles. Aim the air stream at the floor to move air and dry carpets or tip back to dry curtains, walls and ceilings.
- Stack up to three air mover units for easier storage.
- Balanced design with molded carrying handle makes transportation easy.
- Roto-molded polyethylene body withstands the toughest working environments and resist dents, chips and cracks. It's easy to clean and always looks professional.
- Includes (1) 20-foot, 16/3-gauge safety power cord.

APPLICATIONS

Operates in three positions to allow you to dry walls, floors, ceilings and furniture with ease.

Ideal for drying furniture, drying paint, flood clean-up, moving musty air and more!

Ask about 230 Volt Models.

SPECIFICATIONS

Model: 90-0000

Motor: 1/2 HP, 115 V

3-Speed Fan: 780 RPM | 1000 RPM | 1150 RPM **Air Flow Rates:** 1500 CFM | 1900 CFM | 2400 CFM

Body: Molded, High-Density Polypropylene

Weight: 32 lbs.

Dimensions: 19.2" L x 14.5" W x 19.5" H

TIP: Best air mover on the market with high CFM! Compare our 2400 CFM to the industry standard of 1700 CFM.



Manufactured with Pride in the U.S.A.







FORCE 14 Upright Vacuum



Warranty: 1-year.

- The modular design and construction of the FORCE 14 makes maintenance fast and easy.
- A powerful 12 amp motor produces 74.8" of vacuum lift, cleaning carpets in just one pass.
- A separate 1.3 amp motor spins the roller brush bar at 4000 RPM. This
 motor is designed with overload protection, a non-slip drive belt and an
 electronic sensor to detect brush bar blockage or belt breaks.
- The motor is dust protected with an in-line filter which makes this vacuum reliable and long-lasting.
- High-efficiency filtration collects the finest dust in a 4.75 quart, dualwall micro-filtration bag.
- Manual, 4-position carpet height adjustment.
- When the vacuum handle is in the upright position at startup, or when vacuum tools are being used, the roller brush motor automatically turns off to protect the carpet.
- Its balanced center of gravity allows for a light handle weight and prevents tipping when using accessories.
- The telescopic wand with stretch hose extends up to 9-feet for easy cleaning of high, low and tight spaces.
- The polished stainless steel glide plate lets the Force 14 ride gently on the carpet.
- Non-skid, non-marking rear wheels make transport and stair climbing easy and do not scuff floors.
- Includes a handle-mounted tool kit: (1) upholstery brush; (1) dusting brush and (1) crevice tool.
- Includes (1) 50-foot interchangeable safety power cord with strain relief.

APPLICATIONS

Designed for everyday and commercial use to sweep carpeting. Ideal for hotels, lobbies, offices and more! With a powerful 12 amp motor producing 74.8" of vacuum lift and a wide 14" cleaning path, this vacuum allows you to sweep carpets in just one pass!

SPECIFICATIONS

Model: 60-1000

Cleaning Path: 14"

Brush Speed: 4000 RPM

Vacuum Motor: 12 amp / 1000 Watt

Brush Bar Drive Motor: 1.3 amp / 145 Watt

Furniture Guard: Yes

Filtration System: Standard Filtration

(HEPA Available) **Sound:** 78 dB

UL Approved: Yes (Commercial Use)

OSHA Compliant: Yes

Unit / Shipping Weight: 19.8 lbs. / 23.8 lbs.

FILTERS AND BAGS



60-0006Round Filter
Replacement



60-0007HEPA Filter
Replacement



60-1001 FORCE 14 Replacement Paper Bags (10 Pack)



60-1001-HEPAFORCE 14 HEPA
Replacement Paper
Bags (10 Pack)





Mercury Floor Machines has been making high-quality, durable and long-lasting floor machines for over 50 years. Our machines, known as "the original floor machine," are heavy and add a bit of elbow grease to the cleaning process. They include polished aluminum castings that we polish ourselves in-house. We are one of the few companies left that have strong, all-metal castings that are easy to clean and look newer longer! Our "Best Warranty on the Planet" Program is a key ingredient to our distributors' ultimate success!

FEATURES AND BENEFITS

Warranty: "Best Warranty on the Planet" - 5-years on motor, gearbox, transmission and chassis (unless otherwise noted).

- Powered by a precision-balanced, heavy-duty 1.5 HP 66-frame motor for easy operation.
- The triple-planetary high torque transmission handles the most demanding jobs.
- Strong, all-metal polished aluminum reinforced aprons. Easy to clean and look newer longer!
- All metal chassis gives added weight for a faster, longer lasting and brighter shine.
- Scrub with a brush 2" smaller than the machine size, or a pad and pad driver with riser 1" smaller than the machine size.
- Safety-enhanced interlock switch on the handle leaves both hands conveniently in control.
- Safety-enhanced, non-conductive dual triggers on the handle eliminate shock potential.
- 48" tall handle is fully adjustable and is comfortable for all operators.
- Non-marking, super-thick bumper protects walls and baseboards.

- Includes 6" non-marking wheels for easy transport.
- Includes (1) 50-foot, 14/3-gauge safety power cord. Motor plugs into cable at the base of the handle for easy maintenance.

"Floor Buffer," is specifically designed for

cleaning, scrubbing or stripping floors.





Manufactured with Pride in the U.S.A.

Ask about 230 Volt Models.

Rotary Pad

Driver with Riser

12 in.

14 in.

16 in.

18 in.

19 in.

19 in.

Weiaht

103 lbs.

104 lbs.

106 lbs.

107 lbs.

108 lbs.

108 lbs.



HERCULES Super Heavy-Duty Floor Machine

Also called a "floor buffer" and is specifically designed for cleaning, scrubbing or stripping floors.

Brush Speed: 175 RPM	Model	Apron Size	Rotary Brush
Motor Type: 1.5 HP A/C, 2 Capacitors, 15 Amp	H-13E	13 in.	11 in.
Optional: Unicorn Weight Kit (UWK) and	H-15E	15 in.	13 in.
Solution Tank (SST-4)	H-17E	17 in.	15 in.
Order brushes and pad drivers separately.	H-19E	19 in.	17 in.
The floor machine, which also may	H-20E	20 in.	18 in.
be more traditionally referred to as a	H-21E	21 in.	18 in.

Optional Short Bristle Pad Drivers

1305 12 in. 1505 14 in. 1705 16 in. 1905 18 in. 2105 19 in.

TIP: We make it easy for the end-user to self diagnose issues. Our motor plugs into the cable at the base of handle. If you unplug the short pigtail, plug it into the wall and if it doesn't work, then the issue is in the handle, not the motor!

TIP: Our motors have dual capacitors that work as start and run capacitors. Our machines also include triple-planetary high torque transmissions. Both these features extend the life of the motor and the transmission!







Shown with

12TV027 Optional

Sanding Vacuum Kit

for schools with a 20 in. apron.

HERCULES SEALED SANDER with Sealed Bearing Motor

For Dusty Wood, Stone and Concrete. Sealed motor and hospital compatible!

Motor Type: 1.5 HP A/C, 2 Capacitors, 15 Amp	Model	Apron Size	Rotary Brush	Rotary Pad Driver with Riser	Weight	
Brush Speed: 175 RPM	H-17S	17 in.	15 in.	16 in.	106 lbs.	
Order brushes and pad drivers	H-20S	20 in.	18 in.	20 in.	108 lbs.	
separately.	Accessories	;				
Optional Heavy-Duty Sanding Paper Driver	PVKIS	Dust Replacement Skirt for H-17S, for Wood Floor Sanding				
1626 16 in. Sand Paper Driver	PVKISM	Dust Replacement Skirt for H-20S, for Wood Floor Sanding				
	12TV027	Sanding Vacu	um Kit			

LO-BOY Super Heavy-Duty, Ultra Quiet Floor Machine

Used for spray buffing, scrubbing, stripping, shampooing and bonnet cleaning.

		_			
Motor Type: 1.5 HP A/C, 2 Capacitors, 15 Amp	Model	Apron Size	Rotary Brush	Rotary Pad Driver with Riser	Weight
Brush Speed: 175 RPM	L-15E	15 in.	13 in.	14 in.	96 lbs.
Optional: Unicorn Weight Kit (UWK)	L-17E	17 in.	15 in.	16 in.	99 lbs.
and Solution Tank (SST-4)	L-19E	19 in.	17 in.	18 in.	102 lbs.
Order brushes and pad drivers	L-20E	20 in.	18 in.	19 in.	103 lbs.
separately.	L-21E	21 in.	18 in.	19 in.	105 lbs.
	Optional Sho	ort Bristle Pad	Drivers		
	1505 14 in.	1705 16 in	1905	18 in. 2105 19	in.

CLEANMASTER Dual Speed Floor Machine

Labor-saving dual speed, specifically designed for cleaning, scrubbing or stripping floors.

Brush Speed: 175/300 RPM Dual Speed	Model	Apron Size	Rotary Brush	Rotary Pad Driver with Riser	Weight
Motor Type: 1.5 HP, 66-Frame D/C Rectified Motor, 13-15 Amps	TS-17	17 in.	15 in.	16 in.	102 lbs.
Order brushes and pad drivers	TS-19	19 in.	17 in.	18 in.	103 lbs.
separately.	TS-21	21 in.	19 in.	20 in.	104 lbs.
	Optional Hig	h-Speed Cushi	oned Pad	Drivers	
	1709 16 in.	1909 18 in.	2109	20 in.	

LOW BOY LB9000 Orbiting Floor Machine

use gouging, swirling or vibrations.

Orbital sanding at 1725 OPIN with no torque gouging, s	WILIII
Powerful induction motor is totally enclosed allowing a long life for brushes and commutator.	Mode
A 16" sanding screen lays under the pad driver fit	LB-90
with a standard 16" scrubbing pad.	Pad D
Collect sanding dust with a Backpack Vacuum by	1914
adding an optional Sanding Dust Kit.	1915
Free fleating shromed steel bandle includes an	

Free-floating, chromed steel handle includes an easy kick release and an automatic locking systen

Order pad drivers and 16" sanding screens separately.

	Model	•	ron ze	Brush Speed	Motor	Weight
t	LB-900	19	in.	1725 OPM	3/4 HP	106 lbs.
	Pad Dr	ivers			16 in. San	ding Screens
	1914	Micro-l	Hool	k Style	SO6016	60 Grit
	1915	Bristle-	Style	e	SO8016	80 Grit
m.				Vacuum Kit s hoses,	SO1016	100 Grit
		nd T-Mo			SO1516	150 Grit
					SO1816	180 Grit /
						//





BOSS Heavy-Duty Floor Machine with Interchangeable Aprons

Build a fleet of machines with up to five aprons. Available in single or dual speeds.

Five interchangeable aprons with one base machine gives you a fleet of floor care machines for a range of tasks in any size facility. Aprons mount with three easy-to-change thumb screws.

May traditionally be referred to as a "Floor Buffer" and is specifically designed for cleaning, scrubbing or stripping floors (stone, carpet, tile or wood).

Optional: Unicorn Weight Kit (UWK) and Solution Tank (SST-4)

A complete order includes (1) base unit with (1) or more aprons.

Model	Brush Speed	Мо	tor	Weight
BOSS-1	175 RPM	1.5 HF	A/C	90 - 107 lbs. Depending on
BOSS-2	175/ 300 RPM			Apron Selection
Aprons w	ith Bumpers	Pad Dr	rivers v	v/ Riser and 92 Clutch Plate)
A-163-1	13 in. (3 lbs.)	1305	12 in	. Short Bristle
A-167-1	15 in. (4 lbs.)	1505	14 in	. Short Bristle
A-169-1	17 in. (5 lbs.)	1705	16 in	. Short Bristle
A-171-1	19 in. (6 lbs.)	1905	18 in	. Short Bristle
A-172-1	21 in. (7 lbs.)	2105	19 in	. Short Bristle

Brush Drive: Universal Clutch Plate

BOSS MULTI-TASKER Floor Machine with Solution Tank and Weight Kit

Maintain stone, carpet, tile or wood floors. Available in single or dual speeds.

One of our most popular floor machines. It is fully loaded with all the accessories and features needed for complete floor care.

Includes Unicorn Weight Kit: add up to 50 extra pounds of pressure for a comprehensive stone and marble floor restoration program.

Includes 4-Gallon Solution Tank: for productive wet cleaning.

Brush Drive: Universal Clutch Plate **Order brushes separately.**

Model	Brush Speed	Motor	Weight
BMT-175	175 RPM	1.5 HP A/C	175 lbs. with all
BMT-175/300	175/300 RPM	1.5 HP D/C	Accessories

Includes Three Interchangeable Aprons

 $13\rlap{,}'',17\rlap{''}$ and $21\rlap{,}'',$ non-marking aprons with full wrap bumpers. Aprons mount with three easy-to-change thumb screws.

Includes Pad Drivers

12", 16" and 20" pad drivers with B/92 style clutch plate (for all other brushes, order 11 in., 15 in. and 19 in. Pad Drivers with B/92 Style Clutch Plate)



ONE-TOUCH DRY SCRUB Floor Machine

Chemical-free stripping, used for refinishing wood floors and for scrubbing and stripping floors.

Machine Warranty: 1-year (including motor, handle assembly and all critical wear items)

Backpack Warranty: Lifetime on rotomolded body, 5-years on motor and 1-year on all electrical components.

Heavy-duty, high quality components prepare floors to be refinished in half the time compared to the conventional stripping process. Cleans edges and corners in every room. No stripper run-off and no ruined floors under doors. No side torque and operates in any direction.

Remove grease on kitchen floors! Use with an Astroturf pad.

Model	Orbital Speed	Motor	Cleaning Pad Size	Weight
DS-18	1725 RPM	1 HP	12 in. x 18 in.	120 lbs.

Includes: 6-Quart Raven Backpack Vacuum

Scrubbing and Filler Pads Required with use of the Machine – Sold Separately

42071218	Maroon Stripping Pad	40441218	Filler Pads
(10 per Case)			(5 per Case)

Oscillating plate completely enclosed by dust skirt and when used in conjunction with the Raven 6-Quart Backpack Vacuum, captures 95% plus of all airborne particles. Light tacking is all that is needed to prepare floor for a new coat of finish!





Mercury Floor Machines makes ultra high-speed burnishers in three motor speeds: 1170, 1500 and 2000 RPM Burnishers operate at a higher speed than slower buffers and provide a quick and economical way for a business to have a clean appearance. They are able to cover large spans of area compared to buffers. This makes burnishers useful for cleaning large surfaces in businesses or even supermarkets.

FEATURES AND BENEFITS

Ask about 230 Volt Models.

Warranty: "Best Warranty on the Planet" - 5-years on motor and chassis.

- Burnishing power with 1.5 HP, 15 Amp, D/C rectified motor that eliminates burn-outs, low voltage and startup torque problems.
- Reliable 1170, 1500 or 2000 RPM motor speeds.
- 19", 20" or 21" aprons with non-marking, full wrap bumpers protect walls and baseboards.
- Low profile drive apron easily reaches under counter coves and beds.
- Balanced chassis design provides precise pad pressure. Includes flexible pad holder with threaded pad-centering device that conforms to floor irregularities, delivering an even shine and gloss.
- All metal chassis gives added weight for a faster, longer lasting and brighter shine.
- Designed with safety in mind. The interlock switch leaves both hands conveniently in control. Safety enhanced, non-conductive dual triggers eliminate shock potential.
- 6" non-marking operating wheels and separate 4" transport wheels prevent tracking of contaminants.
- Fully adjustable 48" handle is comfortable for all operators.
- Includes (1) 50-foot, 14/3-gauge safety power cord. The motor plugs into the cable at the handle base for easy maintenance.

Ultra D.C. Ultra High-Speed Burnishers

Also called a "floor polisher" and is specifically designed for high-speed polishing.

Brush Speed: 1170, 1500 or 2000 RPM Apron Sizes: 19 in., 20 in. or 21 in.

2000 RPM models include a front caster assembly. Front leveling provides precise pad pressure for even shine and gloss.



Model	Apron Size	RPM	Weight
DC-19-1170	19 in.	1170	84 lbs.
DC-20-1170	20 in.	1170	85 lbs.
DC-21-1170	21 in.	1170	86 lbs.
DC-19-1500	19 in.	1500	84 lbs.
DC-20-1500	20 in.	1500	85 lbs.
DC-21-1500	21 in.	1500	86 lbs.
DC-19-2000	19 in.	2000	87 lbs.
DC-20-2000	20 in.	2000	88 lbs.
DC-21-2000	21 in.	2000	89 lbs.















AIR MOVERS AND VACUUM EQUIPMENT





Mercury Floor Machines' air movers are ideal for drying carpets, furniture and paint, flood clean-up, moving musty air and more. The roto-molded polyethylene body withstands the toughest working environments and resist dents, chips and cracks. It's easy to clean and always looks professional.

FEATURES AND BENEFITS

Warranty: 10-years on roto-molded body, 1-year on motor and all electrical components.

- The 1/2 HP, 3-speed motor gives ample power for drying surfaces and moving musty air.
- Includes a 9.5" wide, steel fan blade.
- Air intake and outlet screens keep airflow free from debris and protect fingers from the powerful steel fan blades.
- Includes a top-of-the-line retractable handle for singlehanded use and maneuverability.
- Stack up to three air mover units for easier storage.
- Balanced design with molded carrying handle, cord wrap and double ball-bearing wheels make transportation easy.
- Includes (1) 20-foot, 16/3-gauge safety power cord.





CORSAIR (90-2000) **High-Roller** (90-2000WH)

Stack up to three air movers for easier storage!

Designed to operate in three positions and tilts at both 45- and 90-degree angles. Aim the air stream at the floor to move air and dry carpets or tip back to dry curtains, walls and ceilings.

Model No. 90-2000WH includes retractable handle.

	-			
S	Model	Weight	Dir	nensions
	90-2000	31 lbs.	10 2″ L v	14.5″W x 19.5″H
	90-2000WH	33 lbs.	19.2 LX 14.5 W X 19.	
	3-Speed Fan	780 RPM	950 RPM	1100 RPM
	Air Flow Rates	1060 CFM	1360 CFM	1500 CFM

ACE 10-Quart Backpack Vacuum

Worn on the back to allow for easy and quick vacuuming while walking. Ideal for hallways! Warranty: 5-year warranty on body, 2-years on motor, 90-days on tools.

- Fastest soil pick-up with a 1.5 HP, 2-stage, 1122 Watt motor and 120 CFM airflow, making the ACE significantly more proficient than traditional uprights.
- Collects the most soils, leaving exhaust air cleaner with a disposable, heavy-duty paper microbag mounted inside a washable cloth shakeout bag.
- Lightweight ergonomic design, with a cushioned back-pad that fits the curve of any operator's back. The comfortable shoulder and waist belt design reduces fatigue, making work easier.
- Two lever-style latches lock the lid to the body and a twist top lid with static-dissipating vacuum hose and swivel cuff allow for left- and right-handed vacuuming.
- Includes easy-to-reach On/Off power switch and (1) 50-foot, 16/3-gauge safety power cord.
- Includes 5-piece tool kit: 5" upholstery tool, 3" round dust brush, 14" scalloped floor tool, 17" crevice tool and 56" 2-piece wand.





AIR MOVERS AND VACUUM EQUIPMENT CONTINUED





STORM 20-Gallon Wet / Dry Vacs

Used for both wet and dry vacuuming. Ideal for flood or spill clean-up.

Warranty: 1-year warranty on motors, 90-days on tools and accessories.

- Powerful dual 1.335 HP (total 2.67 HP) / 2000 Watt vacuum motors with separate switches for each motor.
- High 225 CFM airflow and 78"water lift.
- 20-gallon tank capacity (15-gallon wet). Select chromed steel or super-durable poly tank construction.
- Weighing only 63 lbs. (empty), this lightweight wet/dry vac is steady on the floor and makes transport easy.
- Cloth vacuum filter controls dust and protects motors. Easy to remove and wash.
- Includes a 10-foot vacuum hose, strong chromed-plated steel "S" wand and durable vacuum head.
- The 1.5" vacuum hose locks securely to the tank port.
- Includes a 5-piece tool kit: crevice tool, dust brush, squeegee tool, scalloped bristle floor tool and 2-piece wand.
- Includes (1) 50-foot, 16/3-gauge safety power cord.







Optional Squeegee Assembly

Step-down foot pedal to raise and lower front mounted squeegee.
Attaches to machine cart.
Part No. WVS-20B



With a 6-gallon capacity, it is designed for maintaining and cleaning smaller areas.

Warranty: 1-year warranty on motor, 90-days on tools.

- Fastest soil pick-up with a 1.75 HP, 1300 Watt motor.
- 125 CFM airflow provides excellent water lift.
- 6-gallon tank capacity (3.1-gallon wet). The molded tank withstands the toughest working environments and resist dents, chips and cracks. Easy to clean and looks professional.
- Weighing only 15 lbs. (empty), this lightweight tank vac is steady on the floor and makes transport
 easy.
- The cloth vacuum filter controls dust and protects motors. Easy to remove and wash.
- The vacuum hose locks securely to the tank port.
- · Includes a 10-foot vacuum hose, strong chromed-plated steel "S" wand and durable vacuum head.
- Includes a 5-piece tool kit: crevice tool, dust brush, squeegee tool, scalloped bristle floor tool and 2-piece wand.
- Includes (1) 23-foot, 16/3-gauge safety power cord.

5-Piece Tool Kit for Wet/Dry Vacs

TV-66

Model





Brush







2-Piece Wand





COLD WATER HIGH PRESSURE WASHERS



STATIONARY COMPACT Cold Water High Pressure Washer

2.1 GPM at 1500 PSI

- 2 HP HD electric motor
- 115 Volt, 1 PH, 20 Amps
- Includes 24" wand, trigger gun and 25-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump

Model	Motor	Wand	Hose
PW-COMPACT CC	2 HP HD Electric Motor	24 in.	25-Foot
Wheels No Wheels			



PORTABLE COMPACT Cold Water High Pressure Washer

2.1 GPM at 1500 PSI

- · 2 HP HD electric motor
- 115 Volt, 1 PH, 20 Amps
- Includes 24" wand, trigger gun and 25-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump

Model	Motor	Wand	Hose
PW-COMPACT-OPT	2 HP HD Flectric Motor	24 in.	25-Foot

Wheels (2) 10" Pneumatic Wheels




POWER X-TREM Cold Water High Pressure Washer

3.5 GPM at 4000 PSI

- 13 HP Honda gas engine
- Includes 36" wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump


Model	Engine	Wand	Hose
PW-POWER X-TREM	13 HP Honda Gas Engine	36 in.	50-Foot

Wheels (2) 10" Pneumatic Wheels





- 13 HP Honda gas engine
- Includes 36" wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- Stainless steel belt guard



Wheels (2) 10" Pneumatic Wheels
Includes Stainless Steel Belt Guard







OT WATER HIGH PRESSURE WASHERS



ELECTRIC 2 HP Hot Water High Pressure Washer

2 GPM at 1500 PSI

- 2 HP HD electric motor, 115 Volt, 1 PH, 20 Amps, diesel fired burner
- Direct drive with manual hand brake
- Includes 42"dual lance wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump

Model	Motor	Wand	Hose
PW-DOMINATOR-2	2 HP HD Electric	42"	50-Foot

Wheels (4) 10" Pneumatic Wheels



ELECTRIC 6 HP Hot Water High Pressure Washer

- 6 HP HD Electric Motor, 220 Volt, 1 PH, 25 Amps, diesel fired burner
- Direct drive with manual hand brake
- Includes 42"dual lance wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump

Model	Motor	Wand	Hose
PW-DOMINATOR HOT 4E	6 HP HD Electric	42"	50-Foot

Wheels (4) 10" Pneumatic Wheels



GAS 11 HP Hot Water High Pressure Washer

4 GPM at 3000 PSI

- 11 HP Honda gas engine, 220 Volt, 1 PH, 25 Amps, diesel fired burner
- Direct drive with manual hand brake
- Includes 42"dual lance wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump

Model	Engine	Wand	Hose
PW-DOMINATOR HOT 4G	11 HP Honda Gas	42"	50-Foot

Wheels (4) 10" Pneumatic Wheels

Wheels (4) 10" Pneumatic Wheels



GAS 13 HP Hot Water High Pressure Washer

3.5 GPM at 4000 PSI

- 13 HP Honda gas engine, diesel fired
- Direct drive with manual hand brake
- Includes 42"dual lance wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger

Model	Engine	Wand	Hose
PW-DOMINATOR	13 HP Honda Gas	42"	50-Foot

pump



STAND OUT FROM THE COMPETITION

with our Private Label Program

BUILD YOUR

We make it easy for you to combine your company's brand recognition, reputation and business skills with our quality products!





PLACE YOUR LOGO ON OUR PRODUCTS

We partner with you to develop custom labels and graphics.

CHOOSE YOUR MACHINE'S COLOR SCHEME

(6) bumper colors available and we can mold any colored machine!

YOUR LOGO HERE YOUR LOGO HERE YOUR LOGO HERE YOUR LOGO HERE

CUSTOMIZE YOUR MARKETING MATERIALS

Customized product sell sheets and operating manuals included.

NO MINIMAL START-UP ORDERS

No minimum quantity of machines required to purchase!