



2017

---

CATALOG

# 5 CATEGORIES

No one company brings together more innovative products and solutions for the full spectrum of restaurant and facilities operations than San Jamar.

## INNOVATION

Our approach? We identify real problems faced by real users in real situations. Then we solve them.



## UNSURPASSED QUALITY

We make products that last, to build relationships that last.



## CHANNEL PARTNERS

Innovative training, compelling marketing, merchandising and effective product promotion.



## MARKET KNOWLEDGE

We get it. We've been there, in the kitchen, in the facilities, behind the bar and in the trenches. Real world experience that has paid off with real, effective solutions.



SANJAMAR.COM

### COUNTER SERVICE



### WASHROOM & HYGIENE SOLUTIONS



### BAR & FOOD MANAGEMENT



### FOOD SAFETY TOOLS



### PERSONAL SAFETY



# CONTENTS

## 6 WASHROOM & HYGIENE SOLUTIONS

- 10 Towel Dispensers**
  - No-Touch Roll Towel
  - Touch Roll Towel
  - Folded Towel
- 18 Tissue Dispensers**
  - Standard Bath Tissue
  - Jumbo Bath Tissue
- 24 Soap & Other Dispensers**
  - Soap Dispensers
  - Other Dispensers
- 28 Air Care**

## 32 COUNTER SERVICE

- 34 Napkin Dispensers**
  - In-Counter Napkin
  - Tabletop Napkin
  - Counter/Wall Mount Napkin
- 40 Cup, Lid & Straw Dispensers**
  - Cup & Lid Systems
  - In-Counter Cup
  - Surface Mount Cup
  - Lid & Straw
- 54 Countertop Organizers**

## 58 FOOD SAFETY TOOLS

- 60 Allergen Safety**
- 64 Safe Ice Handling**
  - Totes
  - Scoops & Holders
- 68 Safe Food Preparation**
  - Cold Paddles
  - Cold Serve
  - Safe Prep
- 74 Sanitation Tools**
  - Pails
  - Tools
- 78 Cutting Boards**
  - Grip Boards
  - Standard Boards
  - Specialty & Custom Boards
  - Accessories

## 86 BAR AND FOOD MANAGEMENT

- 88 Bar Management**
  - Bar Tools
  - Garnish Centers
  - Shelf Matting
- 96 Food Management**
  - Food Storage
  - Chef Tools
  - Condiment Centers
  - Pump Centers
  - Dessert
- 108 Kitchen Management**
  - Check Management
  - Flatware Management
  - Food Carriers
  - Floor Matting
- 114 Measurement Tools**
  - Scales
  - Thermometers
  - Timers

## 124 PERSONAL SAFETY

- 126 Temperature Protection Mitts**
  - High Performance
  - Value Added
  - Economy
- 132 Temperature Protection Gloves & Sleeves**
  - Hot Oil Gloves
  - Temperature Gloves
  - Temperature Sleeves
- 136 Temperature Protection Holders**
  - Pot Holders
  - Pan Grabbers
  - Handle Holders
- 142 Cut Protection**
  - Cut Protection Gloves
  - Safety Aids
- 146 Chemical Protection**
  - Aprons
  - Gloves
  - Protective Apparel



# RECENT INNOVATIONS

San Jamar offers a steady stream of innovation with over 100 new products all designed to make your operation smarter, safer, and more sanitary.

- Summit Smart System  
PAGE 11
- Summit Tear-N-Dry  
PAGE 12
- Recessed Roll Towel Dispensers  
PAGE 12
- Summit Simplicity Essence  
PAGE 13
- Classic Simplicity Essence  
PAGE 13
- Summit Versatwin®  
PAGE 19
- Summit Twin 9" JBT  
PAGE 22
- Summit Rely®  
PAGE 25
- Rely® Hybrid Soap & Sanitizer Dispensers  
PAGE 25
- Rely® Manual Soap & Sanitizer Dispensers  
PAGE 25
- Summit Arriba™ Twist Passive  
PAGE 29
- Arriba™ Starter Packs  
PAGE 31
- Arriba™ Twist Fragrances  
PAGE 31

- Bulk Straw Dispenser  
PAGE 53
- Junior Bulk Straw Dispenser  
PAGE 53
- Junior Bulk Straw Dispenser Wall Bracket  
PAGE 53
- Venue® Coffee Sleeve Dispenser  
PAGE 55
- Modular Counter Suite  
PAGE 56
- Allergen Saf-T-Zone™ Mats  
PAGE 61
- Allergen Saf-T-Zone™ Thermometer  
PAGE 62
- Purple Kleen-Pail®  
PAGE 62
- Saf-T-Knife® Station Jr. Purple Lid  
PAGE 62
- Purple Cut-Resistant Glove with Dyneema®  
PAGE 63
- ModPans™ Purple Lid  
PAGE 63
- Saf-T-Ice® Cart  
PAGE 66
- BPA Free Saf-T-Ice® Tote  
PAGE 66

- Light Duty™ Ice Tote  
PAGE 66
- Adjustable Saf-T-Scoop®  
PAGE 67
- Saf-T-Wrap® 12" & 18"  
PAGE 72
- Saf-T-Wrap® Stackers  
PAGE 72
- Saf-T-Label™  
PAGE 72
- Saf-T-Knife® Station Jr.  
PAGE 73
- Kleen-Pail® Broken Glass Container  
PAGE 75
- Kleen-Pail® Stands  
PAGE 76
- Saf-T-Grip® White Cutting Boards  
PAGE 80
- Saf-T-Grip® White 4-Board System  
PAGE 80
- Perfect Pitcher  
PAGE 89
- Non-Alcoholic Bar Mat  
PAGE 90
- The Dome® Glass Rimming Station  
PAGE 93

- Pizza Bags  
PAGE 111
- EZ-Kleen™ Oven Mitt  
PAGE 127
- EZ-Kleen™ Sleeve  
PAGE 135
- EZ-Kleen™ Hot Pad  
PAGE 137

- Silicone Handle Holder  
PAGE 141
- BreadGuard™  
PAGE 145
- EZ-Kleen™ Apron  
PAGE 147
- ProGrip™  
PAGE 151

- EZ-Kleen™ Shin Guards  
PAGE 152
- EZ-Kleen™ Face Shield  
PAGE 152
- EZ-Kleen™ Kit  
PAGE 152

## BRAND NEW MEASUREMENT TOOLS

**21**  
Scales  
PAGE 115



**16**  
Thermometers  
PAGE 119



**3**  
Timers  
PAGE 123



# WASHROOM & HYGIENE SOLUTIONS

An efficient, sanitary washroom environment starts with clean, contemporary dispensing solutions. San Jamar offers innovative ways to provide worry-free dispensing crafted with high quality materials that improve hygiene, cut costs and enhance your image.



**TOWEL  
DISPENSERS**

**TISSUE  
DISPENSERS**

**SOAP & OTHER  
DISPENSERS**

**AIR CARE**

# THE SUMMIT FAMILY IS GROWING

## BLACK/STAINLESS LOOK




## STAINLESS LOOK



## WHITE/CLEAR



## COMING SPRING 2017



# SUMMIT FAMILY CUSTOM OPTIONS

Visit [Sanjamar.com/Summit](http://Sanjamar.com/Summit) to design your own dispenser and washroom. Or, go to the Apple or Android App Store to download our Summit App. See how Summit products fit in your Washroom.

Artwork can be molded into shield

## LOW VOLUME FAST TURN AROUND

with 12 pre-approved colors for back, cover & shield

<b>BK</b> Black	<b>WH</b> White	<b>BR</b> Brown	<b>YL</b> Yellow	<b>OR</b> Orange	<b>RD</b> Red
<b>MN</b> Maroon	<b>PR</b> Purple	<b>BL</b> Blue	<b>DB</b> Dark Blue	<b>GN</b> Green	<b>DG</b> Dark Green

Custom items have minimum purchase of 50 each.



**CALL US TO ORDER! 1-800-248-9826 EXT. 5109**

# TOWEL DISPENSERS

NO-TOUCH ROLL TOWEL

TOUCH ROLL TOWEL

FOLDED TOWEL

## NO-TOUCH ROLL TOWEL

- Touchless towel dispensers offer the best option for sanitary hand hygiene
- San Jamar leads the industry in Universal Touchless Electronic dispensing with four options: Smart Essence™, Tear-N-Dry Essence™, Smart System with I.Q. Sensor™, and the Tear-N-Dry. Each of these durable dispensers offer:
  - Best battery life in industry
  - Fast, reliable performance
  - Dispensing all types of 8" roll towel paper up to 800' – any brand or quality



WASHROOM & HYGIENE SOLUTIONS--TOWEL DISPENSERS



T1470BKSS

## Smart System WITH I.Q. SENSOR™ **NEW**

- Adjustable paper length (8", 12", 16") and delay (0, 1½, 3 seconds)
- Infinity System® automatic transfer system eliminates stub roll waste
- Replaceable drive module

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
CLASSIC STYLE				
T1400*	TBL, TBK, WH	8" (200 mm) wide roll dia. & 4" (100 mm) dia. stub roll	1½" (38 mm)	16½"H x 11¾"W x 9¼"D (419 x 298 x 235 mm)
T1400TBKHW**	TBK	8" (200 mm) wide roll dia. & 4" (100 mm) dia. stub roll	1½" (38 mm)	16½"H x 11¾"W x 9¼"D (419 x 298 x 235 mm)
OCEANS® STYLE				
T1490*	TBL, TBK	8" (200 mm) wide roll dia. & 4" (100 mm) dia. stub roll	1½" (38 mm)	16½"H x 11¾"W x 9¼"D (419 x 298 x 235 mm)
SUMMIT STYLE				
T1470*	BKSS, SS WHCL, CUSTOM	8" (200 mm) wide roll dia. & 4" (100 mm) dia. stub roll	1½" (38 mm)	16½"H x 12¼"W x 9¾"D (410 x 311 x 248 mm)

Requires 4 D-cell alkaline batteries

\*\*Includes hand washing sticker



T8400TBL

## Smart Essence™


- Adjustable paper length (8", 12", 16") and delay (0, 1½, 3 seconds)
- Compact, high capacity
- Durable and economical

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
CLASSIC STYLE				
T8400*	TBL, TBK, WH	(1) 8" (200 mm) wide roll	1½" (38 mm)	147/16"H x 11¾"W x 9½"D (367 x 298 x 232 mm)
OCEANS® STYLE				
T8490*	TBL, TBK	(1) 8" (200 mm) wide roll	1½" (38 mm)	147/16"H x 11¾"W x 9½"D (367 x 298 x 232 mm)

Requires 4 D-cell alkaline batteries



\* Specify desired color after item number. Example: T8400TBL



SANJAMAR.COM | 800.248.9826

WASHROOM & HYGIENE SOLUTIONS



## Tear-N-Dry **NEW**

- Consistently dispenses standard 10" length paper without a wait
- Infinity System® automatic transfer system eliminates stub roll waste
- Replaceable drive module

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
CLASSIC STYLE				
<b>T1300*</b>	TBL, TBK	8" (200 mm) wide roll dia. and 3.5" (100 mm) dia. stub roll	1½" (38 mm)	16½"H x 11¾"W x 9¼"D (419 x 298 x 235 mm)
OCEANS® STYLE				
<b>T1390*</b>	TBL, TBK	8" (200 mm) wide roll dia. and 3.5" (100 mm) dia. stub roll	1½" (38 mm)	16½"H x 11¾"W x 9¼"D (419 x 298 x 235 mm)
SUMMIT STYLE				
<b>T1370*</b>	BKSS, SS WHCL, CUSTOM	8" (200 mm) wide roll dia. and 3.5" (100 mm) dia. stub roll	1½" (38 mm)	16¼"H x 12¼"W x 9¼"D (410 x 311 x 248 mm)

Requires 4 D-cell alkaline batteries



## Tear-N-Dry Essence™

- Consistently dispenses standard 10" length paper without a wait
- Compact, high capacity
- Durable and economical

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
CLASSIC STYLE				
<b>T8000*</b>	TBL, TBK, WH	(1) 8" (200 mm) wide roll	1½" (38 mm)	147/16"H x 11¾"W x 9¾"D (367 x 298 x 232 mm)
OCEANS® STYLE				
<b>T8090*</b>	TBL, TBK	(1) 8" (200 mm) wide roll	1½" (38 mm)	147/16"H x 11¾"W x 9¾"D (367 x 298 x 232 mm)

Requires 4 D-cell alkaline batteries



## Recessed Roll Towel **NEW**

- ADA (6" diameter rolls) or Universal (8" diameter rolls) installations available
- Available for Built-in or retrofit installations
- Two operating systems: Tear-N-Dry System or Smart System

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
TEAR-N-DRY SYSTEM				
<b>T8006BKADA</b>	Black	6" (152 mm) wide roll dia.	1½" (38 mm)	17¾"H x 14½"W x 7¾"D (448 x 368 x 187 mm) 3½" (89 mm) off the wall
<b>T8008BKUNV</b>	Black	8" (203 mm) wide roll dia.	1½" (38 mm)	17¾"H x 14½"W x 9¾"D (448 x 368 x 238 mm) 5" (127 mm) off the wall
SMART SYSTEM				
<b>T8406SSADA</b>	Stainless Look	6" (152 mm) wide roll dia.	1½" (38 mm)	17¾"H x 14½"W x 7¾"D (448 x 368 x 187 mm) 3½" (89 mm) off the wall
<b>T8408SSUNV</b>	Stainless Look	8" (203 mm) wide roll dia.	1½" (38 mm)	17¾"H x 14½"W x 9¾"D (448 x 368 x 238 mm) 5" (127 mm) off the wall

Requires 4 D-cell alkaline batteries



## Simplicity Essence-Hands Free Mechanical **NEW**

- Offers hands-free dispensing of most types of roll towel
- Automatic precision mechanical cutting dispenses 10" (254 mm) portions of roll towel
- 15% more hand dries per roll

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
CLASSIC STYLE				
<b>T7400*</b>	TBK	8" (200 mm) wide roll	1½" (38 mm)	14¾"H x 12¾"W x 9½"D (371 x 314 x 241 mm)
SUMMIT STYLE				
<b>T7470*</b>	BKSS, SS, WHCL, CUSTOM	8" (200 mm) wide roll	1½" (38 mm)	16½"H x 12¾"W x 9½"D (368 x 314 x 232 mm)



## Simplicity Hands-Free Mechanical

- Does not require batteries
- Hands-free dispensing for most types of roll towel
- Automatic mechanical cutting dispenses 11" portions of roll towel
- Replaceable drive module

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
CLASSIC STYLE				
<b>T7000*</b>	TBL, TBK	8" (200 mm) wide; 8" (200 mm) dia. roll Up to 4" (100 mm) dia. stub roll	1½" (38 mm)	16½"H x 11¾"W x 9¾"D (419 x 298 x 235 mm)
OCEANS® STYLE				
<b>T7090*</b>	TBL, TBK	8" (200 mm) wide; 8" (200 mm) dia. roll Up to 4" (100 mm) dia. stub roll	1½" (38 mm)	16½" H x 11¾" W x 9¾"D (419 x 298 x 235 mm)




## 10" Simplicity Hands-Free Mechanical

- Does not require batteries
- Hands-free dispensing for most types of 10" roll towel
- Automatic mechanical cutting dispenses 12" portions of roll towel

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
CLASSIC STYLE				
<b>T7100*</b>	TBK	10" (254 mm) wide; 8" (200 mm) dia. roll Up to 4" (100 mm) dia. stub roll	1½" (38 mm)	16¾"H x 14¾"W x 9¾"D (422 x 378 x 238 mm)



\* Specify desired color after item number. Example: T8000TBL





## Compact Simplicity Hands-Free Mechanical

- Does not require batteries
- Hands free dispensing for most types of 6" roll towel
- Automatic mechanical cutting dispenses 11" portions of roll towel



T7500TBK

ITEM	COLOR	CAPACITY	CORE DIA.	DIMENSIONS
CLASSIC STYLE				
T7500*	TBK	8" (200 mm) wide; 6" (152 mm) dia. roll	1½" (38 mm)	12¾"H x 12¾" W x 7¾"D (311 x 314 x 194 mm)
OCEANS® STYLE				
T7590*	TBK	8" (200 mm) wide; 6" (152 mm) dia. roll	1½" (38 mm)	12¾"H x 12¾" W x 7¾"D (311 x 314 x 194 mm)



## Adjustable Centerpull Towel

- Easy to adjust funnel
- High capacity (9" diameter roll)
- Universal centerpull dispenser, adjusts for all grades of paper from single ply to industrial wipes



T410TBK

ITEM	COLOR	CAPACITY	DIMENSIONS
T410*	TBL, TBK	9" (229 mm) wide; 9" (229 mm) dia. roll	13¾"H x 9¾" W x 9¾" D (340 x 244 x 238 mm)

Construction: Impact resistant plastic



## Adjustable Mini Centerpull Towel

- Easy to adjust funnel
- Compact (6" diameter roll)
- Universal centerpull dispenser, adjusts for all grades of paper from single ply to industrial wipes



T450TBL

ITEM	COLOR	CAPACITY	DIMENSIONS
T450*	TBL, TBK	6" (152 mm) dia. roll	12¾"H x 7½" W x 7¾"D (314 x 190 x 187 mm)

Construction: Impact resistant plastic



## Centerpull Towel

- Large capacity ensures long intervals between refills
- Dispenses single sheets of one-ply perforated towels



T400TBK

ITEM	COLOR	CAPACITY	DIMENSIONS
T400*	TBL, TBK	9" (229 mm) wide; 9" (230 mm) dia. roll	11¾"H x 9¾" W x 9¾" D (295 x 232 x 241 mm)

Construction: Impact resistant plastic



## Perforated Roll Towel

ITEM	COLOR	CAPACITY	DIMENSIONS
T451XC	XC	11" (280 mm) wide roll	27¾"H x 13¾"W x 4¾" D (73 x 337 x 117 mm)

Construction: 24-gauge steel



## TOUCH ROLL TOWEL

- Lowest cost way to dispense the lowest cost paper, hardwound roll towel
- Engineered for ease of use and minimal maintenance
- Impact resistant plastic for durability

## Element™ Lever Roll Towel

- Compact, high capacity - 33% smaller than average roll towel dispenser
- Ergonomic handle; simple, efficient & easy to use
- Accepts any core size, including coreless, solid & centerpull rolls

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
CLASSIC STYLE				
T950*	TBL, TBK	8" (200 mm) wide; 8" (200 mm) dia. roll	All paper qualities, any size core	12¾"H x 12½" W x 8½"D (324 x 318 x 216 mm)
OCEANS® STYLE				
T990*	TBL, TBK	8" (200 mm) wide; 8" (200 mm) dia. roll	All paper qualities, any size core	12¾" H x 12½" W x 8½"D (324 x 318 x 216 mm)

Construction: Impact resistant plastic



T950TBL

## Lever Roll Towel WITH AUTO TRANSFER

- Infinity System® automatic transfer system eliminates stub roll waste
- Replaceable drive module
- Simple, efficient & easy to use

ITEM	COLOR	CAPACITY	CORE DIA.	DIMENSIONS
CLASSIC STYLE				
T1100*	TBL, TBK, WH	8" (200 mm) wide; 8" (200 mm) dia. roll Up to 4" dia. (100 mm) stub roll	1½" (38 mm)	16½"H x 12 <sup>15</sup> / <sub>16</sub> " W x 9¾"D (419 x 329 x 235 mm)
OCEANS® STYLE				
T1190*	TBL, TBK	8" (200 mm) wide; 8" (200 mm) dia. roll Up to 4" dia. (100 mm) stub roll	1½" (38 mm)	16½" H x 12 <sup>15</sup> / <sub>16</sub> " W x 9¾"D (419 x 329 x 235 mm)

Construction: Impact resistant plastic



T1190TBL



T1100TBK

## Integra™ Lever Roll Towel

- Integrated dispensing arm for hands-free alternative dispensing
- Compact, high capacity
- Accepts any core size, including coreless, solid and centerpull rolls

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
T850*	TBL, TBK	8½" (215 mm) dia. 8¾" (209 mm) wide	All paper qualities, any size core	13½" H x 11½" W x 11¼"D (342 x 292 x 285 mm)

Construction: Impact resistant plastic



T850TBL

## Crank Roll Towel

ITEM	COLOR	CAPACITY	DIMENSIONS
T800WH	WH	9" (230 mm) wide roll; 7¾" (197 mm) dia. roll	10½" H x 11"W x 8½"D (267 x 279 x 216 mm)

Construction: 20-gauge steel



\* Specify desired color after item number. Example: T410TBL



Arctic Blue Black Pearl Chrome White

## FOLDED TOWEL

- Available in a variety of sizes for compact or high capacity applications
- Designed to dispense any brand or quality of C-Fold or Multifold towels one-at-a-time, reducing waste
- Designed to eliminate overstuffing
- Impact resistant plastic for durability



T1755TBK

### Ultrafold™ Fusion™ Multifold/C-Fold Towel

- 50% smaller carton to save on warehouse and transportation costs
- Simple, 6 piece assembly

ITEM	COLOR	CAPACITY	DIMENSIONS
T1755*	TBL, TBK	400 Multifold / 240 C-Fold	11½"H x 11½" W x 6"D (292 x 292 x 152 mm)

Construction: Impact resistant plastic



T1750TBL

T1759TBK

### Ultrafold™ Multifold/C-Fold Towel

- Compact
- Saves money with less towel waste

ITEM	COLOR	CAPACITY	DIMENSIONS
CLASSIC STYLE			
T1750*	TBL, TBK, WH	400 Multifold / 240 C-Fold	11½" H x 11½" W x 6"D (292 x 292 x 152 mm)
OCEANS® STYLE			
T1759*	TBL, TBK	400 Multifold / 240 C-Fold	11½" H x 11½" W x 6"D (292 x 292 x 152 mm)

Construction: Impact resistant plastic



T1700TBK

T1790TBL

### Large Capacity Ultrafold™ Multifold/C-Fold Towel

- High capacity, reduces need to refill frequently

ITEM	COLOR	CAPACITY	DIMENSIONS
CLASSIC STYLE			
T1700*	TBL, TBK	750 Multifold / 450 C-Fold	18"H x 11¾"W x 6¾"D (475 x 298 x 159 mm)
OCEANS® STYLE			
T1790*	TBL, TBK	750 Multifold / 450 C-Fold	18"H x 11¾"W x 6¾"D (475 x 298 x 159 mm)

Construction: Impact resistant plastic



## Countertop Towel

- Compact, ideal for spaces where wall mount dispensers are not an option
- Protects against moisture and contaminates

ITEM	COLOR	CAPACITY	DIMENSIONS
T1720*	TBL, TBK	(1) Stack Multifold/C-fold/Singlefold	7"H x 11"W x 4¾"D (178 x 279 x 111 mm)

Construction: Impact resistant plastic



T1720TBK

## True Fold™ C-Fold/Multifold Towel

- Operator-friendly flip door eliminates towel waste

ITEM	COLOR	CAPACITY	DIMENSIONS
T1905*	XC, WH	500 Multifold / 300 C-fold	14½" H x 11¾"W x 5"D (368 x 295 x 127 mm)

Construction: metal front/impact resistant plastic back



T1905XC

## C-Fold/Multifold Towel

ITEM	COLOR	CAPACITY	DIMENSIONS
T1900*	XC, SS	500 Multifold / 300 C-fold	14¾"H x 11¾" x 4"D (375 x 289 x 102 mm)

Construction: 20-gauge steel



T1900XC

## Mini C-Fold/Multifold Towel

ITEM	COLOR	CAPACITY	DIMENSIONS
T1950XC	XC	250 Multifold / 150 C-fold	7¾"H x 11¾"W x 3¾"D (200 x 283 x 98 mm)

Construction: 20-gauge steel



T1950XC

## Singlefold Towel

ITEM	COLOR	CAPACITY	DIMENSIONS
T1800*	XC, WH	500 Singlefold	7½"H x 10¾"W x 6"D (191 x 273 x 152 mm)

Construction: 20-gauge steel



T1800XC

\* Specify desired color after item number. Example: T1755TBL

TBL	TBK	SS	WH	XC
Arctic Blue	Black Pearl	Stainless Steel	White	Chrome

# TISSUE DISPENSERS

STANDARD BATH TISSUE

JUMBO BATH TISSUE

## STANDARD BATH TISSUE

- Standard bath tissue dispensers offer a professional looking solution for dispensing both standard or industrial bath tissue



WASHROOM & HYGIENE SOLUTIONS--TISSUE DISPENSERS




## Versatwin® Tissue **NEW**

- Accepts standard/industrial bath tissue
- Continual availability of paper provided by the Infinity System® eliminating stub roll waste

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
CLASSIC STYLE				
<b>R3600*</b>	TBL, TBK	(2) 4½-5½" (115-140 mm) rolls	Min. 1½" (38 mm)	8"H x 12¾"W x 5¾"D (203 x 34 x 146 mm)
OCEANS® STYLE				
<b>R3690*</b>	TBL, TBK	(2) 4½-5½" (115-140 mm) rolls	Min. 1½" (38 mm)	8"H x 12¾"W x 5¾"D (203 x 34 x 146 mm)
SUMMIT STYLE				
<b>R3670*</b>	BKSS, SS, WHCL, CUSTOM	(2) 4½-5½" (115-140 mm) rolls	Min. 1½" (38 mm)	7¾"H x 127⁄8"W x 5¾"D (196 x 328 x 149 mm)

\* Specify desired color after item number. Example: R3600TBL





### Duett Standard Bath Tissue

- Accepts standard/industrial bath tissue
- Continual availability of paper provided by the Infinity System®, eliminating stub roll waste
- Compact design

ITEM	COLOR	CAPACITY	CORE DIA.	DIMENSIONS
CLASSIC STYLE				
<b>R3500*</b>	TBL, TBK	(2) 4½-5½" (115-140 mm) rolls	1½" (40 mm)	12¾"H x 7½"W x 7"D (324 x 191 x 178 mm)
OCEANS® STYLE				
<b>R3590*</b>	TBL, TBK	(2) 4½-5½" (115-140 mm) rolls	1½" (40 mm)	12¾"H x 7½"W x 7"D (324 x 191 x 178 mm)


Construction: Impact resistant plastic

### Locking Toilet Tissue

- Accommodates 4" (102 mm) wide roll

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
<b>R200XC</b>	XC	(1) standard rolls	Min. 1½" (38 mm)	2¾"H x 6"W x 4½"D (70 x 152 x 114 mm)
<b>R260XC</b>	XC	(2) standard rolls	Min. 1½" (38 mm)	2¾"H x 12¾"W x 4½"D (70 x 314 x 114 mm)

Construction: 20-gauge steel



### 4-Station Carousel

- Multiple roll system to reduce run-outs and waste
- High capacity, holds four 5" rolls of standard bath tissue
- Uses rolls sequentially to eliminate stub roll waste

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
<b>R3800*</b>	TBK	(4) standard rolls	Min. 1½" (38 mm)	14¾"H x 13¾"W x 6¾"D (378 x 333 x 156 mm)

Construction: Impact resistant plastic

### Non-Locking Toilet Tissue

- Accommodates 4.5" (114 mm) wide roll

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
<b>R1200XC</b>	XC	(1) standard rolls	Min. 1½" (38 mm)	2½"H x 6¾"W x 4¾"D (64x 159 x 124 mm)

Construction: 20-gauge steel



### Covered Reserve Roll Tissue

ITEM	COLOR	CAPACITY	CORE DIAMETER	DIMENSIONS
<b>R1500*</b>	XC, WH	(2) standard rolls	Min. 1½" (38 mm)	6"H x 10"W x 6¼"D (152 x 254 x 159 mm)

Construction: 20-gauge steel

\* Specify desired color after item number. Example: R3500TBL



# JUMBO BATH TISSUE

- Jumbo Bath Tissue Dispensers offer industry leading high capacity dispensing for 9-12" rolls of tissue



## Twin 9" JBT **NEW**

- Industry leading dispenser
- Continual availability of paper provided by the Infinity System®, eliminating stub roll waste

ITEM	COLOR	CAPACITY	CORE DIA.	DIMENSIONS
CLASSIC STYLE				
<b>R4000*</b>	TBL, TBK	(2) 9" (230 mm) JBT rolls	Min. 3¼" (83 mm)	12"H x 19"W x 5¼"D (305 x 483 x 133 mm)
OCEANS® STYLE				
<b>R4090*</b>	TBL, TBK	(2) 9" (230 mm) JBT rolls	Min. 3¼" (83 mm)	12"H x 19"W x 5¼"D (305 x 483 x 133 mm)
SUMMIT STYLE				
<b>R4070*</b>	BKSS, SS, WHCL, Custom	(2) 9" (230 mm) JBT rolls	Min. 3¼" (83 mm)	11½"H x 20¼"W x 5½"D (300 x 514 x 149 mm)

Construction: Impact resistant plastic



## Twin 10" JBT

- High capacity dispensing of toilet tissue for high traffic environments
- Continual availability of paper provided by the Infinity System, eliminating stub roll waste

ITEM	COLOR	CAPACITY	CORE DIA.	DIMENSIONS
CLASSIC STYLE				
<b>R5000*</b>	TBK	(2) 10" (254 mm) JBT rolls	Min. 3¼" (83 mm)	13.24"H x 21.72"W x 5¼"D (336 x 552 x 141 mm)

Construction: Impact resistant plastic



## Reserva® 9"-10½" JBT

- Holds one 9-10½" (230-270 mm) jumbo bath roll and one 5" (127 mm) single stub roll
- Continual availability of paper provided by the Infinity System, eliminating stub roll waste

ITEM	COLOR	CAPACITY	CORE DIA.	DIMENSIONS
CLASSIC STYLE				
<b>R3000*</b>	TBL, TBK	(1) 9-10½" (230-270 mm) JBT roll (1) 5" (127 mm) stub roll	Min. 3¼" (83 mm)	13½"H x 16½"W x 5½"D (343 x 419 x 143 mm)
OCEANS® STYLE				
<b>R3090*</b>	TBL, TBK	(1) 9-10½" (230-270 mm) JBT roll (1) 5" (127 mm) stub roll	Min. 3¼" (83 mm)	12¼"H x 16¾"W x 5½"D (311 x 425 x 140 mm)

Construction: Impact resistant plastic

## Single 9" JBT

- Designed to provide ease-of-use, with easy paper access and multi-directional tearing

ITEM	COLOR	CAPACITY	CORE DIA.	DIMENSIONS
CLASSIC STYLE				
<b>R2000*</b>	TBL, TBK	(1) 9" (230 mm) JBT roll	3¼" (83 mm)	12"H x 10¼"W x 5½"D (305 x 260 x 143 mm)
OCEANS® STYLE				
<b>R2090*</b>	TBL, TBK	(1) 9" (230 mm) JBT roll	3¼" (83 mm)	12"H x 10¼"W x 5½"D (305 x 260 x 143 mm)

Construction: Impact resistant plastic



## Single 12" JBT

- Designed to provide ease-of-use, with easy paper access and multi-directional tearing
- EZ Turn™ mandrel dispenses large rolls of tissue smoothly

ITEM	COLOR	CAPACITY	CORE DIA.	DIMENSIONS
CLASSIC STYLE				
<b>R6000*</b>	TBL, TBK	(1) 12" (305 mm) JBT roll	3¼" (83 mm)	14¾"H x 12⁹⁄₁₀"W x 5⁴⁄₅"D (378 x 328 x 147 mm)

Construction: Impact resistant plastic



## Quantum 12"-13" JBT


- Holds one 12"-13" jumbo bath roll and one 6" stub roll
- Continual availability of paper provided by the Infinity System®, eliminating stub roll waste

ITEM	COLOR	CAPACITY	CORE DIA.	DIMENSIONS
CLASSIC STYLE				
<b>R6500*</b>	TBL, TBK	(1) 12-13" (305-330 mm) JBT roll (1) 6" (180 mm) stub roll	3¼" (83 mm)	16½"H x 22"W x 5½"D (419 x 559 x 149 mm)

Construction: Impact resistant plastic



\* Specify desired color after item number. Example: R4000TBL



WASHROOM & HYGIENE SOLUTIONS

WASHROOM & HYGIENE SOLUTIONS


# SOAP & OTHER DISPENSERS

SOAP DISPENSERS

OTHER DISPENSERS

## SOAP

- Leading the way in solving bulk soap dispensing needs
- Dispensing liquid hand soap, foam soap or sanitizer in dispensers that coordinate with other San Jamar restroom dispensers
- Now taking the San Jamar hands free dispensing expertise into the soap line with Rely Hybrid Soap Dispenser
- Foam or lotion



## Rely® Hybrid Soap & Sanitizer Dispensers

- Touchless electronic soap & sanitizer dispensing
- Manual "Push-The-Cover" operation when batteries are low
- Accepts bulk hand sanitizers, lotion and foam soap



SHF970BKSS

ITEM	COLOR	CAPACITY	DIMENSIONS
LIQUID & LOTION - CLASSIC STYLE			
<b>SH900*</b>	TBL, TBK	900 ml 1 ml or 0.5 ml portion dispensed	12"H x 5.5"W x 4"D (305 x 140 x 102 mm)
LIQUID & LOTION - SUMMIT STYLE			
<b>SH970*</b>	BKSS, SS, WHCL, CUSTOM	900 ml or .05 ml 1 ml or 0.5 ml portion dispensed	12"H x 5.5"W x 4"D (305 x 140 x 102 mm)
FOAM - CLASSIC STYLE			
<b>SHF900*</b>	TBL, TBK	900 ml 1 ml or 0.5 ml portion dispensed	12"H x 5.5"W x 4"D (305 x 140 x 102 mm)
FOAM - SUMMIT STYLE			
<b>SHF970*</b>	BKSS, SS, WHCL, CUSTOM	900 ml or .05 ml 1 ml or 0.5 ml portion dispensed	12"H x 5.5"W x 4"D (305 x 140 x 102 mm)

Construction: Impact resistant plastic

## Rely® Manual Soap & Sanitizer Dispensers

- Available in 900 & 1300 capacities
- Accepts bulk hand sanitizers, lotion and foam soap
- Mounts easily with adhesive or screws




SF1300TBK

ITEM	COLOR	CAPACITY	DIMENSIONS
LIQUID & LOTION			
<b>S900*</b>	TBL, TBK	900 ml 0.6 ml portion dispensed	8.5"H x 5"W x 4"D (216 x 127 x 102 mm)
<b>S1300*</b>	TBL, TBK	1300 ml 0.6 ml portion dispensed	10"H x 5"W x 4"D (254 x 127 x 102 mm)
FOAM			
<b>SF900*</b>	TBL, TBK	900 ml 0.6 ml portion dispensed	8.5"H x 5"W x 4"D (216 x 127 x 102 mm)
<b>SF1300*</b>	TBL, TBK	1300 ml 0.6 ml portion dispensed	10"H x 5"W x 4"D (254 x 127 x 102 mm)

Construction: Impact resistant plastic

\* Specify desired color after item number: Example: SH900TBK





S890TBL

S890TBK

## Oceans® Soap & Hand Sanitizer Dispensers

- Accommodates bulk or most 800 ml bag-in-box cartridges
- Accepts bulk hand sanitizers or lotion soap
- Mounts easily with adhesive or screws

ITEM	COLOR	CAPACITY	DIMENSIONS
OCEANS® STYLE			
<b>S890*</b>	TBL, TBK	800 ml (can hold some 1000 ml bags) 0.9 ml portion dispensed	10½"H x 4½"W x 4¾"D (267 x 114 x 111 mm)

Construction: Impact resistant plastic



S30TBK

## Soap Dispensers - Lotion, Liquid or Foam

- Accommodates a wide variety of liquid, lotion (except pumice) and foam soaps
- Large push bar allows for easy dispensing

ITEM	COLOR	CAPACITY	DIMENSIONS
LIQUID & LOTION			
<b>S30*</b>	TBL, TBK	30 oz. (0.9 l) 0.8 ml portion dispensed	6¾"H x 4¾"W x 4¾"D (156 x 105 x 108 mm)
<b>S46*</b>	TBL, TBK	46 oz. (1.4 l) 0.6 ml portion dispensed	8"H x 5¾"W x 4¾"D (206 x 137 x 108 mm)
FOAM			
<b>SF30*</b>	TBL, TBK	30 oz. (0.9 l) 0.4 ml portion dispensed	6¾"H x 4¾"W x 4¾"D (156 x 105 x 108 mm)
<b>SF46*</b>	TBL, TBK	46 oz. (1.4 l) 0.4 ml portion dispensed	8"H x 5¾"W x 4¾"D (206 x 137 x 108 mm)

Construction: Impact resistant plastic



## Handwashing Station Value Pack

- Convenient solution to ensure employees have the tools to properly wash their hands

ITEM	INCLUDES
<b>T1730TBK</b>	(1) T1700TBK Ultrafold™ Towel Dispenser with handwashing instructions sticker (1) S30TBK Bulk Soap Dispenser

Construction: Impact resistant plastic

## Toilet Seat Cover Dispensers

- Hygienic and cost effective
- Reliable one-at-a-time dispensing

ITEM	COLOR	CAPACITY	DIMENSIONS
<b>TS510*</b>	TBL, TBK	(1) Package standard toilet seat covers	11¾"H x 17¼"W x 3¾"D (298 x 438 x 79 mm)

Construction: Impact resistant plastic



TS510TBL

## Glove Dispensers

- Prevent boxes from becoming damaged or contaminated

ITEM	COLOR	CAPACITY	CONSTRUCTION
<b>G0801</b>	Stainless Steel	1 Box	22-gauge stainless steel
<b>G0802</b>	White	1 Box	22-gauge steel with white baked enamel
<b>G0804</b>	White	3 Boxes	22-gauge steel with white baked enamel
<b>G0803</b>	Clear	1 Box	High-grade flexible Plexiglas®
<b>G0805</b>	Clear	3 Boxes	High-grade flexible Plexiglas®

Construction: Impact resistant plastic

Plexiglas® is a registered trademark of Rohm and Haas.



G0801



G0802



G0805

\* Specify desired color after item number. Example: S30TBL



# AIR CARE

## ARRIBA™ TWIST AIR CARE

- Arriba Twist System works anywhere you need quality air care and sustainable, earth friendly technology: commercial buildings, restaurants, schools, and healthcare facilities
- Our dispensers combine an innovative Quickload™ design with a unique Advanced Capillary Science™ (ACS) delivery system to ensure consistent 60-day performance



WP 107 80 1203



WP9070BKSS



WP9070SS




WP 107 80 1202

## Arriba™ Twist Passive

- No batteries required
- Simple and silent operation

ITEM	COLOR	DIMENSIONS
WP107 80 1202	Gray	2 $\frac{7}{8}$ "H x 4 $\frac{5}{8}$ "W x 2 $\frac{7}{8}$ "D (73 x 117 x 73 mm)
WP107 80 1203	White	2 $\frac{7}{8}$ "H x 4 $\frac{5}{8}$ "W x 2 $\frac{7}{8}$ "D (73 x 117 x 73 mm)
SUMMIT STYLE		
WP9070*	BKSS, SS, WHCL, Custom	2 $\frac{7}{8}$ "H x 4 $\frac{5}{8}$ "W x 2 $\frac{7}{8}$ "D (73 x 117 x 73 mm)

\* Specify desired color after item number. Example: WP9070BKSS







WS107 80 1208

### Arriba™ Twist Solaire™

- Battery-free fan dispersion
- Solar panels can harvest all forms of indoor lighting
- LED refill notification

ITEM	COLOR	DIMENSIONS
<b>WS107 80 1207</b>	Gray	7"H x 3½"W x 3½"D (178 x 79 x 89 mm)
<b>WS107 80 1208</b>	White	7"H x 3½"W x 3½"D (178 x 79 x 89 mm)

### Arriba™ Starter Packs

- Continuous 60 day coverage
- Completely recyclable

ITEM	FRAGRANCE	DESCRIPTION	DIMENSIONS
<b>WP1202MB</b>	Mango Burst	(1) WP107 80 1202 (2) RW107 80 1232	8"H x 3"W x 9"D (203 x 76 x 229 mm)
<b>WP1202TW</b>	Tropic Wave	(1) WP107 80 1202 (2) RW107 80 1228	8"H x 3"W x 9"D (203 x 76 x 229 mm)



WP1202MB



WF107 80 1206

### Arriba™ Twist Fan

- Battery operated model features an intermittent fan
- Sensor activated - will turn off when lights are turned off
- LED refill notification

ITEM	COLOR	DIMENSIONS
<b>WF107 80 1204</b>	Gray	7"H x 3"W x 3½"D (178 x 76 x 89 mm)
<b>WF107 80 1206</b>	White	7"H x 3"W x 3½"D (178 x 76 x 89 mm)

Requires 2 C-cell alkaline batteries

### Arriba™ Twist Fragrances

- Refills are recyclable
- Easy to change - top is the key just twist and refill
- Fresh scents for washrooms and front of the house areas

ITEM	FRAGRANCE	QUANTITY
<b>RW107 80 1226</b>	English Garden	2.0 fl. oz. (60 ml)
<b>RW107 80 1227</b>	Pacific Glacier	2.0 fl. oz. (60 ml)
<b>RW107 80 1228</b>	Tropic Wave	2.0 fl. oz. (60 ml)
<b>RW107 80 1230</b>	Citrus Blossom	2.0 fl. oz. (60 ml)
<b>RW107 80 1231</b>	Pure Linen	2.0 fl. oz. (60 ml)
<b>RW107 80 1232</b>	Mango Burst	2.0 fl. oz. (60 ml)
<b>RW107 80 1233</b>	Crystal Pure	2.0 fl. oz. (60 ml)
<b>RW107 80 1234</b>	Prairie Flowers	2.0 fl. oz. (60 ml)
<b>RW107 80 1255</b>	Cinnamon Stick	2.0 fl. oz. (60 ml)
<b>RW107 80 1256</b>	Biscotti	2.0 fl. oz. (60 ml)
<b>RW107 80 1257</b>	Hazelnut Coffee	2.0 fl. oz. (60 ml)



# COUNTER SERVICE

At San Jamar, innovation and quality come to the forefront when our customers demand solutions to counter service management. One-at-a-time dispensing of cups, lids and napkins is essential when managing costs. As a trusted partner, we are always there to help our customers have a smart, safe and sanitary operation - all provided in the most cost effective way.



**NAPKIN  
DISPENSERS**

**CUP, LID  
& STRAW  
DISPENSERS**

**COUNTERTOP  
ORGANIZERS**

# NAPKIN DISPENSERS

IN-COUNTER NAPKIN

TABLETOP NAPKIN

COUNTER/WALL MOUNT NAPKIN

## IN-COUNTER NAPKIN

- In-Counter napkin dispensers mount directly into the counter to save valuable counter space



FULLFOLD & MINIFOLD







CONTROL FACE

INTERFOLD



INTERFOLD FACE




NAPKIN FACEPLATE OPTIONS

NAPKIN FOLDS AND SIZES

COUNTER SERVICE--NAPKIN DISPENSERS



H2003CLSC



COUNTER HOLE RANGE WITH ADAPTOR

## Venue® In-Counter Napkin Dispensers

- Control face restricts napkin usage, saving up to 30%
- High capacity, holds over 750 napkins
- Ability to convert easily for variety of napkin types
- Adapter allows dispenser to fit into existing counter hole cutouts

ITEM	COLOR	TYPE	CAPACITY	DIMENSIONS
H2005CLBK	CLBK	Fullfold/Control Face	750+	20"H x 7 1/8"W x 8 3/8"D (507 x 184 x 224 mm)
H2003CLBK	CLBK	Interfold	750+	20 3/8"H x 7 1/8" W x 8 3/8"D (518 x 184 x 224 mm)
H2003CLBK12	CLBK	Interfold	450+	12"H x 7 1/8" W x 8 3/8"D (305 x 184 x 224 mm)
H2003CLSC	CLSC	Interfold	750+	20 3/8"H x 7 1/8" W x 8 3/8"D (518 x 184 x 224 mm)
H2005SC	SC	Fullfold/Control Face	750+	20"H x 7 1/8" W x 8 3/8"D (507 x 184 x 224 mm)
H2005CLSC	CLSC	Fullfold/Control Face	750+	20"H x 7 1/8" W x 8 3/8"D (507 x 184 x 224 mm)

ADAPTER

H200ADT	In-Counter Napkin Adapter to be used with existing counter hole range of: 7.5" (189 mm) to 7.625" (194 mm) W by 5.400" (137 mm) to 5.825" (148 mm) L	8 3/8"H x 6 3/8" W x 3"D (207 x 168 x 75 mm)
---------	--	---

Construction: (Face) ABS plastic; (Body) 22-gauge stainless steel

CODE	FACE	FRAME
CLBK	Clear	Black
SC	Satin Chrome	Satin Chrome
CLSC	Clear	Satin Chrome

COUNTER SERVICE



H2005CLSS

7<sup>11</sup>/<sub>16</sub>" (195 mm)  
COUNTER HOLE  
DIMENSIONS  
5<sup>1</sup>/<sub>2</sub>" (140 mm)

### In-Counter Napkin Dispensers

- Space saving design for under the counter provides a neat, professional appearance
- Durable
- One-at-a-time dispensing of napkins

ITEM	COLOR	TYPE	CAPACITY	DIMENSIONS
H2000*	XC, SS, SC	Minifold	750+	19 <sup>9</sup> / <sub>16</sub> "H x 7"W x 5 <sup>1</sup> / <sub>2</sub> "D (498 x 178 x 140 mm)
H2001*	XC, SS, CLSS, SC	Fullfold/Classic Face	750+	19 <sup>9</sup> / <sub>16</sub> "H x 7"W x 5 <sup>1</sup> / <sub>2</sub> "D (498 x 178 x 140 mm)
H2005CLSS	CLSS	Fullfold/Control Face	750+	19 <sup>9</sup> / <sub>16</sub> "H x 7"W x 5 <sup>1</sup> / <sub>2</sub> "D (498 x 178 x 140 mm)
H2003CLSS	CLSS	Interfold	750+	19 <sup>9</sup> / <sub>16</sub> "H x 7"W x 5 <sup>1</sup> / <sub>2</sub> "D (498 x 178 x 140 mm)
H2003CLSS12	CLSS	Interfold	450+	13 <sup>3</sup> / <sub>4</sub> "H x 7"W x 5 <sup>1</sup> / <sub>2</sub> "D (349 x 178 x 140 mm)

Construction: (Face) 18-gauge steel and ABS plastic; (Body) 22-gauge stainless steel

CODE	FACE	FRAME
XC	Chrome	Chrome
CLSS	Clear	Stainless Steel
SS	Stainless Steel	Stainless Steel
SC	Satin Chrome	Satin Chrome

## TABLETOP NAPKIN

- Control and Interfold faceplates provide one-at-a-time dispensing to reduce napkin waste by 30%

### Venue® Tabletop Napkin Dispenser

- Includes advertising insert space for in-house promotion
- Available with or without caddy
- Compact design

ITEM	COLOR	TYPE	CAPACITY	DIMENSIONS
H4000TBK	TBK	Minifold	200+	4 <sup>7</sup> / <sub>8</sub> "H x 7 <sup>1</sup> / <sub>2</sub> "W x 6 <sup>1</sup> / <sub>4</sub> "D (124 x 191 x 159 mm)
H4003TBK	TBK	Interfold	200+	6 <sup>1</sup> / <sub>4</sub> "H x 7 <sup>1</sup> / <sub>2</sub> "W x 6 <sup>1</sup> / <sub>4</sub> "D (159 x 191 x 156 mm)
H4004TBK	TBK	Mini Interfold	200+	4 <sup>7</sup> / <sub>8</sub> "H x 7 <sup>1</sup> / <sub>2</sub> "W x 6 <sup>1</sup> / <sub>4</sub> "D (124 x 191 x 159 mm)
H4005TBK	TBK	Fullfold/Control face	200+	6 <sup>1</sup> / <sub>4</sub> "H x 7 <sup>1</sup> / <sub>2</sub> "W x 6 <sup>1</sup> / <sub>4</sub> "D (159 x 191 x 156 mm)
H4006TBK	TBK	Compact Interfold**	200+	6 <sup>3</sup> / <sub>8</sub> "H x 5 <sup>1</sup> / <sub>2</sub> "W x 5 <sup>1</sup> / <sub>4</sub> "D (161 x 130 x 132 mm)
H4005CTBK	TBK	Fullfold Dispenser & Caddy	200+	6 <sup>1</sup> / <sub>4</sub> "H x 14 <sup>1</sup> / <sub>4</sub> "W x 6 <sup>1</sup> / <sub>4</sub> "D (159 x 362 x 156 mm)
H400CTBK	TBK	Caddy only	N/A	2 <sup>3</sup> / <sub>4</sub> "H x 14 <sup>1</sup> / <sub>4</sub> "W x 6 <sup>1</sup> / <sub>4</sub> "D (70 x 362 x 156 mm)



H4005CTBK

Construction: Impact resistant plastic

\*\*Compact Interfold napkins measure 4" x 4" (102 x 102 mm)



### Tabletop Napkin Dispensers

- Two-sided dispensing for easy accessibility

ITEM	COLOR	TYPE	CAPACITY	DIMENSIONS
22-GAUGE STAINLESS STEEL				
H900*	BK, X	Tallfold	150+	7 <sup>1</sup> / <sub>2</sub> "H x 3 <sup>3</sup> / <sub>4</sub> "W x 4"D (191 x 95 x 102 mm)
H985*	BK, X	Lowfold	150+	5 <sup>1</sup> / <sub>2</sub> "H x 3 <sup>3</sup> / <sub>4</sub> "W x 4"D (140 x 95 x 102 mm)
HEAVY GAUGE STEEL				
H4000	XC	Minifold	170+	4 <sup>1</sup> / <sub>2</sub> "H x 7 <sup>3</sup> / <sub>4</sub> "W x 6"D (114 x 197 x 152 mm)
H4001XC	XC	Fullfold	170+	5 <sup>3</sup> / <sub>4</sub> "H x 7 <sup>3</sup> / <sub>4</sub> "W x 6"D (146 x 197 x 152 mm)
IMPACT RESISTANT PLASTIC				
H950TBK	TBK	Compact Lowfold	150+	5 <sup>3</sup> / <sub>8</sub> "H x 3 <sup>1</sup> / <sub>2</sub> "W x 5 <sup>1</sup> / <sub>2</sub> "D (142 x 100 x 129 mm)



\* Specify desired color after item number. Example: H2000XC



## COUNTER/ WALL MOUNT NAPKIN

- San Jamar's Venue® napkin dispensers offer optimal dispensing for a variety of napkin sizes including Minifold, Fullfold, and Interfold napkins
- Stackable countertop dispensers save room on your countertop and the unique Wall Mount Venue is ideal where space is limited



H5005CL

### Venue® Countertop Napkin Dispenser

- Stackable design to save counter space
- One-at-a-time dispensing to save napkin waste
- Smooth dispensing down to the last napkin

ITEM	COLOR	TYPE	CAPACITY	DIMENSIONS
H5000*	CL, TBK	Minifold/Control Face	450+	5 <sup>7</sup> / <sub>8</sub> "H x 8"W x 15 <sup>3</sup> / <sub>4</sub> "D (149 x 203 x 400 mm)
H5003*	CL, TBK	Interfold	550+	7 <sup>1</sup> / <sub>4</sub> "H x 8"W x 15 <sup>3</sup> / <sub>4</sub> "D (184 x 203 x 400 mm)
H5004*	CL, TBK	Mini Interfold	550+	5 <sup>7</sup> / <sub>8</sub> "H x 8"W x 15 <sup>3</sup> / <sub>4</sub> "D (149 x 203 x 400 mm)
H5005*	CL, TBK	Fullfold/Control Face	450+	7 <sup>1</sup> / <sub>4</sub> "H x 8"W x 15 <sup>3</sup> / <sub>4</sub> "D (184 x 203 x 400 mm)

Construction: Impact resistant plastic



H50005STBK

### Venue® Napkin Dispenser with Stand

- Stand model enhances image and saves counter space
- One-at-a-time dispensing to save napkin waste
- Smooth dispensing down to the last napkin

ITEM	COLOR	TYPE	CAPACITY	DIMENSIONS
H5000S*	CL, TBK	Minifold/Control Face	450+	17 <sup>1</sup> / <sub>4</sub> "H x 8"W x 13"D (440 x 203 x 330 mm)
H5005S*	CL, TBK	Fullfold/Control Face	450+	17 <sup>3</sup> / <sub>8</sub> "H x 8"W x 13"D (441 x 203 x 330 mm)

Construction: Impact resistant plastic



### Venue® Wall Model Napkin Dispenser

- Mount to the wall to save valuable counter space
- One-at-a-time dispensing to save napkin waste
- Smooth dispensing down to the last napkin

ITEM	COLOR	TYPE	CAPACITY	DIMENSIONS
H5000P*	CL, TBK	Minifold/Control Face	500+	15 <sup>3</sup> / <sub>4</sub> "H x 8"W x 5 <sup>9</sup> / <sub>16</sub> "D (400 x 203 x 150 mm)
H5003P*	CL, TBK	Interfold	500+	15 <sup>3</sup> / <sub>4</sub> "H x 8"W x 7 <sup>1</sup> / <sub>4</sub> "D (400 x 203 x 184 mm)
H5004P*	CL, TBK	Mini Interfold	500+	15 <sup>3</sup> / <sub>4</sub> "H x 8"W x 5 <sup>9</sup> / <sub>16</sub> "D (400 x 203 x 150 mm)
H5005P*	CL, TBK	Fullfold/Control Face	500+	15 <sup>3</sup> / <sub>4</sub> "H x 8"W x 7 <sup>1</sup> / <sub>4</sub> "D (400 x 203 x 184 mm)

Construction: Impact resistant plastic



H5005PCL

### Countertop Napkin Dispensers

ITEM	COLOR	TYPE	CAPACITY	DIMENSIONS
H3001*	XC, BKC, CLBK, CLXC, TBK BK	Fullfold	300+	5 <sup>1</sup> / <sub>2</sub> "H x 7 <sup>5</sup> / <sub>8</sub> "W x 11"D (140 x 194 x 279 mm)
H3005CLXC	CLXC	Fullfold/Control Face	300+	5 <sup>1</sup> / <sub>2</sub> "H x 7 <sup>5</sup> / <sub>8</sub> "W x 11"D (140 x 194 x 279 mm)

Construction: (Face) 18-gauge steel or poly carbonate plastic (Body) 20-gauge steel; (Base) high-impact plastic



H3001CLBK



H3005CLXC

CODE	FACE	BODY
CLBK	Clear	Black
CLXC	Clear	Chrome
TBK BK	Black Pearl	Black
BKC	Chrome	Black
XC	Chrome	Chrome

\* Specify desired color after item number. Example: H900BK

FACE	TBK	CL	SS	C	BODY	XC	BK
	Black Pearl	Clear	Satin Stainless	Chrome		Chrome	Black

# CUP, LID & STRAW DISPENSERS

CUP & LID SYSTEMS

IN-COUNTER CUP

SURFACE MOUNT CUP

LID & STRAW

## CUP & LID SYSTEMS

Sentry® Dispenser cabinets offer:

- Simple adjustment of Lifetime Levers provide quick, easy one-at-a-time dispensing
- Easy changes of cup sizes and types
- No misplaced or replaceable parts

EZ-Fit® Dispenser cabinets offer:

- Interchangeable gaskets that allow for cup sizes and types to be changed easily
- One-at-a-time dispensing
- Replaceable gaskets



L22CS2951BK

## Sentry® Beverage & Lid Dispenser Cabinets

- No wear parts to replace
- Adjustable Lifetime Levers™ prevent marring of cups
- Dispenses paper, plastic and foam cups one-at-a-time

ITEM	INCLUDES	DIMENSIONS
BEVERAGE, LID & STRAW CABINET		
<b>L22CS2951BK</b>	(1) C5450C, (1) L2200C, (1) straw compartment, black trim rings	22 $\frac{3}{8}$ " H x 7 $\frac{3}{4}$ " W x 25 $\frac{3}{8}$ " D (568 x 197 x 645 mm)
BEVERAGE & LID CABINETS		
<b>L22C2951BK</b>	(1) C5450C, (1) L2200C, black trim rings	15 $\frac{1}{8}$ " H x 7 $\frac{3}{4}$ " W x 25 $\frac{3}{8}$ " D (384 x 197 x 645 mm)
<b>C29</b>	(1) C5450C, (1) L2400C, black trim rings	15 $\frac{1}{8}$ " H x 7 $\frac{3}{4}$ " W x 25 $\frac{3}{8}$ " D (384 x 197 x 645 mm)

Construction: Black polystyrene





### Sentry® Beverage Dispenser Cabinets

- No wear parts to replace
- Adjustable Lifetime Levers prevent marring of cups
- Dispenses paper, plastic and foam cups one-at-a-time

ITEM	INCLUDES	DIMENSIONS
<b>C2951BK</b>	(1) C5450C black trim ring	7¾"H x 7¾"W x 23¾"D (197 x 197 x 604 mm)
<b>C2952BK</b>	(2) C5450C black trim rings	15½"H x 7¾"W x 23¾"D (384 x 197 x 604 mm)
<b>C2953BK</b>	(3) C5450C black trim rings	22¾"H x 7¾"W x 23¾"D (568 x 197 x 604 mm)

Construction: Black polystyrene



### EZ-Fit® Beverage Dispenser Cabinets

ITEM	INCLUDES	DIMENSIONS
<b>C2901</b>	(1) C2410C with metal finish trim ring	7¾"H x 7¾"W x 23¾"D (197 x 197 x 603 mm)
<b>C2901BK</b>	(1) C2410C with black trim ring	7¾"H x 7¾"W x 23¾"D (197 x 197 x 603 mm)
<b>C2902</b>	(2) C2410C with metal finish trim rings	15"H x 7¾"W x 23¾"D (381 x 197 x 603 mm)
<b>C2902BK</b>	(2) C2410C with black trim rings	15"H x 7¾"W x 23¾"D (381 x 197 x 603 mm)
<b>C2903</b>	(3) C2410C with metal finish trim rings	22¾"H x 7¾"W x 23¾"D (568 x 197 x 603 mm)
<b>C2903BK</b>	(3) C2410C with black trim rings	22¾"H x 7¾"W x 23¾"D (568 x 197 x 603 mm)

Construction: Black polystyrene



### EZ-Fit® Stainless Steel Beverage Dispenser Cabinets

ITEM	INCLUDES	DIMENSIONS
<b>C2802</b>	(2) C2410C	16"H x 8½"W x 24¾"D (406 x 205 x 619 mm)
<b>C2803</b>	(3) C2410C	24¾"H x 8½"W x 24¾"D (619 x 205 x 629 mm)
<b>C2804</b>	(4) C2410C	30¾"H x 8½"W x 24¾"D (768 x 205 x 619 mm)

Construction: 22-gauge stainless steel



### Portion Cup Box System

ITEM	INCLUDES	DIMENSIONS
<b>C9002</b>	(2) C2010C Portion Cup	10½"H x 5½"W x 13"D (256 x 129 x 330 mm)


Construction: 22-gauge stainless steel



### Sentry® Stainless Steel Beverage Dispenser Cabinets

ITEM	INCLUDES	DIMENSIONS
<b>C2852</b>	(2) C5450C	16"H x 8½"W x 24¾"D (406 x 206 x 619 mm)
<b>C2853</b>	(3) C5450C	24¾"H x 8½"W x 24¾"D (616 x 206 x 619 mm)
<b>C2854</b>	(4) C5450C	30¾"H x 8½"W x 24¾"D (768 x 206 x 619 mm)

Construction: 22-gauge stainless steel





## Wireworks™ Cup Dispenser & Lid Organizer

- Lowest cost option for dispensing paper, plastic or foam cups one-at-a-time
- Coils adjust to fit cups ranging from 8-44 ounces
- Available with side panels to prevent contamination

ITEM	DESCRIPTION	DIMENSIONS
<b>BASIC UNIT</b>		
<b>C8503WF</b>	(2) cup dispensers, (1) lid organizer	19¾"H x 6¾"W x 18¼"D (492 x 162 x 464 mm)
<b>C8504WF</b>	(3) cup dispensers, (1) lid organizer	24¾"H x 6¾"W x 18¼"D (620 x 162 x 464 mm)
<b>INCLUDES SIDE PANELS</b>		
<b>C8503WFD</b>	(2) cup dispensers, (1) lid organizer, (2) side panels	19¾"H x 6¾"W x 18¼"D (492 x 162 x 464 mm)
<b>C8504WFD</b>	(3) cup dispensers, (1) lid organizer, (2) side panels	24¾"H x 6¾"W x 18¼"D (620 x 162 x 464 mm)
<b>ACCESSORIES</b>		
<b>X101924</b>	Spindle for domed lids	
<b>X101987</b>	(2) Spindle set for domed lids	
<b>C8500S</b>	Straw organizer kit (cup and caddy)	

Construction: Black epoxy-coated steel

## Cup & Lid Wire Organizers

- Economically organizes all types of beverage cups/lids
- Anti-slip feet keeps unit in place
- Includes straw caddy



ITEM	INCLUDES	DIMENSIONS
<b>C8003WFS</b>	3 stacks	8½"H x 17½"W x 5¼"D (216 x 445 x 133 mm)
<b>C8005WFS</b>	5 stacks	8½"H x 27½"W x 5¼"D (216 x 699 x 133 mm)

Construction: 4 and 5 mm black epoxy-coated steel wire

## Cup & Lid Dispenser Kit & Stand

- Countertop alternative to organize a variety of wall mount cup and lid dispensers
- Holds up to four San Jamar cup/lid dispensers in any configuration



ITEM	INCLUDES	DESCRIPTION	DIMENSIONS
<b>C3620</b>	Kit: C3604, L3402, C3200P, C3400P	Each stand will hold up to four San Jamar cup or lid dispensers in any configuration	36"H x 12"W x 12"D (914 x 305 x 305 mm)
<b>C3604</b>	Stand only		Base: 10" diameter (254 mm)

Construction: (C3604) Chrome-plated steel; (C3200P, C3400P) 26-gauge stainless steel; (L3402) 22-gauge stainless steel

## IN-COUNTER CUP

San Jamar's In-Counter cup dispensers:

- Maximize counter space
- Dispense paper, plastic and foam cups
- Provide one-at-a-time dispensing of a wide variety of cup sizes
- Allows for cup size changes without changing dispensers

## Sentry® In-Counter Adjustable Cup Dispenser

- No wear parts to replace
- Adjustable Lifetime Levers prevent marring of cups and provide one-at-a-time dispensing
- Dispenses paper, plastic and foam cups one-at-a-time

ITEM	CUP RIM DIAMETER	APPROX. CUP SIZE	COUNTER HOLE DIAM.	TUBE LENGTH
<b>C5450C</b>	3¾" - 4½" (79-114 mm)	8-44 oz. (236-1301 ml)	5¼" (134 mm)	23½" (597 mm)
<b>C5450C18</b>	3¾" - 4½" (79-114 mm)	8-44 oz. (236-1301 ml)	5¼" (134 mm)	18" (457 mm)

Construction: High-impact plastic

Note: For multiple in-counter units leave a 7¼" (184 mm) space between each unit.



C5450C

## Euro Sentry® In-Counter Cup Dispenser

- Smaller footprint than standard Sentry® dispenser
- No wear parts to replace
- Adjustable Lifetime Levers prevent marring of cups and provide one-at-a-time dispensing

ITEM	CUP RIM DIAMETER	APPROX. CUP SIZE	COUNTER HOLE DIAM.	TUBE LENGTH
<b>C5250C</b>	27/16" - 3¾" (62-92 mm)	4-24 oz. (118-710 ml)	4¾" (124 mm)	23½" (597 mm)
<b>C5250C18</b>	27/16" - 3¾" (62-92 mm)	4-24 oz. (118-710 ml)	4¾" (124 mm)	18" (457 mm)

Construction: High-impact plastic

Note: For multiple in-counter units leave a 6¼" (159 mm) space between each unit.



C5250C

## One-Size-Fits-All EZ-Fit®

- Includes a gasket pack to handle wide range of cup sizes
- Easily change cup sizes without having to change dispenser
- Dispenses paper, plastic and foam cups one-at-a-time

ITEM	CUP RIM DIAMETER	APPROX. CUP SIZE	COUNTER HOLE DIAM.	TUBE LENGTH
<b>C2410C</b>	27/8" - 4¾" (73-121 mm)	8-46 oz. (236-1360 ml)	5¾" (146 mm)	23¾" (590 mm)
<b>C2410C18</b>	27/8" - 4¾" (73-121 mm)	8-46 oz. (236-1360 ml)	5¾" (146 mm)	18" (457 mm)
<b>C2410CBK</b> (BLACK BASKET)	27/8" - 4¾" (73-121 mm)	8-46 oz. (236-1360 ml)	5¾" (146 mm)	23¾" (590 mm)

Construction: High-impact plastic

Note: For multiple in-counter units leave a 7½" (181 mm) space between each unit.



C2410C





C2210C

### Euro EZ-Fit®

- Smaller footprint than standard EZ-Fit® dispenser

ITEM	CUP RIM DIAMETER	APPROX. CUP SIZE	COUNTER HOLE DIAM.	TUBE LENGTH
<b>C2210C</b>	2 <sup>7</sup> / <sub>8</sub> " - 3 <sup>3</sup> / <sub>8</sub> " (73-98 mm)	6-24 oz. (178-710 ml)	4 <sup>7</sup> / <sub>8</sub> " (124 mm)	23 <sup>1</sup> / <sub>4</sub> " (590 mm)
<b>C2210C18</b>	2 <sup>7</sup> / <sub>8</sub> " - 3 <sup>3</sup> / <sub>8</sub> " (73-98 mm)	6-24 oz. (178-710 ml)	4 <sup>7</sup> / <sub>8</sub> " (124 mm)	18" (457 mm)

Construction: High-impact plastic

Note: For multiple in-counter units leave a 6<sup>1</sup>/<sub>4</sub>" (159 mm) space between each unit.



C2510C

### Large Deli Cup EZ-Fit®

- Largest capacity EZ-Fit® dispenser

ITEM	CUP RIM DIAMETER	APPROX. CUP SIZE	COUNTER HOLE DIAM.	TUBE LENGTH
<b>C2510C</b>	4 <sup>7</sup> / <sub>8</sub> " - 5 <sup>5</sup> / <sub>8</sub> " (124-143 mm)	32-64 oz. (950-1890 ml)	6 <sup>5</sup> / <sub>8</sub> " (168 mm)	22 <sup>1</sup> / <sub>2</sub> " (572 mm)

Construction: High-impact resistant plastic

Note: For multiple in-counter units leave a 8<sup>3</sup>/<sub>4</sub>" (222 mm) space between each unit.



C2010C

### Portion Cup EZ-Fit®

- Smallest capacity EZ-Fit® dispenser

ITEM	CUP RIM DIAMETER	APPROX. CUP SIZE	COUNTER HOLE DIAM.	TUBE LENGTH
<b>C2010C</b>	1 <sup>1</sup> / <sub>2</sub> " - 2 <sup>5</sup> / <sub>16</sub> " (38-59 mm)	1/2-2 <sup>1</sup> / <sub>2</sub> oz. (15-70 ml)	3 <sup>1</sup> / <sub>4</sub> " (83 mm)	16" (406 mm)

Construction: High-impact resistant plastic

Note: For multiple in-counter units leave a 4<sup>1</sup>/<sub>2</sub>" (114 mm) space between each unit.

### EZ-Fit® Metal Finish Rings

ITEM	DESCRIPTION
<b>C22XC</b>	For C2210C
<b>C24XC</b>	For C2410C





### Sentry® Metal Finish Rings

ITEM	DESCRIPTION
<b>C52XC</b>	For C5250C
<b>C54XC</b>	For C5450C



#### HOW TO CHOOSE MY STAINLESS STEEL COUNTER MOUNT CUP DISPENSER



### EZ-Fit® Cup Dispenser Gaskets

- Rubber gaskets & plastic inserts for EZ-Fit cup dispensers

ITEM	DESCRIPTION	QUANTITY
<b>XC2426</b>	C2410C EZ-Fit Dispenser Gaskets	(Pack of 4 - S, M, L, XL)
<b>XC2426BK</b>	C2410C EZ-Fit Dispenser Black Gaskets	(Pack of 4 - S, M, L, XL)
<b>XC2226</b>	C2210C Euro EZ-Fit Dispenser Gaskets	(Pack of 4 - S, M, L, XL)
<b>XC2226BK</b>	C2210C Euro EZ-Fit Dispenser Black Gaskets	(Pack of 4 - S, M, L, XL)
<b>XC2526</b>	C2510C Deli Cup Dispenser New Style Gaskets	(Pack of 3 - S, M, L)
<b>XC2022</b>	C2010C Portion Cup Dispenser Gaskets	(Pack of 4 - S, M, L, XL)
<b>C2400350</b>	C2410C EZ-Fit Dispenser 3.5" Fixed Rim Insert	1 each
<b>C2400363</b>	C2410C EZ-Fit Dispenser 3.625" Fixed Rim Insert	1 each
<b>C2400368</b>	C2410C EZ-Fit Dispenser 3.68" Fixed Rim Insert	1 each
<b>C2400413</b>	C2410C EZ-Fit Dispenser 4.125" Fixed Rim Insert	1 each
<b>C2400450</b>	C2410C EZ-Fit Dispenser 4.5" Fixed Rim Insert	1 each

Half sized gaskets available

### Stainless Steel Counter-Mount Beverage Cup

- Dispenses paper, plastic and foam cups one-at-a-time
- Durable

ITEM	CUP RIM DIAMETER	APPROX. CUP SIZE	COUNTER HOLE DIAM.	TUBE LENGTH
<b>C3200CF</b> <b>C3200CH</b> <b>C3200CV</b>	2 <sup>7</sup> / <sub>32</sub> " - 3 <sup>3</sup> / <sub>16</sub> " (56-81 mm)	6-10 oz. (177-300 ml)	4 <sup>3</sup> / <sub>16</sub> " (106 mm)	23 <sup>1</sup> / <sub>2</sub> " (597 mm)
<b>C3400CF</b> <b>C3400CH</b> <b>C3400CV</b>	2 <sup>3</sup> / <sub>4</sub> " - 3 <sup>3</sup> / <sub>8</sub> " (70-98 mm)	12-24 oz. (350-710 ml)	4 <sup>1</sup> / <sub>16</sub> " (119 mm)	23 <sup>1</sup> / <sub>2</sub> " (597 mm)
<b>C3500CF</b> <b>C3500CH</b> <b>C3500CV</b>	4" - 4 <sup>7</sup> / <sub>8</sub> " (101-124 mm)	32-46 oz. (950-1360 ml)	5 <sup>3</sup> / <sub>4</sub> " (146 mm)	23 <sup>1</sup> / <sub>2</sub> " (597 mm)





Construction: 26-gauge stainless steel; 18" tube length available upon request

## SURFACE MOUNT CUP

- Ideal for under counter, wall mount, or end cap applications
- Can be mounted horizontally, vertically or at a 45° angle

### HOW TO CHOOSE MY STAINLESS STEEL SURFACE MOUNT CUP DISPENSER



## Sentry® Surface Mount Adjustable Cup Dispenser



C5450SM

- No wear parts to replace
- Adjustable Lifetime Levers prevent marring of cups
- Dispenses paper, plastic and foam cups one-at-a-time

ITEM	CUP RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
<b>C5250SM</b>	2 <sup>7</sup> / <sub>16</sub> " - 3 <sup>3</sup> / <sub>16</sub> " (62-92 mm)	4-24 oz. (118-710 ml)	18" (457 mm)
<b>C5450SM</b>	3 <sup>1</sup> / <sub>8</sub> " - 4 <sup>1</sup> / <sub>2</sub> " (79-114 mm)	8-44 oz. (236-1301 ml)	23 <sup>3</sup> / <sub>4</sub> " (604 mm)

Construction: (Tube) high-impact plastic; (Wire Form) 6-gauge plated wire



## Stainless Steel Surface Mount (Elevator) Beverage Cup

- Dispenses paper, plastic and foam cups one-at-a-time
- Durable


ITEM	CUP RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
<b>C3200EF</b> <b>C3200EH</b> <b>C3200EV</b>	2 <sup>7</sup> / <sub>32</sub> " - 3 <sup>3</sup> / <sub>16</sub> " (56-81 mm)	6-10 oz. (177-300 ml)	23 <sup>3</sup> / <sub>4</sub> " (604 mm)
<b>C3400EF</b> <b>C3400EH</b> <b>C3400EV</b>	2 <sup>3</sup> / <sub>4</sub> " - 3 <sup>3</sup> / <sub>8</sub> " (70-98 mm)	12-24 oz. (350-710 ml)	23 <sup>3</sup> / <sub>4</sub> " (604 mm)
<b>C3500EF</b> <b>C3500EH</b> <b>C3500EV</b>	4" - 4 <sup>7</sup> / <sub>8</sub> " (101-124 mm)	32-46 oz. (950-1360 ml)	23 <sup>3</sup> / <sub>4</sub> " (604 mm)

Construction: 26-gauge stainless steel



C3200EV C3400EV C3500EV

## Surface-Mount EZ-Fit®



C2210SM

- Includes a gasket pack to handle a wide range of cup sizes
- Easily change cup sizes without having to change dispenser
- Dispenses paper, plastic and foam cups one-at-a-time

ITEM	CUP RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
<b>C2210SM</b>	2 <sup>7</sup> / <sub>8</sub> " - 3 <sup>3</sup> / <sub>8</sub> " (73-98 mm)	6-24 oz. (177-710 ml)	18" (457 mm)
<b>C2410SM</b>	2 <sup>7</sup> / <sub>8</sub> " - 4 <sup>1</sup> / <sub>4</sub> " (73-121 mm)	8-46 oz. (236-1360 ml)	23 <sup>3</sup> / <sub>4</sub> " (590 mm)

Construction: (Tube) high-impact plastic; (Wire Form) 6-gauge plated wire



## Stainless Steel Pull-Type Beverage Cup

- Dispenses paper, plastic and foam cups one-at-a-time
- Durable

ITEM	CUP RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
<b>C3200P</b>	2 <sup>7</sup> / <sub>32</sub> " - 3 <sup>3</sup> / <sub>16</sub> " (56-81 mm)	6-10 oz. (177-300 ml)	23 <sup>1</sup> / <sub>2</sub> " (597 mm)
<b>C3400P</b>	2 <sup>3</sup> / <sub>4</sub> " - 3 <sup>3</sup> / <sub>8</sub> " (70-98 mm)	12-24 oz. (350-710 ml)	23 <sup>1</sup> / <sub>2</sub> " (597 mm)
<b>C3500P</b>	4" - 4 <sup>7</sup> / <sub>8</sub> " (101-124 mm)	32-46 oz. (950-1360 ml)	23 <sup>1</sup> / <sub>2</sub> " (597 mm)

Construction: 26-gauge stainless steel



C3200P C3400P C3500P

### Small Pull-Type Water Cup



C4150SS C4160WH C4160TBL

ITEM	COLOR	CUP RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
CONSTRUCTION: 26-GAUGE STAINLESS STEEL				
<b>C4150SS</b>	SS	2¼"-2⅞" (57-73 mm)	Cone 3-4½ oz. (90-130 ml) Flat 3-5 oz. (90-150 ml)	16" (406 mm)
CONSTRUCTION: HIGH-IMPACT RESISTANT PLASTIC				
<b>C4160*</b>	WH, TBL	2¼"-2⅞" (57-73 mm)	Cone 3-4½ oz. (90-130 ml) Flat 3-5 oz. (90-150 ml)	16" (406 mm)



C4180CL C4180TBL C4180TBR

### Small Pull-Type Water Cup with Throat

ITEM	COLOR	CUP RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
CONSTRUCTION: HIGH-IMPACT RESISTANT PLASTIC				
<b>C4180*</b>	TBR, TBL, TBLW, CL	2¼"-2⅞" (57-73 mm)	Cone 3-4½ oz. (90-130 ml) Flat 3-5 oz. (90-150 ml)	16" (406 mm)

Note: TBLW = Arctic Blue with White Flip Cap Includes flip cap to allow refilling without removing cap



C3165WH C3165FBL C3165TBL

### Medium Pull-Type Water Cup

ITEM	COLOR	CUP RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
CONSTRUCTION: HIGH-IMPACT RESISTANT PLASTIC				
<b>C3165*</b>	WH, TBL, FBL	2½"-3¼" (64-83 mm)	Cone 4-10 oz. (120-300 ml) Flat 4-10 oz. (120-300 ml)	16" (406 mm)

Includes flip cap to allow refilling without removing cap



C3450SS C3260TBR C3260TBL

### Large Pull-Type Water Cup

ITEM	COLOR	CUP RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
CONSTRUCTION: 26-GAUGE STAINLESS STEEL				
<b>C3250SS</b>	SS	2¾"-3⅝" (70-86 mm)	Cone 4½-7 oz. (130-210 ml) Flat 6-12 oz. (180-350 ml)	16" (406 mm)
<b>C3450SS</b>	SS	3¼"-3⅞" (82-98 mm)	Cone 8-12 oz. (240-350 ml) Flat 12-24 oz. (350-710 ml)	16" (406 mm)
CONSTRUCTION: HIGH-IMPACT RESISTANT PLASTIC				
<b>C3260*</b>	TBR, TBL	2¾"-3⅝" (70-86 mm)	Cone 4½-7 oz. (130-210 ml) Flat 6-12 oz. (180-350 ml)	16" (406 mm)

### Pull-Type Foam Beverage Cup



C4210PFS C4400PF

ITEM	COLOR	CUP RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
CONSTRUCTION: HIGH-IMPACT POLYETHYLENE				
<b>C4210PFS</b>	SD	2¾"-3⅝" (70-85 mm)	4-10 oz. (120-300 ml)	23½" (597 mm)
<b>C4410PFS</b>	SD	3¼"-3⅞" (82-98 mm)	12-24 oz. (350-710 ml)	23½" (597 mm)
CONSTRUCTION: 26-GAUGE STAINLESS STEEL				
<b>C4200PF</b>	SS	2¾"-3⅝" (70-85 mm)	4-10 oz. (120-300 ml)	23½" (597 mm)
<b>C4400PF</b>	SS	3¼"-3⅞" (82-98 mm)	12-24 oz. (350-710 ml)	23½" (597 mm)
<b>C4500PF</b>	SS	3⅞"-4⅞" (98-124 mm)	32-46 oz. (950-1360 ml)	23½" (597 mm)

### Pull-Type Paper/Plastic Beverage Cup



C4210PRD

ITEM	COLOR	CUP RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
CONSTRUCTION: HIGH-IMPACT RESISTANT POLYETHYLENE				
<b>C4210PRD</b>	RD	2½"-3¼" (64-83 mm)	4-10 oz. (120-300 ml)	23½" (597 mm)
<b>C4410PRD</b>	RD	3⅞"-3⅞" (85-98 mm)	12-24 oz. (350-710 ml)	23½" (597 mm)

### Adjustable Portion Cup Dispensers



C3000EWH C3000PSS

ITEM	COLOR	CUP RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
CONSTRUCTION: HIGH-IMPACT WHITE POLYETHYLENE				
<b>C3000EWH</b>	WH	1¾"-2½" (44-64 mm)	1¾"-4½" oz. (50-130 ml)	16" (406 mm)
CONSTRUCTION: 26-GAUGE STAINLESS STEEL				
<b>C3000PSS</b>	SS	1¾"-2½" (44-64 mm)	1¾"-4½" oz. (50-130 ml)	16" (406 mm)

\* Specify desired color after item number. Example: C3260TBR



## LID & STRAW

- Save money by reducing waste with San Jamar's dispensers
- The EZ Fit® lid dispenser dispenses cold beverage lids one-at-a-time



L2204

### Lid Towers

- High capacity lid and straw organization
- Countertop design allows you to move organizer and accommodate changing needs

ITEM	INCLUDES	DIMENSIONS
L2202	(2) lid compartments (1) straw compartment	18¾"H x 5½"W x 13"D (476 x 140 x 330 mm)
L2203	(3) lid compartments (1) straw compartment	24¾"H x 5½"W x 13"D (622 x 140 x 330 mm)
L2204	(4) lid compartments (1) straw compartment	30"H x 5½"W x 13"D (762 x 140 x 330 mm)

Construction: Black polystyrene



L2400C

### EZ-Fit® In-Counter Lid Dispensers

- Provides simple, sanitary dispensing of most flat cold-beverage lids
- One-handed operation is easy to use
- Front loading; requires no adjustment

ITEM	LID RIM DIAMETER	APPROX. CUP SIZE	COUNTER HOLE DIAMETER	TUBE LENGTH
L2200C	2¾" - 3¾" (70-95 mm)	8-24 oz. (236-710 ml)	4¾" (124 mm)	23¾" (603 mm)
L2400C	3¾" - 4½" (95-114 mm)	24-46 oz. (710-1360 ml)	5¾" (146 mm)	23¾" (603 mm)

Construction: Impact resistant plastic



### EZ-Fit® Lid Dispenser Cabinets\*

- Durable and attractive countertop lid dispensers
- Available in 1, 2 and 3-compartment cabinets; two lid dispenser sizes to accommodate most sizes of lids
- Simple design has few parts and requires no adjustment



L2912BK

L2913BK

ITEM	INCLUDES	DIMENSIONS
L2910BK	(1) L2200C; black trim ring	7¾"H x 7¾"W x 25¾"D (197 x 197 x 645 mm)
L2920BK	(1) L2400C; black trim ring	7¾"H x 7¾"W x 23¾"D (197 x 197 x 603 mm)
L2912BK	(1) L2200C; (1) L2400C, black trim rings	15½"H x 7¾"W x 25¾"D (384 x 197 x 645 mm)
L2913BK	(2) L2200C; (1) L2400C, black trim rings	22¾"H x 7¾"W x 25¾"D (568 x 197 x 645 mm)
L2923BK	(1) L2200C; (2) L2400C, black trim rings	22¾"H x 7¾"W x 25¾"D (568 x 197 x 645 mm)

Construction: Black polystyrene

\* EZ-Fit® Lid Dispensers are intended for use with flat, cold beverage lids only. May not be compatible with all lid types. To confirm lid compatibility, please provide a full sleeve of lids prior to ordering.



## Bulk Straw Dispensers **NEW**

- High capacity straw organization
- Removable lid and tray for easy cleaning

ITEM	DESCRIPTION	DIMENSIONS
ST500	Double-sided straw dispenser - 500 count	8"H x 10"W x 7¾"D (203 x 254 x 200 mm)
ST250	Single-sided straw dispenser - 250 count	8"H x 10"W x 4¾"D (203 x 254 x 108 mm)
ST250WM	Wall mounting bracket for use with ST250	6¾"H x 10¾"W x 5"D (171 x 273 x 127 mm)



ST500

ST250




## Straw Dispenser

- In-counter dispenser organizes straws and stirrers utilizing simple mounting ring to lock secure holder

ITEM	STRAW RIM DIAMETER	COUNTER HOLE DIAMETER	TUBE LENGTH
L320C	5¾" (136 mm)	4¾" (106 mm)	6" (152 mm)

Construction: 22-gauge stainless steel



## Wall-Mount Lid Dispensers

- Designed to keep your lids clean and organized
- Available in single and double lid designs
- Front-loading provides easy and smooth access to lids
- Brackets allow for either wall or dispenser stand mounting

ITEM	CAPACITY	MAX LID RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
L3200	1 sleeve	3½" (89 mm)	6-10 oz. (180-300 ml)	23½" (597 mm)
L3400	1 sleeve	4" (101 mm)	12-24 oz. (350-710 ml)	23½" (597 mm)
L3500	1 sleeve	5" (127 mm)	32-46 oz. (950-1360 ml)	23½" (597 mm)
L3402 (double lid)	1 sleeve	4" (101 mm)	6-24 oz. (180-710 ml)	23½" (597 mm)
L3502 (double lid)	1 sleeve	5" (127 mm)	24-46 oz. (710-1360 ml)	23½" (597 mm)

Construction: 22-gauge stainless steel



L3400

L3402

## Adjustable Lid Dispenser/Organizer

- Can be placed on a countertop or wall mounted
- Adjustable compartments adapt to the lid size being dispensed
- Comes with straw caddy (L1035) that can attach to either side

ITEM	CAPACITY	DIMENSIONS
L1014	3 stacks	6½"H x 17¾"W x 5½"D (165 x 435 x 130 mm)
L1022	5 stacks	6½"H x 25¼"W x 5½"D (165 x 641 x 130 mm)

Construction: (Lid organizers) 22-gauge stainless steel; (Stirrer & straw caddy) high-impact plastic



L1022

# COUNTERTOP ORGANIZERS

**COUNTERTOP ORGANIZERS**

- Efficiently use valuable countertop space for dispensable items
- Provide sanitary, easy access to condiments



## Venue® Coffee Sleeve Dispenser **NEW**

- Provides fast and easy dispensing of coffee sleeves
- Can be wall-mounted for drive-through or sit on countertop
- One-handed operation is easy to use

ITEM	DESCRIPTION	DIMENSIONS
GSD100	For use with sleeves up to 2½"H x 4¾"W	5¼"H x 5¾"W x 14¾"D (133 x 146 x 375 mm)



## Modular Organizer **NEW**

- Interchangeable trays
- Removable dividers
- Makes contents easily accessible and visible



ITEM	DESCRIPTION	DIMENSIONS
<b>MODL2900KIT</b>	(1) Base unit, (2) shallow trays, (1) deep tray, (4) rubber linking feet	<b>12.5"H x 18.72"W x 18.75"D</b> (318 x 475 x 473 mm)
<b>MODL29001</b>	Shallow tray: includes (3) dividers	<b>2.75"H x 5.83"W x 17"D</b> (69 x 148 x 432 mm)
<b>MODL29002</b>	Deep tray: includes (1) divider	<b>6.22"H x 5.83"W x 17"D</b> (158 x 148 x 432 mm)

Construction: High-impact plastic



## Modular Mini Dome® Series **NEW**

- Accommodates four Mini Domes
- Standard size trays to keep food chilled
- Domed lids for higher capacity
- Interlocks with other Modular units



ITEM	DESCRIPTION	DIMENSIONS
<b>MODBD2002KIT</b>	(1) Base unit, (1) Mini Dome insert, (4) BD2002, (4) rubber linking feet	<b>12.5"H x 18.72"W x 18.75"D</b> (318 x 475 x 473 mm)
<b>MODBD2002</b>	Base unit, (1) Mini Dome insert, (4) rubber linking feet	<b>12.5"H x 18.72"W x 18.75"D</b> (318 x 475 x 473 mm)
<b>MODBD2001</b>	Mini Dome insert	<b>6.05"H x 18.61"W x 16.88"D</b> (154 x 473 x 429 mm)

Construction: High-impact plastic



## Modular ModPan™ Series **NEW**

- Accommodates four 1/6 GN size pans
- Excellent for high capacity garnish storage
- Interlocks with other Modular units



ITEM	DESCRIPTION	DIMENSIONS
<b>MODMP16KIT</b>	(1) Base unit, (1) ModPan insert, (4) MP16, (4) rubber linking feet	<b>12.5"H x 18.72"W x 18.75"D</b> (318 x 475 x 473 mm)
<b>MODMP16</b>	Base unit, (1) ModPan insert, (4) rubber linking feet	<b>12.5"H x 18.72"W x 18.75"D</b> (318 x 475 x 473 mm)
<b>MODMP161</b>	ModPan insert	<b>1.25"H x 18.61"W x 16.88"D</b> (32 x 473 x 429 mm)

Construction: High-impact plastic



## Lid Organizers

- Keep lids organized and easily accessible to customers
- Countertop design allows you to move organizer to accommodate changing needs

ITEM	DIMENSIONS
<b>L2100</b>	<b>11"H x 12½"W x 16½"D</b> (279 x 318 x 419 mm)
<b>L2150</b>	<b>10¾"H x 8½"W x 16½"D</b> (273 x 216 x 419 mm)

Construction: 22-gauge 304-stainless with impact resistant plastic tray



L2100

## Condiment & Straw Organizer

ITEM	DIMENSIONS
<b>L2900</b>	<b>9½"H x 8¾"W x 25¾"D</b> (241 x 208 x 637 mm)

Construction: Black polystyrene



## Large Trash Chute

ITEM	DIAMETER	TUBE LENGTH
<b>L360C</b>	<b>6¾"</b> (168 mm)	<b>5¼"</b> (133 mm)

Construction: 22-gauge stainless steel



# FOOD SAFETY TOOLS

Cross-contamination is a danger to any foodservice operation. San Jamar's innovative food safety tools promote safe food handling, sanitation, and more importantly, keep operations thriving and protected from food safety risks.



ALLERGEN SAFETY

SAFE ICE HANDLING

SAFE FOOD PREPARATION

SANITATION TOOLS


CUTTING BOARDS

# ALLERGEN SAFETY



**AS MANY AS  
15 MILLION  
AMERICANS  
HAVE FOOD  
ALLERGIES**

- San Jamar's purple color helps to safeguard your business by alerting staff to follow special food allergy procedures in the kitchen



CBMASZ2430

CBMASZ1212

## Allergen Saf-T-Zone™ Mats

- Easily identify allergen preparation is being done
- Top 8 allergens are identified on the mat to aid in employee allergen awareness
- Purple text for easy identification of an allergen zone

ITEM	INCLUDES
<b>CBMASZ1212</b>	Server window Allergen Saf-T-Zone™ Mat 12" x 12" (304 x 304 mm)
<b>CBMASZ2430</b>	Prep station Allergen Saf-T-Zone™ Mat 24" x 30" (609 x 762 mm)







### Allergen Saf-T-Knife® Station Jr.\*

- Purple color-coded lid quickly identifies knives that are used to prepare allergen-free meals
- Sanitary, safe and secure storage for kitchen knives
- Perfect size for prep lines and smaller kitchens
- Easy to assemble and clean

ITEM	DESCRIPTION	DIMENSIONS
STK1006	Saf-T-Knife® Station Jr.	14½"H x 8¾"W x 4"D (368 x 211 x 102 mm)
STK1006PRL	Saf-T-Knife® Station Jr. - Purple (Lid Only)	17½"H x 8"W x 4"D (48 x 203 x 102 mm)



### Allergen ModPan™ Lids **NEW**

- Purple color-coded lids designed to keep track of which ingredients are allergenic
- Perfect size for prep lines and smaller kitchens
- Easy to assemble, clean and store

ITEM	DESCRIPTION	QUANTITY
LID ONLY		
MPL19PR	¼ lid only	6
MPL16PR	½ lid only	6
MPL14PR	¾ lid only	6
MPL13PR	¾ lid only	6
MPL12PR	¾ lid only	6



See page 97 for ModPans

Construction: Polypropylene



### Allergen Saf-T-Zone™ System

- Purple color alerts staff to follow special food allergy procedures
- Includes commercial-grade cutting board, tongs, turner and Chef's knife
- Durable purple case is easy to find in the kitchen and securely protects tools and board

ITEM	INCLUDES
ASZ121812SYS	(1) Saf-T-Grip® purple cutting board (CBG121812PR) 12" x 18" x ½" (305 x 457 x 13 mm) (1) Stainless steel chef knife with purple handle 10" (254 mm) (1) Stainless steel tongs with purple handle 12" (305 mm) (1) Stainless steel turner with purple handle 13" (330 mm) (Thermometer not included)
ASZTHERMW	Professional digital thermometer with protective sheath, dishwasher safe



### Allergen Saf-T-Zone™ Cutting Boards

- Helps protect guests with food allergies
- Purple color alerts staff to follow special procedures
- Durable co-polymer material will not warp

ITEM	DIMENSIONS
CBG6938PR	6"H x 9"W x ¾"D (152 x 229 x 9.5 mm)
CBG912PR	9"H x 12"W x ¾"D (229 x 305 x 9.5 mm)
CBG121812PR	12"H x 18"W x ½"D (305 x 457 x 13 mm)
CBG152012PR	15"H x 20"W x ½"D (381 x 508 x 13 mm)



Allergen Saf-T-Zone™ Cutting Board  
CBG121812PR



12" Tongs  
ASZTONGS



13" Turner  
ASZTURNER



10" Chef Knife  
ASZKNIFE



Thermometer sold separately

ASZTHERMW

### Allergen Cut-Resistant Glove with Dyneema® **NEW**

WITH EXCLUSIVE DOUBLE GUARD™ ANTIMICROBIAL AGENT

- 10 gauge Dyneema fiber
- Ambidextrous, lightweight & machine washable
- ANSI Level 5 cut protection

ITEM	COLOR	SIZE	LENGTH	MATERIAL	CUT PROTECTION
SG10-PR*	Purple (PR)	S, M, L	11" (279 mm)	Dyneema*** composite yarn	Meets OSHA standard (29 CFR) 1910.132 - Tested in accordance with ASTM Spec 177.20



\* Specify desired size after item number. Example: SG10-PR-S

\*\*\* Dyneema® is a registered trademark of Royal DSM N.V. Under license of Double D Knitting & Glove, Inc.



### Allergen Kleen-Pail® **NEW**

- Color coded purple pail identifies the difference between sanitation buckets
- Sanitize allergen preparation surfaces to minimize the risk of cross-contamination
- Trilingual label aids in training

ITEM	COLOR	DESCRIPTION
KP196PR	Purple	6 quart (5.68 L)




# SAFE ICE HANDLING

TOTES

SCOOPS & HOLDERS

## TOTES

- The original dedicated Saf-T-Ice® Tote is designed to make ice transport easier and safer than traditional "buckets"
- Unique patented features and accessories



SI6100

SI6000

## Original & Shorty™ Saf-T-Ice® Tote

- Dedicated container for safe ice transport
- HACCP Hanger™ reduces back strain and injuries
- Tri-grip™ design for easier, more controlled handling

ITEM	DESCRIPTION	CAPACITY
SI6000	Original Saf-T-Ice® Tote	6 gallons (22.7 L)
SI6100	Shorty™ Saf-T-Ice® Tote	5 gallons (18.9 L)
ACCESSORIES		
SI6500	Saf-T-Ice® Lid (Fits both SI6000 and SI6100)	





SICART60

## Saf-T-Ice® Cart

- Cart transport system for use with (2) Saf-T-Ice® SI6000 or (2) SI6100
- Avoid costly work injuries; doubles productivity
- Folds for easy storage

ITEM	DESCRIPTION
<b>SICART60</b>	Cart transportation system for use with (2) SI6000 Saf-T-Ice® Totes (Totes sold separately)
<b>SICART61</b>	Cart transportation system for use with (2) SI6100 Saf-T-Ice® Totes (Totes sold separately)



## Saf-T-Ice® Value Pack

- The complete solution for preventing ice contamination at the ice machine
- Saf-T-Scoop® protects ice from hand contact and directs ice right into Saf-T-Ice® Tote, minimizing dangerous ice spills

ITEM	DESCRIPTION
<b>SI8500</b>	SI6000 Tote & 64-86 oz. (1.9-2.5 L) Saf-T-Scoop® and Guardian™ System (1 each)



## BPA Free Saf-T-Ice® Tote **NEW**

- Dedicated container for safe ice transport
- HACCP Hanger™ reduces back strain and injuries
- Constructed with polypropylene material

ITEM	DESCRIPTION	CAPACITY
<b>SI6000BPAF</b>	BPA Free Original Saf-T-Ice® Tote	6 gallons (22.7 L)



## Light Duty Ice Tote

- Economical, easy and safe way to transport ice
- Attaches to ice bin for faster and easier filling
- Dual-grip design provides secure handling options for improved ergonomics

ITEM	DESCRIPTION	CAPACITY
<b>SILD6000</b>	Light duty ice tote	6 gallons (22.7 L)



## Banquet/Beverage Saf-T-Scoop®

- Germ-Guards™ protect ice from contact with hands
- Drain holes prevent watering down of beverages
- Built in hook prevents cross contamination; stores neatly on side of bin

ITEM	DESCRIPTION
<b>SI4550</b>	Saf-T-Scoop® 4-6 oz. (118-177 ml) (scoop only)



## Saf-T-Scoop® & Guardian™ System for Bar & Beverage Stations

- Germ-Guards™ protect ice from contact with hands
- Guardian™ provides safe, dedicated scoop storage
- Flexible mounting options



SI5000

ITEM	DESCRIPTION
INCLUDED MOUNTING TOOLS: (1) MOUNTING BRACKET, (2) WIRE HANGING BRACKETS AND (2) SUCTION CUPS	
<b>SI5000</b>	Scoop Guardian™ System 6-10 oz. (177-295 ml) (1) Saf-T-Scoop®, (1) Guardian holder with removable drainage cap, (1) set mounting tools
<b>SI5500</b>	Saf-T-Scoop® 6-10 oz. (177-295 ml) (scoop only)
<b>SI7000</b>	Scoop Guardian™ System 12-16 oz. (355-473 ml) (1) Saf-T-Scoop®, (1) Guardian holder with removable drainage cap, (1) set mounting tools
<b>SI7500</b>	Saf-T-Scoop® 12-16 oz. (355-473 ml) (scoop only)
<b>SI7700</b>	Scoop Guardian™ System 20-24 oz. (591-710 ml) (1) Saf-T-Scoop®, (1) Guardian holder with removable drainage cap, (1) set mounting tools
<b>SI7750</b>	Saf-T-Scoop® 20-24 oz. (591-710 ml) (scoop only)



## Adjustable Saf-T-Scoop® & Guardian™ System for Iced Beverages **NEW**

- Designed for iced coffee drink applications and beverage stations
- Eliminate multiple sizes of scoops
- Dispenses 8 oz., 16 oz. and 24 oz. of ice to multiple sizes of cups



SI7850

ITEM	DESCRIPTION
<b>SI7800</b>	Adjustable Scoop Guardian™ System 8-24 oz. (263.6-709.8 mL) (1) Adjustable Saf-T-Scoop®, (1) Guardian holder with removable drainage cap, (1) set mounting tools
<b>SI7850</b>	Adjustable Saf-T-Scoop® 8-24 oz. (263.6-709.8 mL) (Scoop only)



## Saf-T-Scoop® & Guardian™ System for Ice Machines

- Germ-Guards™ protect ice from contact with hands
- Guardian™ provides safe, dedicated scoop storage
- Flexible mounting options



SI9000

ITEM	DESCRIPTION
INCLUDED MOUNTING TOOLS: (1) MOUNTING BRACKET, (2) WIRE HANGING BRACKETS AND (2) SUCTION CUPS	
<b>SI9000</b>	Scoop Guardian™ System 64-86 oz. (1.9-2.5 L) (1) Saf-T-Scoop®, (1) Guardian holder with removable drainage cap, (1) set mounting tools
<b>SI9500</b>	Saf-T-Scoop® 64-86 oz. (1.9-2.5 L) (scoop only)



## Saf-T-Ice® Scoop Caddy

- Works with ice scoops up to 86 ounces
- Durable construction; dishwasher safe
- Flexible mounting options

ITEM	COLOR	DIMENSIONS
<b>SI2000</b>	Blue	11 <sup>3</sup> / <sub>16</sub> "H x 9 <sup>1</sup> / <sub>8</sub> "W x 8"D (287 x 231 x 204 mm)
<b>SI2000BK</b>	Black	11 <sup>3</sup> / <sub>16</sub> "H x 9 <sup>1</sup> / <sub>8</sub> "W x 8"D (287 x 231 x 204 mm)



SI2000BK



SI2000

# SAFE FOOD PREPARATION

COLD PADDLES

COLD SERVE

SAFE PREP

## COLD PADDLES

- Harmful bacteria grows most rapidly in food at temperatures between 135°F (57°C) and 41°F (5°C)
- Rapi-Kool® cold paddles chill soups and stews quickly and safely from the “inside-out” with special cooling fins that provide maximum surface area for faster chilling



## Rapi-Kool® Plus Cold Paddles

- Wide opening allows for on-demand use by filling with ice and water
- Patented Fill-Rite™ design eliminates over-filling when pre-freezing
- Integrated hanging hook for sanitary and secure storage

ITEM	DESCRIPTION
RCU64V2	64 oz. (1.9 L)
RCU64V2RD	Retail Package 64 oz. (1.9 L) Unit fully assembled, in clear bag with hang tag
RCU128V2	128 oz. (3.8 L)
RCU128V2RD	Retail Package 128 oz. (3.8 L) Unit fully assembled, in clear bag with hang tag






## Rapi-Kool® Cold Paddles

- Chills food from the "inside-out" – for fast, even cooling
- Unique fin design increases surface area to cool foods quickly
- Constructed of durable food-safe plastic; dishwasher safe

ITEM	CAPACITY
<b>RCU64</b>	64 oz. (1.9 L)
<b>RCU128</b>	128 oz. (3.8 L)
<b>RCU256</b>	256 oz. (7.6 L)



## Rapi-Kool® 2-Pack

- Handy 2-Pack ensures a back-up cold paddle is available for use
- Includes (2) extra caps and (1) Rapi-Kool® instructional Smart Chart

ITEM	CAPACITY
<b>RCU642</b>	64 oz. (1.9 L)
<b>RCU1282</b>	128 oz. (3.8 L)



## Rapi-Kool® Accessories

- Wall chart provides step-by-step English and Spanish instructions
- Replacement caps are available to fit any size of Rapi-Kool® cold paddle
- Hanging brackets free up valuable freezer shelf space, holding Rapi-Kool® securely

ITEM	DESCRIPTION
<b>RCUCAPPAK</b>	Replacement Caps (4pk)
<b>RCUWLCT</b>	Wall Chart
<b>RCUBRKT</b>	Hanging Brackets (2pk)

## COLD SERVE

- Pre-Freeze Chill-It® containers to maintain proper cold-handling temperatures without electricity
- Available in standard food pan sizes and handy crocks and pitchers

## Chill-It® Food Pans

- Portable cold-holding food pans with freezable non-toxic gel lining
- Freeze ahead for up to 8 hours of use
- Optional lids allow for stackable storage

ITEM	COLOR	CAPACITY
<b>CI7001*</b>	WH, BK	1/6 Pan: 52 oz. (1.5 L)
<b>CI7002*</b>	WH, BK	1/3 Pan Divided: 135 oz. (3.9 L)
<b>CI7003*</b>	WH, BK	1/3 Pan: 135 oz. (3.9 L)
<b>CI7004*</b>	WH, BK	1/2 Pan: 252 oz. (7.3 L)



## Chill-It® Food Pan Lids

ITEM	FITS	LID TYPE
<b>CI7111L</b>	1/6 Pan: 52 oz. (1.5 L)	Standard
<b>CI7113L</b>	1/3 Pan Divided: 135 oz. (3.9 L)	Standard
<b>CI7114L</b>	1/2 Pan: 252 oz. (7.3 L)	Standard
<b>CI7111NL</b>	1/6 Pan: 52 oz. (1.5 L)	Notched

Bagged with header card



## Chill-It® Crocks & Lids

- Versatile crocks can be used with optional lids and pumps
- Perfect for sauces and condiments that require chilling

ITEM	COLOR	DESCRIPTION
<b>CI7015*</b>	WH, BK	2 qt. Crock
<b>CI7016H</b>	Clear	Clear Lid
<b>CI7016NL</b>	Clear	Notched Lid
<b>CI7016P</b>	Clear	Pump Lid



## Chill-It® Pitcher

- Keeps beverages and other liquids icy cold
- Protects batters, sauces & other liquids from time-temperature abuse
- Freezes in just 3 hours

ITEM	CAPACITY
<b>CI7025</b>	60 fl. oz. (1.8 L)



\* Specify desired color after item number. Example: CI7001WH



**SAFE  
PREP**

- Tools designed to create a safe food prep environment
- Minimize cross-contamination, manage food allergies and protect your customers and staff



**Saf-T-Wrap® Station**

- Saves money by reducing labeling time and minimizing food waste by aiding in FIFO food rotation
- Dispenses dating labels in multiple sizes and configurations
- Available with safety blade for film, foil and paper—or slide cutter for one-handed film dispensing

SW1218SC

ITEM	DESCRIPTION	CAPACITY	CORE DIAMETER
SW1218	Saf-T-Wrap® Station with Safety Blade (for film, foil or paper)	Accepts date label rolls from 0.75"-3" (1.9-7.6 cm) wide; 3.25" (8.25 cm) diameter. (1.9 L) Dispense Film/Foil/Paper rolls from 12"-18" (30.48-42.75 cm), 5.1" (12.95 cm) total diameter	12" (305 mm) min.
SW1218SC	Saf-T-Wrap® Station with Slide Cutter (for film)	Accepts date label rolls from 0.75"-3" (1.9-7.6 cm) wide; 3.25" (8.25 cm) diameter. (1.9 L) Dispense Film rolls from 12"-18" (30.48-42.75 cm), 5.1" (12.95 cm) total diameter	12" (305 mm) min.



SW12

**Saf-T-Wrap® 12 & 18**

- Accommodates film or foil rolls and saves time while minimizing waste
- Includes both safety blade for film, foil and paper - or slide cutting for one-handed film dispensing
- Film and foil rolls are fully enclosed and protected preventing cross-contamination from unsanitary cardboard cutter boxes
- Economical by utilizing entire roll and keeping your film/foil in a durable, protected dispenser; resulting in substantial cost savings

ITEM	DESCRIPTION	CAPACITY
SW12	Saf-T-Wrap® with Slide Cutter and optional Safety Blade (for film or foil)	Dispense Film/Foil rolls from 12" (305 mm)
SW18	Saf-T-Wrap® with Slide Cutter and optional Safety Blade (for film or foil)	Dispense Film/Foil rolls from 15"-18" (381 mm - 457 mm)
SWX100	Saf-T-Wrap® Stackers (2) Brackets (8) Wing Nuts	Dispense Film/Foil rolls from 12"-18" (305 mm - 457 mm)



**Saf-T-Label™ Dispenser *NEW***

- Easily separates labels from backing paper
- Integrated brackets to hang on wire shelving or wall-mount brackets

ITEM	CAPACITY	DIMENSIONS
STL511	Accepts date label rolls from 0.75" - 2" (1.91 - 5.08 cm) wide; 3.25" (8.26 cm) diameter	7.02"H x 19.96"W x 5.13" D (178 x 507 x 130 mm)



**Saf-T-Knife® Station\***

- Sanitary, safe and secure storage for kitchen knives
- Protects knives from contamination and accidents
- Easy to assemble and clean

ITEM	DIMENSIONS
STK1008	15"H x 15"W x 4¼"D (381 x 381 x 108 mm)



\*Knives not included



**Saf-T-Knife® Station Jr.\***

- Color-coded lids designed to keep track of which knife is used for what purpose
- Perfect size for prep lines and smaller kitchens
- Easy to assemble and clean

ITEM	DESCRIPTION	DIMENSIONS
STK1006	Saf-T-Knife® Station Jr.	14½"H x 8¾" W x 4"D (368 x 211 x 102 mm)
STK1006RDL	Saf-T-Knife® Station Jr. - Red (Lid Only)	1⅞"H x 8"W x 4"D (48 x 203 x 102 mm)
STK1006GRL	Saf-T-Knife® Station Jr. - Green (Lid Only)	1⅞"H x 8"W x 4"D (48 x 203 x 102 mm)
STK1006YLL	Saf-T-Knife® Station Jr. - Yellow (Lid Only)	1⅞"H x 8"W x 4"D (48 x 203 x 102 mm)
STK1006PRL	Saf-T-Knife® Station Jr. - Purple (Lid Only)	1⅞"H x 8"W x 4"D (48 x 203 x 102 mm)



STK1006  
\*Knives not included



STK1006RDL



STK1006GRL



STK1006YLL



STK1006PRL



**Allergen Saf-T-Zone™ Mats *NEW***

- Easily identify allergen preparation is being done
- Top 8 allergens are identified on the mat to aid in employee allergen awareness
- Purple text for easy identification of an allergen zone

ITEM	INCLUDES
CBMASZ1212	Server window Allergen Saf-T-Zone™ Mat 12" x 12" (304 x 304 mm)
CBMASZ2430	Prep station Allergen Saf-T-Zone™ Mat 24" x 30" (609 x 762 mm)



CBMASZ1212



**Allergen Saf-T-Zone™ System**

- Purple color alerts staff to follow special food allergy procedures
- Includes commercial-grade cutting board, tongs, turner and Chef's knife
- Durable purple case is easy to find in the kitchen and securely protects tools and board

ITEM	INCLUDES
ASZ121812SYS	(1) Saf-T-Grip® purple cutting board (CBG121812PR) 12" x 18" x ½" (305 x 457 x 13 mm) (1) Stainless steel chef knife with purple handle 10" (254 mm) (1) Stainless steel tongs with purple handle 12" (305 mm) (1) Stainless steel turner with purple handle 13" (330 mm) (Thermometer not included)
ASZTHERMW	Professional digital thermometer with protective sheath, dishwasher safe

Additional Allergen Saf-T-Zone™ cutting boards and sizes are available on pg. 63.



ASZ121812SYS



Allergen Saf-T-Zone™ Cutting Board  
CBG121812PR




10" Chef Knife  
ASZKNIFE



12" Tongs  
ASZTONGS



13" Turner  
ASZTURNER



Thermometer sold separately  
ASZTHERMW



# SANITATION TOOLS

PAILS

TOOLS



## PAILS

- Kleen-Pail®, the original dedicated non-food container for safe foodservice cleaning and sanitation
- Available in sizes for front or back-of-the house



## Kleen-Pail®

- Color-coded pails for use with detergent and sanitizer
- Durable, robust handle design
- New embossed feature designed to meet health code
- Trilingual design aids in training
- Blank space for labeling purpose or placement (Kleen-Color pails only)

ITEM	COLOR	DESCRIPTION
KP97*	RD, GN	3 quart (2.84 L)
KP196*	RD, GN, PR	6 quart (5.68 L)
KP256*	RD, GN	8 quart (7.57 L)
KP320*	RD, GN	10 quart (9.46 L)
KLEEN-COLOR PAILS		
KP196KCB	Blue	6 quart (5.68 L)
KP196KCYL	Yellow	6 quart (5.68 L)
KP196KCRD	Red	6 quart (5.68 L)

\* Specify desired color after item number. Example: KP97GN



## Kleen-Pail® Broken Glass Container **NEW**

- White color and label designates that only broken glass should be placed into container
- Large spout makes it easy to empty

ITEM	COLOR	DESCRIPTION
KP320WH	WH	10 quart (9.46 L)

### PAIL USAGE GUIDE

**RD** = Sanitizer    **GN** = Detergent (Cleaner)    **PR** = Allergen    **WH** = Broken Glass Only

**TOOLS**

- Make proper sanitation easier, more efficient and meet health codes
- Unique, patented products combine several processes for convenience and safety

**Kleen-Pail® Stands\***

- Allows you to move Sanitizer and Detergent Pails off of the floor or work surface
- Provides a sanitary storage holder for KP196\* and KP97\*



KPS196

ITEM	DESCRIPTION
<b>KPS196</b>	Kleen-Pail stand holds KP196
<b>KPS97</b>	Kleen-Pail stand holds KP97
<b>KPS196WM</b>	Kleen-Pail wall mount stand holds KP196
<b>KPS97WM</b>	Kleen-Pail wall mount stand holds KP97

\*Kleen-Pail sold separately.

**Caddy™ System**

- Integrated spray bottle creates portable cleaning and sanitizing system
- Saves time and reduces labor
- Trilingual design aids in training



KP500

ITEM	DESCRIPTION
<b>KP500</b>	(1) green caddy (1) spray bottle
<b>KP506N</b>	(1) green caddy

**HACCP Food Safety Kit**

- Train staff or students in basic food safety principles with products designed to aid with HACCP procedures



ITEM	DESCRIPTION
<b>HACCPKIT</b>	Saf-T-Ice® Shorty™ Tote (Item #SI6100) Saf-T-Ice® Lid (Item# SI6500) Saf-T-Scoop® & Guardian System™ (Item #SI5000) Rapi-Kool® Plus Cold Paddle (Item #RCU64V2) Rapi-Kool® Smart Chart (Item #RCUWLCT) Saf-T-Grip® Cutting Board (Item #CBG121812GN) Cutting Board Smart Chart (Item #CBCWLCTST) Kleen-Pail® 3-QT (Item #KP97GN) Kleen-Pail® 6-QT (Item #KP196RD) Kleen-Plug™ (Item # KLP200) Saf-T-Grip® Board-Mate (Item# CBM1318) Saf-T-Grip® Allergen Saf-T-Zone™ 9" x 12" Cutting Board (Item #CBG912PPR) Saf-Check® Quat Test System with thermometer (Item #SFC1200QT) Mani-Kare® Bandages (Item #MK0901) Versa Mat® Bar Matting (Item #VM5280BK) T-Stick® Samples 140° F, 160° F and 170° F (Item #TST9341, #TST9343, #TST9345) Klever Kutter™ 3-Pack (Item #KK403)

**Saf-Check®**

- Combines thermometer and sanitizer test strips with easy-to-read Smart Scale™ guide
- Thumb wheel easily dispenses test strips
- Holds replaceable 15 ft. (4.57 m) roll of Chlorine or Quaternary test strips

ITEM	DESCRIPTION
<b>MEASURES</b>	
<b>SFC1200CL</b>	Chlorine measure with thermometer
<b>SFC1200QT</b>	Quaternary measure with thermometer
<b>SFC1250CL</b>	Chlorine measure without thermometer
<b>SFC1250QT</b>	Quaternary measure without thermometer
<b>REPLACEMENT TEST STRIP ROLLS</b>	
<b>SFCROLLCL</b>	Chlorine replacement rolls (2) 15 ft. rolls
<b>SFCROLLQT</b>	Quaternary replacement rolls (2) 15 ft. rolls



SFC1200QT

**Kleen-Cup®**



- Effectively cleans and sanitizes mixer spindles, replaceable brushes
- Prevents flavor transfer and cross-contamination

ITEM	DESCRIPTION	DIMENSIONS
<b>KLC28C</b>	(1) Kleen-Cup spindle sanitizer	7¾"H x 4"D (197 x 102 mm)



**Fridge-Kare™**

- Removes moisture from the air and reduces odor in walk-in and reach-in coolers
- Decreases bacteria and mold growth

ITEM	DESCRIPTION
<b>FK1000</b>	One Fridge-Kare® treats 250 cubic feet for up to 6 months



**ServSafe® Coursebook 6th Edition**

- Prepares foodservice professionals for extended one-day or two-day certification programs

ITEM	DESCRIPTION
<b>SERVSABOOK</b>	Course book for ServSafe® certification based on 2013 FDA food code



ServSafe® is a registered trademark of the National Restaurant Association Education Foundation

**Smart Charts**

- Instructional charts for color-coding cutting boards, using Rapi-Kool® chill paddles and proper handwashing practices

ITEM	INCLUDES	DIMENSIONS
<b>RCUWLCT</b>	Rapi-Kool® Smart Chart	17"H x 11"W (432 x 279 mm)
<b>CBCWLCTST</b>	Color-Coded Cutting Board Smart Chart	17"H x 11"W (432 x 279 mm)
<b>QSWLCT</b>	Cut-N-Carry® 4 Board Color-Coded Smart Chart	11½"H x 14½"W (292 x 368 mm)
<b>HWLCT</b>	Hand Washing Station Smart Chart	9"H x 6"W (229 x 152 mm)





# CUTTING BOARDS

GRIP BOARDS

STANDARD BOARDS

SPECIALTY & CUSTOM BOARDS

ACCESSORIES

## GRIP BOARDS

- Saf-T-Grip® integrated grip corners provide a safe and secure prep surface
- Durable co-polymer and molded-in grips designed to stand up to the toughest commercial kitchen environments
- Integrated ruler makes portioning easy, eliminating guess-work and saving money
- Patented Food Safety Hook allows for sanitary transport and storage



## Saf-T-Grip® Cutting Boards

- Integrated anti-slip grips securely hold board in place
- Patented Food Safety Hook for sanitary transport and storage
- Durable co-polymer material will not warp

ITEM	COLOR	DIMENSIONS
<b>CBG6938*</b>	BK, GN, RD, WH, YL	6"H x 9"W x ¾"D (152 x 229 x 9.5 mm)
<b>CBG912*</b>	BL, BR, GN, RD, WH, YL	9" H x 12"W x ¾"D (229 x 305 x 9.5 mm)
<b>CBG121812*</b>	BL, BR, GN, RD, WH, YL	12"H x 18"W x ½"D (305 x 457 x 13 mm)
<b>CBG152012*</b>	BL, BR, GN, RD, WH, YL	15" H x 20"W x ½"D (381 x 508 x 13 mm)
<b>CBG182412*</b>	BL, BR, GN, RD, WH, YL	18"H x 24"W x ½" D (457 x 610 x 13 mm)



\* Specify desired color after item number. Example: CBG6938BK





### Saf-T-Grip® White Cutting Boards

- Reduce cross-contamination with color-coded cutting boards
- All the great features and benefits of our Saf-T-Grip® family, with the tradition of a white cutting board
- Durable co-polymer material will not warp

ITEM	COLOR	DIMENSIONS
CB6W912*	BL, GN, YL, RD	9"H x 12"W x ¾"D (229 x 305 x 9.5 mm)
CB6W152012*	BL, GN, YL, RD	15"H x 20"W x ½"D (381 x 508 x 13 mm)



### Saf-T-Grip® White 4-Board System

- Reduce cross-contamination with color-coded cutting boards
- All the great features and benefits of our Saf-T-Grip® family, with the tradition of a white cutting board
- Durable co-polymer material will not warp

ITEM	COLOR	DIMENSIONS
WHITE BOARDS WITH (EACH) OF THE COLORED GRIPS: GREEN, RED, YELLOW AND WHITE		
CB6W912QS	WH, GN, YL, RD	9"H x 12"W x ¾"D (229 x 305 x 9.5 mm)
CB6W152012QS	WH, GN, YL, RD	15"H x 20"W x ½"D (381 x 508 x 13 mm)



### Saf-T-Grip® 6-Board System

- Reduce cross-contamination with color-coded cutting boards
- Includes customizable color-coding Smart Chart™ with stickers
- Durable co-polymer material will not warp

ITEM	DIMENSIONS
CONTAINS (EACH) BLUE, BROWN, GREEN, RED, WHITE, YELLOW CUTTING BOARDS & FREE COLOR-CODED SMART CHART.	
CB61218KC	12"H x 18"W x ½"D (305 x 457 x 13 mm)
CB61520KC	15"H x 20"W x ½"D (381 x 508 x 13 mm)
CB61824KC	18"H x 24"W x ½"D (457 x 610 x 13 mm)



### Saf-T-Grip® Bar/Snack Boards

- Durable co-polymer construction will not warp
- Material won't dull knives and resists unsanitary cut-grooving
- Smaller size is ideal for tight spaces

ITEM	COLOR	DIMENSIONS
CB66938*	BK, GN, RD, WH, YL	6"H x 9"W x ¾"D (152 x 229 x 9.5 mm)



## STANDARD BOARDS

- Premium, cutting boards with Cut-N-Carry® patented Food Safety Hook
- Color options allow for color-coding to minimize cross-contamination during prep

### Allergen Saf-T-Zone™ Cutting Boards

- Helps protect guests with food allergies
- Purple color alerts staff to follow special procedures
- Durable co-polymer material will not warp

ITEM	DIMENSIONS
CB66938PR	6"H x 9"W x ¾"D (152 x 229 x 9.5 mm)
CB6912PR	9"H x 12"W x ¾"D (229 x 305 x 9.5 mm)
CB6121812PR	12"H x 18"W x ½"D (305 x 457 x 13 mm)
CB6152012PR	15"H x 20"W x ½"D (381 x 508 x 13 mm)



### Cut-N-Carry® Color Cutting Boards

- Patented Food Safety Hook design for sanitary transport and storage
- Durable co-polymer construction provides superior heat, chemical and warp resistance
- Material won't dull knives and resists unsanitary cut-grooving

ITEM	COLOR	DIMENSIONS
CB101212*	GN, YL	10"H x 12"W x ½"D (254 x 305 x 13 mm)
CB121812*	BL, BR, GN, RD, YL	12"H x 18"W x ½"D (305 x 457 x 13 mm)
CB152012*	BL, BR, GN, RD, YL	15"H x 20"W x ½"D (381 x 508 x 13 mm)
CB182412*	BL, BR, GN, RD, YL	18"H x 24"W x ½"D (457 x 610 x 13 mm)
CB121834*	BL, BR, GN, RD, YL	12"H x 18"W x ¾"D (305 x 457 x 19 mm)
CB182434*	BL, BR, GN, RD, YL	18"H x 24"W x ¾"D (457 x 610 x 19 mm)



### Cut-N-Carry® 4 & 6-Board Systems

- Reduce cross-contamination with color-coded cutting boards
- Includes customizable color-coding Smart Chart™
- Durable co-polymer construction provides superior heat, chemical and warp resistance

ITEM	DESCRIPTION	DIMENSIONS
CB1218QS	4-Board System: (1ea) green, red, white, yellow cutting boards and a Color-Coded Smart Chart	12"H x 18"W x ½"D (305 x 457 x 13 mm)
CB1520QS		15"H x 20"W x ½"D (381 x 508 x 13 mm)
CB1824QS		18"H x 24"W x ½"D (457 x 610 x 13 mm)
CB1218KC	6-Board System: (1ea) blue, brown, green, red, white, yellow cutting boards and a Color-Coded Smart Chart	12"H x 18"W x ½"D (305 x 457 x 13 mm)
CB1520KC		15"H x 20"W x ½"D (381 x 508 x 13 mm)
CB1824KC		18"H x 24"W x ½"D (457 x 610 x 13 mm)



4-Board Cut-N-Carry® System

\* Specify desired color after item number. Example: CB6W912BL



## Cut-N-Carry® White Cutting Boards

- Patented Food Safety Hook design for sanitary transport and storage
- Material won't dull knives and resists unsanitary cut-grooving
- Durable co-polymer construction will not warp



### ITEM

- CB101212WH
- CB121812WH
- CB152012WH
- CB182412WH
- CB183012WH
- CB242412WH
- CB121834WH
- CB152034WH
- CB182434WH
- CB183034WH
- CB242434WH

### DIMENSIONS

- 10"H x 12"W x ½"D (254 x 305 x 13 mm)
- 12"H x 18"W x ½"D (305 x 457 x 13 mm)
- 15"H x 20"W x ½"D (381 x 508 x 13 mm)
- 18"H x 24"W x ½"D (457 x 610 x 13 mm)
- 18"H x 30"W x ½"D (457 x 762 x 13 mm)
- 24"H x 24"W x ½"D (610 x 610 x 13 mm)
- 12"H x 18"W x ¾"D (305 x 457 x 19 mm)
- 15"H x 20"W x ¾"D (381 x 508 x 19 mm)
- 18"H x 24"W x ¾"D (457 x 610 x 19 mm)
- 18"H x 30"W x ¾"D (457 x 762 x 19 mm)
- 24"H x 24"W x ¾"D (610 x 610 x 19 mm)



## White Cutting Boards

- Material won't dull knives and resists unsanitary cut-grooving
- Durable co-polymer construction will not warp



### ITEM

- CB12181WH
- CB15201WH
- CB18241WH

### DIMENSIONS

- 12"H x 18"W x 1"D (304 x 457 x 25 mm)
- 15"H x 20"W x 1"D (381 x 508 x 25 mm)
- 18"H x 24"W x 1"D (457 x 609 x 25 mm)



## White Grooved Cutting Boards

- Groove design reduces cross-contamination by stopping food juices from spilling onto countertops and food prep areas
- Reduces mess and clean-up
- Durable co-polymer construction will not warp



### ITEM

- CB121812GVWH
- CB152012GVWH
- CB182412GVWH
- CB182434GVWH

### DIMENSIONS

- 12"H x 18"W x ½"D (305 x 457 x 13 mm)
- 15"H x 20"W x ½"D (381 x 508 x 13 mm)
- 18"H x 24"W x ½"D (457 x 610 x 13 mm)
- 18"H x 24"W x ¾"D (457 x 610 x 19 mm)



## SPECIALTY & CUSTOM BOARDS

- Available in co-polymer and our patented Tuff-Cut® high-heat materials
- Choose a standard size or customize to accommodate any application

## White Bar Board

- Material won't dull knives and resists unsanitary cut-grooving
- Smaller size is ideal for tight spaces
- Durable co-polymer construction will not warp



### ITEM

- CB6912WH

### DIMENSIONS

- 6"H x 9"W x ½"D (152 x 229 x 13 mm)



## Tuff-Cut® Cutting Boards

- Designed for high-heat applications
- Rated to withstand temperatures up to 350°F (177°C) without warping or scorching
- Ideal for use as pizza peels and meat carving

### ITEM

- TC121812
- TC152012
- TC182412
- TC121812GV
- TC152012GV
- TC182412GV

### DESCRIPTION

- Regular cutting board
- Regular cutting board
- Regular cutting board
- Grooved cutting board
- Grooved cutting board
- Grooved cutting board


### DIMENSIONS

- 12"H x 18"W x ½"D (305 x 457 x 13 mm)
- 15"H x 20"W x ½"D (381 x 508 x 13 mm)
- 18"H x 24"W x ½"D (457 x 610 x 13 mm)
- 12"H x 18"W x ½"D (305 x 457 x 13 mm)
- 15"H x 20"W x ½"D (381 x 508 x 13 mm)
- 18"H x 24"W x ½"D (457 x 610 x 13 mm)



## Tuff-Cut® Bread Boards

- Designed for high-heat applications and serrated knife use
- Rated to withstand temperatures up to 350°F (177°C) without warping or scorching
- Different sizes and shapes for bread cutting and serving



### ITEM

- TC7501
- TC7502
- TC7503

### DESCRIPTION

- Bread board with 5" (127 mm) handle
- Bread board with 6" (152 mm) handle
- Bread board with 4" (102 mm) handle & butter well

### DIMENSIONS

- 7"H x 9"W x ¼"D (178 x 229 x 6 mm)
- 7"H x 9"W x ½"D (178 x 229 x 13 mm)
- 8½"H x 6½"W x ¾"D (216 x 165 x 19 mm)



## Tuff-Cut® Custom Cutting Boards

- Same high-quality Tuff-Cut® material in custom sizes and shapes
- Ships within 48 hours




ITEM	THICKNESS
TC4812014	¼" (6 mm)
TC4812038	⅜" (9.5 mm)
TC4812012	½" (13 mm)
TC4812034	¾" (19 mm)
TC481201	1" (25 mm)

All cuts are straight edge unless otherwise requested (additional cost).



## Custom-Cut Cutting Boards

- High-quality material is durable, heat-resistant and will not dull knives
- Ships in 48 hours



ITEM	COLOR	THICKNESS
CBL6012012	GN, RD, YL, BL, BR, WH	½" (13 mm)
CBL6012034	White only	¾" (19 mm)
CBL601201	White only	1" (25 mm)

Special cuts, holes and patterns are available at an additional cost.  
All cuts are straight edge unless otherwise requested (additional cost).  
Complex cuts and large quantities (over 15) may take longer than 48 hours.



## HOW TO ORDER A CUSTOM CUTTING BOARD

**Step 1:** Pick your thickness from choices above

**Step 2:** Pick your size - any size

**Step 3:** Call in your order to Customer Care **1.800.248.9826** or email us at **sjorders@sanjamar.com**

Visit our online Custom Cutting Board Calculator: <http://customcutbrd.sanjamar.com>

**Please Note:** Special cuts, holes and patterns are available at an additional cost. All cuts are straight edge unless otherwise requested (additional cost).  
Complex cuts and large quantities (over 15) may take longer than 48 hours. ¾" boards and 1" boards are only available in white.



## ACCESSORIES

- Convenient cutting board storage, Board Mate® non-slip board mats and color-coding wall charts

## Saf-T-Grip® Board-Mate®

- Replaces unsanitary "wet towel" to keep non-grip boards from shifting and sliding
- Reduces knife accidents and injuries during prep
- Also keeps countertop appliances from slipping

ITEM	DIMENSIONS
CBM1016	10"L x 16"W (254 x 406 mm)
CBM1318	13"L x 18"W (330 x 457 mm)
CBM1622	16"L x 22"W (406 x 559 mm)



## Cutting Board Accessories

ITEM	DESCRIPTION
KLRST	Cutting board storage stand with non-slip feet
CNCRK	Shelf-mounting hanging rack
CBCWLCTST	Color-coded cutting board smart chart / 6-board with stickers
QSWLCT	Color-coded cutting board smart chart / 4-board



KLRST



CNCRK



QSWLCT



CBCWLCTST

# BAR & FOOD MANAGEMENT

In the hectic world of foodservice – safety, efficiency and looking good to your patron, is paramount. From proper ice handling and food storage to clean-up, San Jamar is responsive to foodservice operators, continuously creating new tools to make life a little easier in the kitchen, at the bar and at the dining table.



**BAR  
MANAGEMENT**

**FOOD  
MANAGEMENT**

**KITCHEN  
MANAGEMENT**

**MEASUREMENT  
TOOLS**

# BAR MANAGEMENT

BAR TOOLS

GARNISH CENTERS

SHELF MATTING

## BAR TOOLS

- Smart solutions to make bar service more efficient
- Designed by bartenders for bartenders



## Perfect Pitcher **NEW**

- Patented "double-angled wall" reduces excess foaming that causes waste
- Low profile design
- Durable impact resistant plastic
- Dishwasher safe

ITEM	CAPACITY	DIMENSIONS
PPP60	60 oz (1.8 L)	9"H x 6.5"W x 7"D (228 x 165 x 178 mm)





## Kleen Plug™

- Protects beer taps and bottles from fruit flies and other contaminants
- Affordable and easy-to-use
- Also seals and protects beverage station drains

ITEM	DESCRIPTION	QUANTITY
KLP200	Kleen Plug™ Blister Pack	5
KLP250	Bulk Kleen Plugs™	50

Construction: High-impact plastic

CBG6938RD



CB6912WH

## Bar Boards

- Durable co-polymer construction provides superior heat, chemical and warp resistance
- Material won't dull knives and resists unsanitary cut-grooving
- Smaller size is ideal for garnish prep at bar area

ITEM	COLOR	DIMENSIONS
CBG6938*	BK, GN, RD, WH, YL	6"H x 9"W x 3/8"D (152 x 229 x 9.5 mm)
CB6912WH	WH	6"H x 9"W x 1/2"D (152 x 229 x 13 mm)



## Non-Alcoholic Bar Mat

- Designate a reserved area to place non-alcoholic beverages
- Made of nitrile rubber, mats are non-slip to keep the glasses in place and the countertop clean

ITEM	DIMENSIONS
BM1018	10"H x 18"W x 1/4"D (254 x 457 x 6.35 mm)

## Saf-T-Ice® Bottle Guardian

- Safely chills wine and liquor bottles inside of ice bin
- Can be mounted inside or outside ice bin, keeping non-chilled bottles handy
- Durable construction; dishwasher safe

ITEM	DESCRIPTION
SI7000BG	(1) Guardian holder with removable drainage cap, (1) Set mounting tools; Max bottle diameter 3 3/4"

Construction: Polycarbonate



\* Specify desired color after item number. Example: CBG6938BK



## Stainless Steel Speed Rails


- Attractive and durable stainless steel construction
- Available in single and double rails
- Holds quart and liter bottles

ITEM	DESCRIPTION	DIMENSIONS
B5522	Holds (5) 1 qt. (0.95 L) bottles	6"H x 21 1/4"W x 4 1/8"D (152 x 540 x 105 mm)
B5532	Holds (8) 1 qt. (0.95 L) bottles	6"H x 31 1/8"W x 4 1/8"D (152 x 791 x 105 mm)
B5542	Holds (10) 1 qt. (0.95 L) bottles	6"H x 41 1/4"W x 4 1/8"D (152 x 1048 x 105 mm)
B500	Hanger Straps for Single Speed Rails	8 3/8"H x 1"W x 2 1/8"D (213 x 25 x 54 mm)
B5522D	Holds (10) 1 qt. (0.95 L) bottles	7 1/2"H x 21 1/8"W x 8"D (194 x 537 x 203 mm)
B5532D	Holds (16) 1 qt. (0.95 L) bottles	7 1/2"H x 31 1/8"W x 8"D (194 x 791 x 203 mm)
B5542D	Holds (20) 1 qt. (0.95 L) bottles	7 1/2"H x 41 1/4"W x 8"D (194 x 1048 x 203 mm)

Construction: 22-gauge stainless steel



B5522



**HANGER STRAPS**  
Hanger Straps can be used only with the single stainless speed rails. Offers portability for multiple uses. Made of durable stainless steel.

B500

## Wire Speed Rails

- Durable silver granite finish will not rust
- Holds quart and liter bottles
- Economical, ideal for outdoor use

ITEM	DESCRIPTION	DIMENSIONS
B5624SG	Holds (6) 1 qt. (0.95 L) bottles	6"H x 24"W x 4 1/2"D (152 x 610 x 114 mm)
B5636SG	Holds (9) 1 qt. (0.95 L) bottles	6"H x 36"W x 4 1/2"D (152 x 914 x 114 mm)

Construction: Heavy gauge formed wire



B5624SG

## Bottle Cap Catcher

- Mounts easily under any bottle cap opener
- Durable stainless steel construction for years of use

ITEM	DIMENSIONS
B4300	13 3/8"H x 5 3/8"W x 3 1/4"D (333 x 137 x 83 mm)

Construction: 22-gauge stainless steel



## Bar Caddy

- Holds cocktail napkins, straws, stir sticks and more

ITEM	DIMENSIONS
B400BK	4 1/8"H x 9 3/4"W x 5 1/2"D (105 x 235 x 140 mm)


Construction: High-impact plastic



## GARNISH CENTERS

- Multiple options to organize & serve garnishes
- Enhances image and sanitation; chillable tray options available

### THE DOME® & MINI DOME® PRODUCT DIMENSIONS



BD4005E

## The Dome® Garnish Centers

- Patented, domed lid rotates back for easy access and increased capacity when closed
- Use standard size trays to keep food chilled or deep trays for extra capacity
- Integrated snap-on caddies store straws, stirrers & picks

ITEM	DESCRIPTION	CAPACITY
BD4005S	(1) 2 qt. (1.9 L) deep tray; (4) 1 pt. (0.47 L) standard trays; (2) snap-on caddies, handles	4 qt. (3.8 L)
BD4005E	(1) 2 qt. (1.9 L) deep tray; (4) 1 pt. (0.47 L) standard trays; (2) end caps; (1) snap-on caddy	4 qt. (3.8 L)
BD4023S	(2) 3 pt. (1.4 L) deep trays; (3) 1 pt. (0.47 L) standard trays; (2) snap-on caddies, handles	4.5 qt. (4.25 L)
BD4006S	(6) 1 pt. (0.47 L) standard trays; (2) snap-on caddies, handles	3 qt. (2.8 L)
BD4003	(3) 2 qt. (1.9 L) quart deep trays; (2) handles	6 qt. (5.6 L)
BD4004	(4) 3 pt. (2.9 L) deep trays; (2) handles	6 qt. (5.6 L)
BD4014	(4) 1.5 pt. (0.71 L) standard trays; (2) handles	3 qt. (2.8 L)

Construction: High-impact plastic



## Mini Dome® Garnish Centers

- Patented, domed lid design in a smaller size; notched lid option
- Connectors provide modularity between Mini Dome®, Dome® and snap-on caddies

ITEM	DESCRIPTION	CAPACITY
EACH MINI DOME® COMES WITH (2) END CAPS AND (1) CONNECTOR		
BD2001	(1) 2 qt. (1.9 L) deep tray	2 qt. (1.9 L)
BD2002	(1) 1 qt. (0.95 L) standard tray	1 qt. (0.95 L)
BD2003	(2) 1 pt. (0.47 L) standard trays	2 pt. (0.47 L)
BD2004NL	(2) 1.5 pt. (0.71 L) deep trays (notched domed lid)	3 pt. (1.4 L)
BD2002CAR	(1) 1 qt. (0.95 L) standard tray (with caddy)	1 qt. (0.95 L)
BD2004CAL	(2) 1.5 pt. (0.71 L) deep trays (with left hand caddy)	3 pt. (1.4 L)

Construction: High-impact plastic



BD2001

## The Dome® Glass Rimming Station

- Comprehensive bar management system
- Promotes all-in-one station for serving beverages/cocktails
- Allows for storage of bar board and paring knife

ITEM	DESCRIPTION
BDRX400	Rimming Station to be used with The Dome® Garnish Centers Includes (3) 5" round trays, (1) 4" round tray and (1) sponge for 5" tray

Construction: High-impact plastic



BDRX400, BD4005S (The Dome® Garnish Center not included)

## Dome® Stacker

- Allows you to customize a configuration using Dome® and Mini Dome® to fit virtually any space
- Makes your operation more efficient, more organized and more professional

ITEM	DESCRIPTION	CAPACITY
BDSX100	Dome® Stacker Conversion Kit - converts your Dome® and Mini Dome® into a versatile, organized garnish center (Dome and Mini Dome not included)	N/A
BDS2203	Dome® Stacker - 1/1 Mini Dome: (4) 1 pt. trays & bonus (2) 2 qt. trays	4 qt. (3.8 L)
BDS2204NL	Dome® Stacker - 1/1 Mini Dome: (4) 1.5 pt. deep trays - notched lids & bonus (2) 2 qt. trays	4.5 qt. (4.25 L)
BDS2401NL	Dome® Stacker - 2/2 Mini Domes: (4) 2 qt. deep Trays	3 qt. (2.8 L)
BDS2483NL	Dome® Stacker - 2/2 Mini Domes: (4) 1.5 pt. deep trays, (4) 1 pt. standard trays, (2) notched lids & (2) standard lids	6 qt. (5.6 L)
BDS4206	Dome® Stacker - 1/1 Dome®: (12) 1 pt. standard trays	6 qt. (5.6 L)
BDS4266	Dome® Stacker - 1/1 Dome®: (3) 2 qt. deep trays, (6) 1 pt. standard trays (chillable)	3 qt. (2.8 L)

Construction: High-impact plastic



BDS4266



BDS2483NL

## The Dome® & Mini Dome® Replacements

- Choose from a wide variety of tray configurations; chillable and non-chillable
- Snap-on caddies and connectors available for maximum flexibility

ITEM	DESCRIPTION	QUANTITY
BD100S	Snap-on caddies	2
BD101	1 pt. (0.47 L) standard tray - chillable	12
BD102	1.5 pt. (0.71 L) standard tray - chillable - for Dome® only	6
BD103	3 pt. (1.4 L) deep tray - for Dome® only	6
BD104	2 qt. (1.9 L) deep tray	6
BD105	1.5 pt. (0.71 L) deep tray	6
BD106	1 qt. (0.95 L) standard tray - chillable	6
BD110	Connector	1

Construction: High-impact plastic



BD101

BD104



BD105

BD106





B6186L

## EZ-Chill™ Garnish Centers

- Portable and chillable stainless steel garnish centers
- Hinged, transparent lid protects garnishes and will not rust
- For use with EZ-Chill™ ice packs or ice

ITEM	DESCRIPTION	DIMENSIONS
<b>B6183L</b>	(3) 1 qt. (0.95 L) inserts with plex lid; (3) EZ-Chill packs	5 $\frac{7}{8}$ "H x 18"W x 5 $\frac{3}{4}$ "D (149 x 457 x 137 mm)
<b>B6186L</b>	(6) 1 pt. (0.47 L) inserts with plex lid; (6) Ice liners; (3) EZ-Chill packs	5 $\frac{7}{8}$ " H x 18"W x 5 $\frac{3}{4}$ "D (149 x 457 x 137 mm)
<b>B6766L</b>	(3) 1 qt. (0.95 L) inserts; (12) 1 pt. (0.47 L) containers; (2) Bar caddies; (2) Ice liners; (6) EZ-Chill ice packs	12 $\frac{3}{4}$ " H x 20 $\frac{7}{8}$ "W x 12"D (324 x 530 x 305 mm)

Construction: 22-gauge stainless steel with high-impact plastic



B4186L

## Non-Chilled Garnish Trays

- Attractive stainless steel construction provides years of use
- Transparent lids protect garnishes; split lid option
- Interchangeable pint and quart inserts are easy-to-clean

ITEM	DESCRIPTION	DIMENSIONS
<b>B4093L</b>	(3) 1 pt. (0.47 L) inserts with plex lid	3 $\frac{1}{2}$ "H x 9 $\frac{1}{2}$ "W x 5 $\frac{3}{4}$ "D (89 x 232 x 146 mm)
<b>B4124L</b>	(4) 1 pt. (0.47 L) inserts with plex lid	3 $\frac{1}{2}$ "H x 12 $\frac{1}{2}$ "W x 5 $\frac{3}{4}$ "D (89 x 308 x 146 mm)
<b>B4155L</b>	(5) 1 pt. (0.47 L) inserts with plex lid	3 $\frac{1}{2}$ "H x 15"W x 5 $\frac{3}{4}$ "D (89 x 381 x 146 mm)
<b>B4186L</b>	(6) 1 pt. (0.47 L) inserts with plex lid	3 $\frac{1}{2}$ "H x 18"W x 5 $\frac{3}{4}$ "D (89 x 457 x 146 mm)
SPLIT-LID DESIGN		
<b>B4246L</b>	(2) 1 qt. (0.95 L) inserts; (4) 1 pt. (0.47 L) inserts with split-lids	3 $\frac{1}{2}$ "H x 24"W x 5 $\frac{3}{4}$ "D (89 x 610 x 146 mm)

Construction: 22-gauge stainless steel with high-impact plastic

## Plastic Tray Inserts & Accessories

- Make the most of your condiment center with interchangeable trays

ITEM	DESCRIPTION	DIMENSIONS	QUANTITY
<b>B416</b>	1 pt. (16 oz.) (473 ml)	2 $\frac{1}{2}$ "H x 5"W x 2 $\frac{7}{8}$ "D (64 x 127 x 73 mm)	12
<b>B432</b>	1 qt. (32 oz.) (946 ml)	5 $\frac{7}{8}$ "H x 2 $\frac{3}{4}$ "W x 5 $\frac{1}{2}$ "D (149 x 70 x 140 mm)	12
<b>L1035</b>	Stir stick/Straw caddy	4 $\frac{1}{2}$ "H x 5"W x 3"D (114 x 127 x 76 mm)	1

Construction: High-impact plastic



B432

L1035


## SHELF MATTING

- Protect glassware from breakage and contamination
- Options and colors for every application

### Versa-Mat®

- Versatile interlocking mats to line shelves and sinks
- Design allows for sanitary airflow under glassware
- Flexible and easy to cut to any shape or size


ITEM	COLOR	DESCRIPTION	DIMENSIONS
<b>VM5280*</b>	BK, CL, RD, WN	Interlocking Bar Matting	12"H x 12"W (305 x 305 mm)
<b>VM5280*-12</b>	BK, CL, RD, WN	Interlocking Bar Matting - 12 pk	12"H x 12"W (305 x 305 mm)



### Versa-Mat® Strips

- Sized in interlocking strips to fit under beer taps


ITEM	COLOR	DESCRIPTION	DIMENSIONS
<b>VM5180BK</b>	Black	Interlocking Bar Matting	3 $\frac{1}{2}$ "H x 12"W (89 x 305 mm)



### Ultraliner™

- Pliable, soft plastic shelf liner
- Protects glassware from breakage
- Matte finish is available in three colors

ITEM	COLOR	DIMENSIONS
<b>UL510*</b>	3 (Clear), 4 (White), 5 (Black)	2'H x 10'W (61 x 305 cm)
<b>UL540*</b>	3 (Clear), 5 (Black)	2'H x 40'W (61 x 1219 cm)



UL5405

### Poly-Liner™

- Pliable, soft plastic shelf liner
- Protects glassware from breakage
- Glossy finish is available in two colors

ITEM	COLOR	DIMENSIONS
<b>PL010*</b>	3 (Clear), 5 (Black)	2'H x 10'W (61 x 305 cm)
<b>PL040*</b>	3 (Clear), 5 (Black)	2'H x 40'W (61 x 1219 cm)



PL0403

\* Specify desired color after item number: Example: UL5103, VM5280BK



# FOOD MANAGEMENT

FOOD STORAGE

CHEF TOOLS

CONDIMENT CENTERS

PUMP CENTERS

DESSERT

## FOOD STORAGE

- Patented stackable design of ModPans™ allow you to keep refrigerated and dry foods conveniently organized and utilize maximum storage space



## ModPans™

- ModPans™ include friction fit lids that keep food safe, eliminating the need for wrapping pans with messy plastic wrap or aluminum foil
- Fits in standard make/prep tables – direct from refrigerator to table, making this a convenient solution for any kitchen
- Made of odor and stain resistant transparent polypropylene in Gastronorm sizes, as specified in the EN 631 standards, available in 1 quart, 2 quart, 4 quart, and 9 quart pans

ITEM	DESCRIPTION	CAPACITY	QUANTITY
MP19	¼ food pan with lid - 5½" (384 mm) deep	1 quart (.95 L)	12 ea / case
MP16	¼ food pan with lid - 4¾" (105 mm) deep	2 quart (1.9 L)	12 ea / case
MP14	¼ food pan with lid - 6½" (165 mm) deep	4 quart (3.8 L)	12 ea / case
MP13	¼ food pan with lid - 5½" (140 mm) deep	4 quart (3.8 L)	12 ea / case
MP12	¼ food pan with lid - 6" (152 mm) deep	9 quart (8.6 L)	6 ea / case
ALLERGEN LID ONLY			
MPL19PR	¼ purple lid only		6 ea
MPL16PR	¼ purple lid only		6 ea
MPL14PR	¼ purple lid only		6 ea
MPL13PR	¼ purple lid only		6 ea
MPL12PR	¼ purple lid only		6 ea

Construction: Polypropylene



## CHEF TOOLS

- Enhance culinary skills and image with professional, high-quality tools; designed with the Chef in mind

### Cheese Cloth



- High-grade, 100% lintless cotton
- Silicone-free, biodegradable and incinerable
- Perfect for preserving cheese, straining, steaming poaching, as well as cleaning and polishing

ITEM	GRADE	DESCRIPTION	DIMENSIONS
<b>G-10</b>	Grade 10	Food grade cheese cloth bulk packaged	36" x 80 yards (0.9 x 73 m)
<b>G-40</b>	Grade 40	Food grade cheese cloth bulk packaged	36" x 70 yards (0.9 x 64 m)
<b>G-80</b>	Grade 80	Food grade cheese cloth bulk packaged	36" x 60 yards (0.9 x 55 m)
<b>G-10-R</b>	Grade 10	Food grade cheese cloth merchandiser packaged	4 sq. yards/package
<b>G-40-R</b>	Grade 40	Food grade cheese cloth merchandiser packaged	4 sq. yards/package

### Poly-Roll™ Rolling Pin

- Durable non-porous, stain-resistant material will not chip, crack or peel
- No cavities that could cause cross-contamination; dishwasher safe
- Can be chilled for increased stick-resistance

ITEM	LENGTH
<b>RP15</b>	15" (381 mm) / 23" (584 mm) (including handles)
<b>RP18</b>	18" (457 mm) / 26" (660 mm) (including handles)



### 8" (203 mm) Combo Sharpening Stone

- Reversible carbon oxide sharpener
- Gray side has course 150 grit; Orange side has fine 400 grit
- Strong rubber-grip holder

ITEM	LENGTH
<b>CB1008</b>	8" (203 mm)



### Professional Squeeze Bottles

- Professional-grade squeeze bottles for drizzling, pooling and plate decorating
- Ideal for travel, competitions, demos and more



ITEM	DESCRIPTION	CAPACITY	QUANTITY
<b>P8004</b>	Squeeze bottle (drizzling, plating and decorating)	4oz. (118 ml)	12
<b>P8008</b>	Squeeze bottle (drizzling, plating and decorating)	8oz. (237 ml)	12
<b>P8012</b>	Squeeze bottle (plating, saucing and storing)	12oz. (355 ml)	12
<b>P8024</b>	Squeeze bottle (plating, saucing and storing)	24oz. (710 ml)	12



### Butcher's Trussing Twine

- For trussing and tying poultry, ham, seasoning bouquets and more

ITEM	PLY	BREAKING	DIMENSIONS
<b>BT12</b>	12 ply	26 lbs.	3600' (1097 m) per cone
<b>BT30</b>	30 ply	65 lbs.	1625' (495 m) per cone



### Lettuce Knife

- Durable nylon material is dishwasher safe
- Serrated edge cuts without "browning" lettuce

ITEM	LENGTH
<b>LK200W</b>	12" (305 mm) including handle



## CONDIMENT CENTERS

- Portable, durable condiment serving for a neat, organized countertop
- Enhances image and maximizes efficiency; chillable options available



BD4004  
See page 93 for more condiment trays

### The Dome® Condiment Center

- Patented, domed lid rotates back for easy access and increased capacity when closed
- Use standard size trays to keep food chilled or deep trays for extra capacity

ITEM	CENTER INCLUDES	CAPACITY
<b>BD4003</b>	(3) 2 qt. (1.9 L), (2) handles	6 qt. (5.6 L)
<b>BD4004</b>	(4) 3 pt. deep trays (1.4 L), (2) handles	6 qt. (5.6 L)
<b>BD4014</b>	(4) 1.5 pt. standard trays (.7 L), (2) handles	3 qt. (2.8 L)

Construction: High-impact resistant plastic



BD2001

### Mini Dome® Condiment Centers

- Patented, domed lid design in a smaller size; notched lid option
- Connectors provide modularity between Mini Dome®, Dome® and snap-on caddies

ITEM	DESCRIPTION	CAPACITY
EACH MINI DOME® COMES WITH (2) END CAPS AND (1) CONNECTOR		
<b>BD2001</b>	(1) 2 qt. (1.9 L) deep tray	2 qt. (1.9 L)
<b>BD2002</b>	(1) 1 qt. (.95 L) standard tray	1 qt. (.95 L)
<b>BD2003</b>	(2) 1 pt. (0.47 L) standard trays	2 pt. (0.47 L)
<b>BD2002CAR</b>	(1) 1 qt. (.95 L) standard tray (with caddy)	1 qt. (.95 L)
<b>BD2004CAL</b>	(2) 1.5 pt. (0.71 L) deep trays (with left hand caddy)	3 pt. (1.4 L)
<b>BD2004NL</b>	(2) 1.5 pt. (0.71 L) deep trays (notched domed lid)	3 pt. (1.4 L)

Construction: High-impact resistant plastic



## Dome® Stacker

- Allows you to customize a configuration using Dome® and Mini Dome® to fit virtually any space
- Makes your operation more efficient, more organized and more professional

ITEM	DESCRIPTION	CAPACITY
<b>BDSX100</b>	Dome® Stacker Conversion Kit - converts your Dome® and Mini Dome® into a versatile, organized garnish center (Dome and Mini Dome not included)	
<b>BDS2203</b>	Dome® Stacker - 1/1 Mini Dome: (4) 1 pt. trays & bonus (2) 2 qt. trays	4 qt. (3.8 L)
<b>BDS2204NL</b>	Dome® Stacker - 1/1 Mini Dome: (4) 1.5 pt. deep trays - notched lids & bonus (2) 2 qt. trays	4.5 qt. (4.25 L)
<b>BDS2401NL</b>	Dome® Stacker - 2/2 Mini Domes: (4) 2 qt. deep Trays	8 qt. (7.6 L)
<b>BDS2483NL</b>	Dome® Stacker - 2/2 Mini Domes: (4) 1.5 pt. deep trays, (4) 1 pt. standard trays, (2) notched lids & (2) standard lids	5 qt. (4.7 L)
<b>BDS4206</b>	Dome® Stacker - 1/1 Dome®: (12) 1 pt. standard trays	6 qt. (5.6 L)
<b>BDS4266</b>	Dome® Stacker - 1/1 Dome®: (3) 2 qt. deep trays, (6) 1 pt. standard trays (chillable)	9 qt. (8.5 L)

Construction: High-impact resistant plastic



BDS2204NL



## EZ-Chill™ Self-Service Center

- Flex-Lid System allows multiple lid positions
- Interchangeable food pans; use with EZ-Chill™ Ice Packs for cold-holding
- Stainless steel design is durable for years of use

ITEM	DESCRIPTION	DIMENSIONS
<b>FP8245NL</b>	(4) ½ pans, (4) Notched Flex-Lids, (1) Ice liner (4) EZ-Chill™ packs	8"H x 25½"W x 7¾"D (203 x 638 x 194 mm)

Construction: 22-gauge stainless steel



## EZ-Chill™ Food Prep Center

- Replaceable, easy-to-clean food trays, use with EZ-Chill™ Ice Packs for cold-holding
- Flex-Lid System allows multiple lid positions
- Stainless steel design is durable for years of use

ITEM	DESCRIPTION	DIMENSIONS
<b>FP9125FL</b>	(3) ½ pans & spoons, (2) ¾ pans, tongs & ice liners, (4) EZ-Chill™ packs	8"H x 12¾"W x 16¼"D (203 x 324 x 413 mm)
<b>FP8244FL</b>	(4) ½ pans, (2) Flex-Lids, (1) Ice liner	8"H x 25½"W x 7¾"D (203 x 638 x 194 mm)
<b>FP9248FL</b>	(8) ½ pans, (4) Flex-Lids, (2) Ice liners, (8) EZ-Chill™ packs	8"H x 25¼"W x 16½"D (203 x 641 x 419 mm)

Construction: 22-gauge stainless steel



FP8244FL

## EZ-Chill™ Refreezable Ice Packs

- Freeze ahead for up to five hours of chilling
- Easier and cleaner than using ice

ITEM	DESCRIPTION	QUANTITY
<b>B6180</b>	Refreezable ice packs	6





### EZ-Chill™ Condiment Center with Individual Notched Lids

- Transparent, individual notched lids accommodate spoons while protecting condiments from spills and contaminants
- Attractive stainless steel construction for years of use

ITEM	DESCRIPTION	DIMENSIONS
<b>B6183INL</b>	(3) 1 qt. (0.95 L) inserts with notched lids; (1) Ice liners; (3) EZ-Chill™ packs	5¾"H x 18"W x 5¾"D (149 x 457 x 137 mm)

Construction: 22-gauge stainless steel



### EZ-Chill™ Stepped Center with Individual Notched Lids

- Stepped design allows for maximum capacity within easy reach
- Transparent, notched lids easily accommodate spoons and keep condiments protected
- Attractive stainless steel construction for years of use

ITEM	DESCRIPTION	DIMENSIONS
<b>B6706INL</b>	(6) 1 qt. (0.95 L) inserts with notched lids; (2) Ice liners; (6) EZ-Chill™ packs	12¾"H x 18"W x 12"D (321 x 457 x 305 mm)

Construction: 22-gauge stainless steel



B4706INL

### Stepped Center with Individual Notched Lids

- Transparent, individual notched lids accommodate spoons while protecting condiments from spills and contaminants
- Attractive stainless steel construction for years of use

ITEM	DESCRIPTION	DIMENSIONS
<b>B4702INL</b>	(2) 1 qt. (0.95 L) inserts with individual notched lids	8"H x 6¾"W x 12"D (203 x 156 x 305 mm)
<b>B4704INL</b>	(4) 1 qt. (0.95 L) inserts with individual notched lids	8"H x 12"W x 12"D (203 x 305 x 305 mm)
<b>B4706INL</b>	(6) 1 qt. (0.95 L) inserts with individual notched lids	8"H x 18¾"W x 12"D (203 x 460 x 305 mm)

Construction: 22-gauge stainless steel



B4122INL

### Condiment Center with Individual Notched Lids

- Transparent, individual notched lids accommodate spoons while protecting condiments from spills and contaminants
- Attractive stainless steel construction for years of use

ITEM	DESCRIPTION	DIMENSIONS
<b>B4061INL</b>	(1) 1 qt. (0.95 L) inserts with individual notched lids	3½"H x 6"W x 5¾"D (89 x 152 x 146 mm)
<b>B4122INL</b>	(2) 1 qt. (0.95 L) inserts with individual notched lids	3½"H x 12"W x 5¾"D (89 x 305 x 146 mm)

Construction: 22-gauge stainless steel

## PUMP CENTERS

- Dispense liquid condiments, sauces and syrups with ease
- Available in counter-top and in-counter options

### FrontLine™ Universal Countertop Box System

- Dispenses from gallon jar, #10 can, Cryovac® bag and direct pour
- Soft-Touch™ pump delivers smooth, effortless dispensing
- Attractive stainless steel construction for years of use

ITEM	COLOR	DIMENSIONS
(1) PUMP BOX WITH TAMPER RESISTANT LID, PUMP, CONDIMENT LINER, CRYOVAC® BAG ADAPTER & PLUG, DIP TUBE.		
<b>P4900</b>	Metal Finish	without pump: 12¼"H x 7½"W x 10"D (311 x 191 x 254 mm) with pump: 21½"H x 7½"W x 12½"D (546 x 191 x 318 mm)
<b>P4900BK</b>	Black	without pump: 12¼"H x 7½"W x 10"D (311 x 191 x 254 mm) with pump: 21½"H x 7½"W x 12½"D (546 x 191 x 318 mm)

Construction: (Box/Lid) 22-gauge stainless steel

(Pump) High-impact plastic



P4900



### FrontLine™ Universal In-Counter Condiment System

- Dispenses from gallon jar, #10 can, Cryovac® bag and direct pour
- Soft-Touch™ pump delivers smooth, effortless dispensing
- Attractive stainless steel construction for years of use

ITEM	COLOR	COUNTER HOLE DIAM.	DIMENSIONS
(1) UNIVERSAL CONDIMENT DISPENSER WITH PUMP, TAMPER RESISTANT LID, IN-COUNTER LINER, CRYOVAC® BAG ADAPTER & PLUG, DIP TUBE.			
<b>P4100</b>	Metal Finish	8.5"W x 6.5"H (216 x 165 mm)	without pump: 12"H x 7½"W x 9½"D (305 x 191 x 241 mm) above counter with pump: 9¾"H x 7½"W x 9½"D (248 x 191 x 241 mm)
<b>P4100BK</b>	Black	8.5"W x 6.5"H (216 x 165 mm)	without pump: 12¼"H x 7½"W x 10"D (311 x 191 x 254 mm) with pump: 21½"H x 7½"W x 12½"D (546 x 191 x 318 mm)

Construction: 22-gauge stainless steel; High-impact plastic



P4100



### FrontLine™ 7qt. Round Cover & Pump System

ITEM	COLOR	DIMENSIONS
(1) SOFT-TOUCH™ PUMP AND COVER FOR 7-QUART ROUND INSET		
<b>P4710</b>	Metal Finish	Container: 8¾"H x 9½"D (206 x 241 mm) with inset container (to be ordered separately)
<b>P4710BK</b>	Black	Container: 8¾"H x 9½"D (206 x 241 mm) with inset container (to be ordered separately)
(1) 7 QUART INSERT CONTAINER		
<b>P417</b>	Gray	7-quart round inset container for use with P4710 and P4710BK systems; 9½" (241 mm) diameter; 7 quart (6.65 L) capacity

Construction: (Lid) 22-gauge stainless steel; (Pump) High-impact plastic



P4710

P417



Container is not NSF

P/N	Cryovac® Bag	Gallon Jar	#10 Can	#10 Jar	Direct Pour
P4100	•	•	•	•	•
P4800	•	•	•	•	•
P4900	•	•	•	•	•

#### FRONTLINE™ CONDIMENT SYSTEMS

- Most versatile system on the market
- Sleek, low-profile design is durable and reliable
- Ensures smooth, effortless dispensing, and trouble-free maintenance

\* Cryovac® is a registered trademark of Cryovac, Inc., a subsidiary of Sealed Air Corporation

## FrontLine™ Countertop Box System

- Soft-Touch™ pump delivers smooth, effortless dispensing
- Dispenses from gallon jar, #10 can and direct pour

ITEM	COLOR	CAPACITY	DIMENSIONS
<b>(1) PUMP BOX WITH TAMPER RESISTANT LID, PUMP AND CONDIMENT LINER</b>			
<b>P4800</b>	Metal Finish	7 qt. (6.6 L)	without pump: 11"H x 7"W x 7"D (279 x 178 x 178 mm) with pump: 20¾"H x 7"W x 7"D (514 x 178 x 178 mm)
<b>P4800BK</b>	Black	7 qt. (6.6 L)	without pump: 11"H x 7"W x 7"D (279 x 178 x 178 mm) with pump: 20¾"H x 7"W x 7"D (514 x 178 x 178 mm)

Construction: 22-gauge stainless steel; High-impact plastic



P4800

## FrontLine™ Countertop Dual Condiment System

- Stepped trays have a capacity of 1 quart (0.95 L) each
- Each pump box dispenses gallon jar, #10 can or direct pour
- Soft-Touch™ pump delivers smooth, effortless dispensing

ITEM	COLOR	DIMENSIONS
<b>(2) PUMP BOX SYSTEMS (EITHER P4800 OR P4800BK) AND (1) STEPPED TRAY B4702INL</b>		
<b>P4826</b>	Metal Finish	without pumps: 11"H x 20¾"W x 12"D (279 x 511 x 305 mm) with pumps: 20¾"H x 20¾"W x 12"D (514 x 511 x 305 mm)
<b>P4826BK</b>	Black	without pumps: 11"H x 20¾"W x 12"D (279 x 511 x 305 mm) with pumps: 20¾"H x 20¾"W x 12"D (514 x 511 x 305 mm)

Construction: (Box and Stepped Tray) 22-gauge stainless; (Lid) 22-gauge stainless; (Pump) High-impact plastic



P4826

## FrontLine™ Pumps

- Pumps deliver smooth, effortless dispensing

ITEM	COLOR	DESCRIPTION
<b>P4000BK</b>	Black	Pump Only (for use with FrontLine systems only)
<b>P4000</b>	Gray	Pump Only (for use with FrontLine systems only)

(Pump) High-impact plastic



P4000

P4000BK

## EZ-Chill™ Condiment Pump Boxes

- Accommodates 1-gallon (4 liter) jar, or #10 can
- Features ice liner and includes (1) EZ-Chill™ Ice Pack
- Includes label packet for easy identification of condiments

ITEM	DESCRIPTION	DIMENSIONS
<b>(1) PUMP BOX WITH ULTRA PUMP, ICE LINER, LABEL PACKET &amp; EZ-CHILL™ PACKS</b>		
<b>P9800</b>	For 1 gallon jar (includes 12" tube)	17¾"H x 7"W x 7¾"D (438 x 178 x 181 mm)
<b>P9810</b>	For #10 can or jar (includes 9" tube)	14½"H x 7"W x 7¾"D (267 x 178 x 181 mm)

Construction: 22-gauge stainless steel



P9800

## Self-Service Condiment Center

- High-volume, economical condiment dispensing in attractive stainless steel
- Transparent, individual notched lids accommodate spoons while keeping condiments protected from contaminants
- Ultra Pumps dispense a variety of sauces, dressings and toppings

ITEM	DESCRIPTION	DIMENSIONS
<b>P9722</b>	(2) 2½ qt. (2.4 L) jars with Ultra Pumps (2) 2½ qt. (2.4 L) jars with lids & tongs	9"H x 19¾"W x 8"D (229 x 486 x 203 mm)
<b>P9724</b>	(4) 1 qt. (0.95 L) inserts with notched lids & spoons (2) 2½ qt. (2.4 L) black jars with Ultra Pumps (1) label packet	14"H x 22½"W x 12¾"D (356 x 572 x 308 mm)
<b>P9725</b>	(2) 1 qt. (0.95 L) inserts with notched lids & spoons (2) 2½ qt. (2.4 L) black jars with Ultra Pumps (1) label packet	14"H x 16¾"W x 12¾"D (356 x 425 x 308 mm)

Construction: 22-gauge stainless steel



P9724

## Pump & Condiment Tray Center

ITEM	DESCRIPTION	DIMENSIONS
<b>P9825</b>	(2) Pump boxes with Ultra Pumps (4) 1 qt. (.95 L) inserts with spoons (1) label packet (2) EZ-Chill™ packs for use with Ultra Pumps	14¾"H x 26¾"W x 12"D (375 x 664 x 305 mm)
<b>P9826</b>	(2) Pump boxes with Ultra Pumps (2) 1 qt. (.95 L) inserts with spoons (1) label packet (2) EZ-Chill™ packs for use with Ultra Pumps	14¾"H x 20¾"W x 12"D (375 x 511 x 305 mm)

Construction: 22-gauge stainless steel



P9825

## Condiment Pump Service Centers

- Perfect for self-service areas where portion control is critical
- Ultra Pumps dispense in one ounce portions
- 2½ -quart jars are removable for easy cleaning and refilling

ITEM	DESCRIPTION	DIMENSIONS
<b>P9712</b>	(2) 2½ qt. (2.4 L) black jars with Ultra Pumps	12½"H x 10¾"W x 7¾"D (318 x 257 x 200 mm)
<b>P9713</b>	(3) 2½ qt. (2.4 L) black jars with Ultra Pumps	12½"H x 14"W x 7¾"D (318 x 356 x 200 mm)
<b>P9715</b>	(5) 2½ qt. (2.4 L) black jars with Ultra Pumps	12½"H x 24"W x 7¾"D (318 x 610 x 200 mm)

Construction: 22-gauge stainless steel



P9715

## Economy Pump & Pump Kit

- Includes 6.5" length tube with each pump
- Pump Kit includes 38, 89 and 110 mm size screw caps and Snap caps in 110 and 160 mm sizes

ITEM	COLOR	DESCRIPTION	QUANTITY
<b>P7300</b>	White	Dispenses 1 oz. (29.6 ml) portions	2 pumps bagged w/ header card
<b>P7300BK</b>	Black	Dispenses 1 oz. (29.6 ml) portions	2 pumps bagged w/ header card
<b>P7310</b>	White	Dispenses 1 oz. (29.6 ml) portions	1 pump & 5 caps bagged w/ header card

Construction: High-impact plastic



P7300

P7300BK

P7310



### Mega Pump & Pump Kit

- Mega Pump is designed to handle thick and chunky condiments such as tartar sauce, bleu cheese dressing and salsa
- Pump Kit includes 38, 89 and 110 mm size screw caps and snap caps in 110 and 160 mm sizes; 4" length tube included with each pump

ITEM	DESCRIPTION	QUANTITY
<b>P7400</b>	Dispenses 1 oz. (29.6 ml) portions	2 pumps bagged w/ header card
<b>P7410</b>	Dispenses 1 oz. (29.6 ml) portions	1 pump & 5 caps bagged w/ header card

Construction: High-impact plastic



### Ultra Pump & Pump Kit

- Ultra Pump's fixed nozzle will not move while pumping
- Dispense condiments, sauces, dressings and toppings in one ounce portions
- Kit includes screw caps, and 9" length tube with each pump

ITEM	DESCRIPTION	QUANTITY
<b>P7500</b>	Dispenses 1 oz. (29.6 ml) portions	2 pumps bagged w/ header card
<b>P7510</b>	Dispenses 1 oz. (29.6 ml) portions	1 pump & 5 caps bagged w/ header card

Construction: High-impact plastic



### Stainless Steel Syrup Pump

- Easily disassemble for cleaning
- Durable stainless steel construction

ITEM	DESCRIPTION	DIMENSIONS
<b>P8400</b>	For use with the 2½ Quart Fountain Jar (P9700BK)	10 <sup>7</sup> / <sub>16</sub> "H x 4 <sup>3</sup> / <sub>8</sub> "W x 7"D (257 x 111 x 178 mm)

Construction: 22-gauge stainless steel



### Chocolate Pump

- Dispenses thicker chocolate syrups
- Easily disassemble for cleaning
- Durable stainless steel construction

ITEM	DESCRIPTION	DIMENSIONS
<b>P8509</b>	For use with 3½ Quart Fountain Jars	15"H x 4 <sup>3</sup> / <sub>8</sub> "W x 7"D (381 x 111 x 178 mm)

Construction: 22-gauge stainless steel

### 2½ Quart Fountain Jar

- 2½-quart fountain jar replaces any current jars in San Jamar's Condiment Centers

ITEM	COLOR	DESCRIPTION
<b>P9700BK</b>	Black	For use with the Stainless Steel Syrup Pump (P8400)

Construction: High-impact plastic



### Pump Jar Lid

ITEM	DESCRIPTION	QUANTITY
<b>P9770</b>	Designed to fit the fixed nozzle on the Ultra Pump	1 jar lid bagged with header card

Construction: 22-gauge stainless steel



### Ice Cream Cone Dispenser

- Easily mounts onto any wall surface
- Includes (3) easy-to-change gaskets for cake, sugar or waffle cones
- Keeps cones fresh and protected from breaking

ITEM	DIMENSIONS
<b>IC2200SM</b>	30 <sup>3</sup> / <sub>8</sub> "H x 6"D (772 x 152 mm)

Construction: High-impact plastic



### Topping Bar

- Hinged stainless steel lids allow easy access to toppings
- 3 stainless steel ladles included
- Notched jars accommodate ladles and are removable for cleaning and refilling
- Ultra Pumps dispense in one-ounce portions

ITEM	DESCRIPTION	DIMENSIONS
<b>P9723</b>	(2) 2½ qt. (2.4 L) jars with Ultra Pumps (3) 2½ qt. (2.4 L) jars with ladles	12 <sup>1</sup> / <sub>2</sub> "H x 22 <sup>1</sup> / <sub>2</sub> "W x 12 <sup>1</sup> / <sub>8</sub> "D (318 x 610 x 197 mm)

Construction: 22-gauge stainless steel



# KITCHEN MANAGEMENT

CHECK MANAGEMENT

FLATWARE MANAGEMENT

FOOD CARRIERS

FLOOR MATTING

## CHECK MANAGEMENT

- Durable, long-lasting slide racks for effortless check management



## Slide Check Racks

- Durable aluminum construction for long life
- Polished glass beads for smooth sliding
- Attractive, sleek design

ITEM	LENGTH	DIMENSIONS
<b>CK6512A</b>	12" (305 mm)	2"H x 12"W x 3/4"D (51 x 305 x 19 mm)
<b>CK6518A</b>	18" (458 mm)	2"H x 18"W x 3/4"D (51 x 458 x 19 mm)
<b>CK6524A</b>	24" (610 mm)	2"H x 24"W x 3/4"D (51 x 610 x 19 mm)
<b>CK6530A</b>	30" (762 mm)	2"H x 30"W x 3/4"D (51 x 762 x 19 mm)
<b>CK6536A</b>	36" (915 mm)	2"H x 36"W x 3/4"D (51 x 915 x 19 mm)
<b>CK6544A</b>	44" (1118 mm)	2"H x 44"W x 3/4"D (51 x 1118 x 19 mm)
<b>CK6548A</b>	48" (1219 mm)	2"H x 48"W x 3/4"D (51 x 1219 x 19 mm)
<b>CK6560A</b>	60" (1524 mm)	2"H x 60"W x 3/4"D (51 x 1524 x 19 mm)

Construction: Anodized Aluminum; Bagged with header card



## FLATWARE MANAGEMENT



### KatchAll® Flatware Scrap Block

- Designed for use at dish tables
- Strong magnet attracts discarded flatware
- Fits standard dish table openings from 5½" to 7" (140 mm to 180 mm)
- Dishwasher safe

ITEM	FITS DIMENSIONS
<b>KA600</b>	7¼"D x 4"H (184 x 102 mm)



P9776CL

### Condiment Spoons & Tongs

ITEM	DESCRIPTION	VOLUME	QUANTITY
CONVENTIONAL STYLE			
<b>P9776CL</b>	Clear plastic spoons	½ oz. (14.7 ml)	6
<b>P9777CL</b>	Clear plastic tongs	n/a	3

### KatchAll® Flatware Retrievers

- Strong magnetic bar attracts flatware as it goes into the trash can
- Patented design fits on standard trash cans
- Meets health codes for closed refuse containers and is dishwasher safe



KA4400



KA3244

ITEM	DESCRIPTION	DIMENSIONS
FITS SLIM JIM® TRASH CONTAINER		
<b>KA1950RD</b>	Burgundy	9"H x 20¾"W x 11¾"D (229 x 518 x 289 mm)
<b>KA1951RD</b>	Burgundy	6¼"H x 20½"W x 11¾"D (165 x 514 x 289 mm)
BURGUNDY, ROUND		
<b>KA2000</b>	20 gal. (75.7 L)	20"H x 9½"W (500 x 241 mm)
<b>KA3200</b>	32 gal. (121 L)	22¼"H x 10½"W (565 x 267 mm)
<b>KA3244</b>	32 & 44 gal. (121 & 166.5 L)	25"H x 9½"W (635 x 241 mm)
<b>KA4400</b>	44 gal. (166.5 L)	25"H x 8¾"W (635 x 210 mm)
<b>KA5500</b>	55 gal. (208.2 L)	27"H x 9¾"W (686 x 229 mm)

NOTE: KatchAll Retrievers will not attract 18/8 or 18/10 silverware.

## FOOD CARRIERS

- Professional, durable insulated carriers help maintain food quality and temperatures during transport
- Options available for pizza boxes and sheet pans

### Insulated Food Carriers

- Features outside identity pocket
- Comfortable padded handles
- Zipper closure

ITEM	DIMENSIONS
<b>FC1212-RD</b>	12"H x 12"W x 12"D (305 x 305 x 305 mm)
<b>FC2212-RD</b>	12"H x 22"W x 12"D (305 x 559 x 305 mm)

Construction: Insulated with 1" foam padding and lined with extra tough water repellent nylon



FC1212-RD



FC2212-RD

### Insulated Pizza Carriers

- Moisture-free insulation and lining
- Hanging loop for convenient storage option
- Stain resistant 600 denier shell

ITEM	DESCRIPTION	DIMENSIONS
<b>PB17</b>	Holds up to: (4) 12" Pizza Boxes or (3) 14" Pizza Boxes	5"H x 16½"W x 17"D (127 x 419 x 432 mm)
<b>PB20-6</b>	Holds up to: (3) 16" Pizza Boxes or (3) 18" Pizza Boxes	6"H x 18"W x 20"D (152 x 457 x 508 mm)
<b>PB20-12</b>	Holds up to: (6) 16" Pizza Boxes or (6) 18" Pizza Boxes	12"H x 18"W x 20"D (305 x 457 x 508 mm)
<b>PB25</b>	Holds up to: (2) 24" Pizza Boxes	6"H x 26"W x 25"D (152 x 660 x 635 mm)




PB17



PB25

## FLOOR MATTING

- Reduce leg fatigue and increase safety
- Available for light to medium-duty for bar, server stations and kitchen applications



### EZ-Mats LIGHT DUTY



- Provide a safe and comfortable walking and standing area for employees
- Engineered for excellent drainage

ITEM	COLOR	DESCRIPTION	DIMENSIONS
<b>KM1100</b>	Black	Non-Bagged	3'L x 5'W x ½"D (91.4 x 152.4 x 1.3 cm)
<b>KM1100B</b>	Black	Bagged	3'L x 5'W x ½"D (91.4 x 152.4 x 1.3 cm)
<b>KM1200</b>	Red	Non-Bagged	3'L x 5'W x ½"D (91.4 x 152.4 x 1.3 cm)
<b>KM1200B</b>	Red	Bagged	3'L x 5'W x ½"D (91.4 x 152.4 x 1.3 cm)

### Connect-A-Mats LIGHT DUTY

- Connect together for floor secure matting
- Lightweight and easy to move
- Provides excellent foot support

ITEM	COLOR	DESCRIPTION	DIMENSIONS
<b>KM1140B</b>	Black	Bagged	3'L x 3'W x ½"D (91.4 x 91.4 x 1.3 cm)
<b>KM1240B</b>	Red	Bagged	3'L x 3'W x ½"D (91.4 x 91.4 x 1.3 cm)



### Tuf-Mats MEDIUM DUTY

- Designed for maximum support & durability in high traffic areas
- Circular pattern allows for drainage and easy clean-up
- High grade rubber resists wear and provides excellent traction

ITEM	COLOR	DESCRIPTION	DIMENSIONS
<b>KM2100</b>	Black	Non-Bagged	3'L x 5'W x ¾"D (91.4 x 152.4 x 1.9 cm)
<b>KM2100B</b>	Black	Bagged	3'L x 5'W x ¾"D (91.4 x 152.4 x 1.9 cm)
<b>KM2200B</b>	Red	Bagged	3'L x 5'W x ¾"D (91.4 x 152.4 x 1.9 cm)

### Anti-Fatigue Sponge Vinyl Mats

- Designed for dry areas
- Easy to clean with vacuum or broom
- Lightweight and easy to move

ITEM	COLOR	DESCRIPTION	DIMENSIONS
<b>KM4100BK</b>	Black	Bagged	27"L x 36"W (68.6 x 91.4 cm)
<b>KM4360BK</b>	Black	Bagged	3'L x 60"W (91.4 x 1828.8 cm)
<b>KM4360GY</b>	Gray	Bagged	3'L x 60"W (91.4 x 1828.8 cm)



# MEASUREMENT TOOLS

SCALES

THERMOMETERS

TIMERS

## SCALES

- Effectively Manage Portion Control
- Reduce Food waste



BAR & FOOD MANAGEMENT--MEASUREMENT TOOLS



SCDGPC13  
Attached Configuration Shown



SCDGPC13  
Wall Mount Configuration Shown

SCDGPCM13  
Arm Mount Configuration Shown

SCDGPCM13  
Detached Configuration Shown

## Large Portion Control Digital Scale **NEW**

- 4-in-1 configurations
- Sealed Display
- Tare Feature and automatic shut off

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
SCDGPC13	13 lb (6000 g)	0.1 oz (2 g)	15.75"H x 12.5"W x 3"D (400 x 318 x 76 mm)	Power Adapter Included, Batteries Included



## Small Portion Control Digital Scale **NEW**

- 4-in-1 configurations
- Sealed Display
- Tare Feature and automatic shut off

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
SCDGPCM13	13 lb (6000 g)	0.1 oz (1 g)	9.5"H x 6.25"W x 2.5"D (241 x 159 x 63.5 mm)	Power Adapter Included, Batteries Not Included



BAR & FOOD MANAGEMENT

### Industrial Digital Scale **NEW**

- Auto shutoff
- Remote display
- Tare feature

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
<b>SCDG264</b>	264 lb (120 kg)	2 oz (0.05 kg)	11.5"H x 11"W x 1.25"D (292 x 279 x 32 mm)	9V A/C Power Adapter & Battery Included

### Large Square Kitchen Scale **NEW**

- Sealed display
- Tare feature

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
<b>SCDG13</b>	13 lb (6 kg)	0.1 oz (1 g)	9.75"H x 7.25"W x 3.75"D (248 x 184 x 95 mm)	9V A/C Power Adapter Optional, 9V Battery Included

### Square Professional Digital Scale **NEW**

- Backlight display
- Parts counting feature
- Display hold

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
<b>SCDG33BK</b>	33 lb (15 kg)	0.1 oz (1 g)	8.25"H x 8.5"W x 3.75"D (210 x 216 x 95 mm)	9V A/C Power Adapter Optional, 9V Battery Included

### Glass Digital Scale **NEW**

- Smooth glass surface
- Touch screen display
- Tare feature and automatic shut off

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
<b>SCDG15BK</b>	15 lb (7 g)	0.1 oz (1 g)	9"H x 6.5"W x 0.75"D (229 x 165 x 19 mm)	Batteries Included

### Slimline Digital Scale **NEW**

- Durable stainless steel platform
- IP65 water resistant controls
- Touch sensitive controls

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
<b>SCDGSL33</b>	33 lb (15 kg)	.05 oz (1 g)	10.1"H x 12.6"W x 1"D (257 x 320 x 25 mm)	Batteries Included

### M-Series Scales **NEW**

- Display Hold
- Sealed Dual Display
- Tare feature and automatic shut off

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
<b>SCDGM33</b>	33 lbs (15kg)	0.1 oz (2 g)	12"H x 10.25"W x 4.15"D (305 x 260 x 105 mm)	Batteries Included
<b>SCDGM66</b>	66lbs (30 kg)	0.1 oz (2 g)	12"H x 10.25"W x 4.15"D (305 x 260 x 105 mm)	Batteries Included



SCDGM33



### Round Professional Digital Scale **NEW**

- Removable stainless steel platform
- Simple 2 button operation
- Tare feature and automatic shut off

ITEM	COLOR	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
<b>SCDGP11*</b>	BK, M, RD	11 lb (5 kg)	0.1 oz (1 g)	8.5"H x 6"W x 1.65"D (216 x 152 x 42 mm)	9V A/C Power Adapter Optional, Batteries Included



SCDGP11BK



### Round Digital Scale **NEW**

- Simple 2 button operation
- Tare feature
- Automatic shut off

ITEM	COLOR	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
<b>SCDG11*</b>	BK, M	11 lb (5 kg)	0.1 oz (1 g)	8.5"H x 6"W x 1.65"D (216 x 152 x 42 mm)	Batteries Included



SCDG11BK

### Low Profile Digital Scale **NEW**

- Simple 2 button operation
- Sealed Display
- Tare Feature and automatic shut off

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
<b>SCDG2LP</b>	2 lb (1 kg)	0.05 oz (0.5 g)	5.75"H x 8.25"W x 1.5"D (146 x 209 x 38 mm)	Battery Included
<b>SCDG13LP</b>	13 lb (6 kg)	0.05 oz (0.5 g)	5.75"H x 8.25"W x 1.5"D (146 x 209 x 38 mm)	Battery Included



SCDG2LP





SCDLB11

### Mechanical Scale with Bowl **NEW**

- Tare Feature
- Removable stainless steel bowl
- Shatterproof front panel

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
SCDLB2	2 lb (1 kg)	0.25 oz (5 g)	10"H x 8"W x 8.5"D (254 x 203 x 216 mm)	Analog - no batteries required
SCDLB11	11 lb (5 kg)	1.0 oz (20 g)	10"H x 8"W x 8.5"D (254 x 203 x 216 mm)	Analog - no batteries required



SCMDL5

### Mechanical Dial Scale **NEW**

- Removable access panel
- Tare feature
- Water resistant

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	ADAPTER/BATTERIES
SCMDL2	2 lb (32 oz)	1/8 oz	6.75"H x 6.5"W x 8.5"D (171 x 165 x 216 mm)	Analog - no batteries required
SCMDL5	5 lb (80 oz)	1/2 oz	6.75"H x 6.5"W x 8.5"D (171 x 165 x 216 mm)	Analog - no batteries required
SCMDL25	25 lb	2 oz	6.75"H x 6.5"W x 8.5"D (171 x 165 x 216 mm)	Analog - no batteries required
SCMDL50	50 lb	4 oz	6.75"H x 6.5"W x 8.5"D (171 x 165 x 216 mm)	Analog - no batteries required



SCDGWD66

### Digital Washdown Scale **NEW**

- Memory recall
- Auto-tare feature
- Rechargeable battery adapter included

ITEM	CAPACITY	INCREMENTS	DIMENSIONS	DESCRIPTION
SCDGWD66	66 lb/30 kg	0.01 lb/ .005 kg/ 0.25 oz	13"H x 11.5"W x 4"D (330 x 292 x 102 mm)	IP65 Water resistant design
SCDG33WD	33 lb/15 kg	0.1 oz/ 1 g	8.25"H x 8.5"W x 3.75"D (210 x 216 x 95 mm)	IP67 Waterproof design



### Tare Foot Pedal **NEW**

- Remotely control tare for SCDGPC13 and SCDGPCM13

ITEM	DIMENSIONS	CORD LENGTH
FPED	4"H. x 2.5"W x 1.25"D (102 x 64 x 32 mm)	8' 6" (259 cm)



### 9V Adapter **NEW**

- Works with all scales except: SCDG15BK, SCDGPC13, SCDGPCM13 & SCDGWD66

ITEM
9VADAP



## THERMOMETERS

- Ensure safe operating temperatures
- Monitor food and beverage consistency

### Instant Read Dial Thermometer **NEW**

- Dishwasher safe
- Shatterproof lens

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLF	0°F to 220°F (-17°C to 104°C)	Probe: 5" (127 mm) Dial: 1" (25 mm)	Fahrenheit	Analog
THDLF2 (2 PACK)	0°F to 220°F (-17°C to 104°C)	Probe: 5" (127 mm) Dial: 1" (25 mm)	Fahrenheit	Analog
THDLC	0°F to 220°F (-17°C to 104°C)	Probe: 5" (127 mm) Dial: 1" (25 mm)	Celsius	Analog



THDLC



### Instant Read Large Dial Thermometer **NEW**

- Highly-visible analog display
- Shatterproof lens
- Magnified dial

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLLD	0°F to 220°F (-10°C to 100°C)	Probe: 5" (127 mm) Dial: 1" (25 mm)	Celsius, Fahrenheit	Analog



### Instant Read Beverage Thermometer **NEW**

- Dishwasher safe
- Optimal temperature range indicated on dial
- Vessel clip for hands free use

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLBEV	0°F to 220°F (-10°C to 100°C)	Probe: 5" (127 mm) Dial: 1.75" (44 mm)	Celsius, Fahrenheit	Analog



### Deep Fry/Candy Thermometer **NEW**

- Dishwasher safe
- Stainless steel vessel clip
- Heat resistant handle

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLCDF	100°F to 450°F (40°C to 200°C)	1.5"H x 0.88"W x 8.5"D (38 x 22 x 216 mm)	Celsius, Fahrenheit	Analog



### Dial Refrigerator/Freezer Thermometer **NEW**



- Dishwasher safe
- Easy read dial
- Safe operating temps indicated on dial

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLRFSS	-20°F to 70°F (-30°C to 20°C)	Dial: 2.9" (74 mm)	Celsius, Fahrenheit	Analog



### Refrigerator/Freezer Thermometer **NEW**



- Safe operating temps indicated on bar
- Shatterproof lens
- Magnified Face

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLRFG	-40°F to 80°F (-40°C to 27°C)	4.75"H x 1.25"W x 0.75"D (121 x 32 x 19 mm)	Celsius, Fahrenheit	Analog



### Digital Refrigerator/Freezer Thermometer **NEW**



- Large, easy to read display
- Magnet back
- Kickstand or hanging display

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGRF	-4°F to 122°F (-20°C to 50°C)	2.75"H x 1.75"W x 0.5"D (70 x 44 x 13 mm)	Celsius, Fahrenheit	Digital



### Oven Thermometer **NEW**



- Oven safe
- HACCP hot food handling temp reminders
- Easy-read dial

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLOV	40°F to 500°F (10°C to 260°C)	2.4" (61 mm)	Celsius, Fahrenheit	Analog



### Gourmet Digital Thermometer **NEW**

- Smooth comfort grip handle
- Stainless steel probe
- Sheath and pocket clip



ITEM	COLOR	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDG*	BK (Black) BL (Blue)	-49°F to 392°F (-45°C to 200°C)	Probe: 4.75" (121 mm)	Celsius, Fahrenheit	Digital



### Digital Probe Thermometer **NEW**

- Oven-safe 40" cord
- Stainless steel probe
- Magnetic and kickstand display



ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGP	32°F to 392°F (0°C to 200°C)	Probe: 7" (178 mm), Display: 3.25" x 2.25" x 0.5" (83 x 57 x 13 mm)	Celsius, Fahrenheit	Digital



### Advanced Digital Thermometer **NEW**

- Back light display
- Water resistant
- Display hold



ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGA	-45°F to 122°F (-43°C to 50°C)	Probe: 2.88" (73 mm)	Celsius, Fahrenheit	Digital





### Digital Pen Thermometer **NEW**

- Stainless steel probe
- Sheath doubles as extended handle
- Display hold

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGPN	32°F to 392°F (0°C to 200°C)	Probe: 3" (6.2 mm)	Celsius, Fahrenheit	Digital



### Touch Screen Thermometer & Timer **NEW**

- Large touch screen display
- 40" oven safe cord
- Custom alert tone

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGTMTS	-4°F to 482°F (-20°C to 250°C)	Probe: 7.3" (185 mm), Display: 3" x 3" x 1" (76 x 76 x 25 mm)	Celsius, Fahrenheit	Digital



### Digital Pocket Thermometer **NEW**

- Anti-roll design
- Premium stainless steel probe
- Pocket clip

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGPCKT	-40°F to 392°F (-40°C to 200°C)	Probe: 4.75" (121 mm)	Celsius, Fahrenheit	Digital

## TIMERS

- Effectively monitor time/temperature control

### Extra Large Display Digital Timer **NEW**

- Count up & down
- Flashing LED & loud alarm
- Magnetic stand

ITEM	MAXIMUM TIME	DIMENSIONS	BATTERIES
TMDGXL	99 minutes, 59 seconds	3.5"H x 3.25"W x 0.75"D (89 x 83 x 19 mm)	Batteries included



### Touch Screen Digital Timer **NEW**

- Count up & down
- Power-saving touch display
- Magnetic back

ITEM	MAXIMUM TIME	DIMENSIONS	BATTERIES
TMDGTS	99 minutes, 59 seconds	3"H x 3"W x 1"D (76 x 76 x 25 mm)	Batteries included



### Triple Event Digital Timer **NEW**

- Count up & down
- Timer, stopwatch & clock
- Magnetic back

ITEM	MAXIMUM TIME	DIMENSIONS	BATTERIES
TMDGTE	19 hours, 59 minutes, 59 seconds	3.75"H x 2.75"W x 0.5"D (95 x 70 x 13 mm)	Batteries included



# PERSONAL SAFETY

Employee safety in the kitchen should always be top-of-mind.

Cuts and burns from exposure to extreme temperatures, cleaning solutions and sharp implements are a constant safety risk. Guard against bodily injuries with San Jamar's comprehensive line of personal protective gear.



TEMPERATURE  
PROTECTION MITTS

TEMPERATURE  
PROTECTION  
GLOVES & SLEEVES

TEMPERATURE  
PROTECTION  
HOLDERS

CUT  
PROTECTION

CHEMICAL  
PROTECTION



# TEMPERATURE PROTECTION MITTS

PERSONAL SAFETY--TEMPERATURE PROTECTION MITTS

HIGH PERFORMANCE

VALUE-ADDED

ECONOMY



EZK17

## EZ-Kleen™ Oven Mitt **NEW**

- Removable liner
- Easy to wipe clean; exterior & liner
- Provides heat and steam protection
- Coated poly-cotton material

ITEM	LENGTH	DESCRIPTION	TEMPERATURE PROTECTION
EZK15	15" (381 mm)	Conventional Style	Up to 450°F (232°C) for 15 sec
EZK17	17" (432 mm)	Conventional Style	Up to 450°F (232°C) for 15 sec

PERSONAL SAFETY

**HIGH PERFORMANCE**

**Cool Touch Flame™ Oven Mitt**

- Flame resistant and extra durable due to Nomex® and Kevlar® surface
- Provides flame, heat and steam protection
- Integrated magnet allows for easy storage and immediate availability



ITEM	LENGTH	DESCRIPTION	TEMPERATURE PROTECTION
KT0212	13" (330 mm)	Conventional Style	Up to 535°F (280°C) for 30 sec
KT0215	15" (381 mm)	Conventional Style	Up to 535°F (280°C) for 30 sec
KT0218	17" (432 mm)	Conventional Style	Up to 535°F (280°C) for 30 sec
KT0224	24" (610 mm)	Conventional Style	Up to 535°F (280°C) for 30 sec
KT0112K	13" (330 mm)	Puppet Style	Up to 535°F (280°C) for 30 sec
KT0115K	15" (381 mm)	Puppet Style	Up to 535°F (280°C) for 30 sec
KT0118K	17" (432 mm)	Puppet Style	Up to 535°F (280°C) for 30 sec
KT0124K	24" (610 mm)	Puppet Style	Up to 535°F (280°C) for 30 sec



**Cool Touch™ Oven Mitt**

- Made with Kevlar® WebGuard™ for extra protection
- Provides heat and steam protection
- Integrated magnet allows for easy storage and immediate availability



ITEM	LENGTH	DESCRIPTION	TEMPERATURE PROTECTION
CTC*	13" (330 mm)	Conventional Style	Up to 500°F (260°C) for 15 sec
	15" (381 mm)		
	17" (432 mm)		
	24" (610 mm)		
CTP*	13" (330 mm)	Puppet Style	Up to 500°F (260°C) for 15 sec
	15" (381 mm)		
	17" (432 mm)		
	24" (610 mm)		



**Oven Mitt with Kevlar®**

- Durable, ambidextrous and ideal for handling abrasive items
- Made with fire retardant Kevlar®
- Machine washable



ITEM	LENGTH	COLOR	DESCRIPTION	TEMPERATURE PROTECTION
KM*	15" (381 mm) 17" (432 mm)	Gold	Conventional Style	Up to 500°F (260°C) for 30 sec

\* Specify desired size: Example: CTC13

Kevlar® and Nomex® are registered trademarks of DuPont®

**UltiGrips® Oven Mitt**

- Cleans easily in sink and is dishwasher safe
- Non-slip, textured Neoprene material repels stains and provides superior grip ability in hot or cold applications
- WebGuard™ for extra protection & comfort

ITEM	LENGTH	COLOR	DESCRIPTION	TEMPERATURE PROTECTION
UCMX*BK	13" (330 mm)	Black	Conventional Style	-109°F (-78°C) up to 500°F (260°C) for 15 sec
	15" (381 mm)			
	17" (432 mm)			
UPM*BK	15" (381 mm)	Black	Puppet Style	-109°F (-78°C) up to 500°F (260°C) for 15 sec
	17" (432 mm)			



**BestGrip™ Oven Mitt**

- Non-slip, textured Neoprene material repels stains and provides superior grip ability in hot applications
- Rinse in sink or wipe clean with damp cloth
- Integrated magnet allows for easy storage and immediate availability

ITEM	LENGTH	COLOR	DESCRIPTION	TEMPERATURE PROTECTION
810CM*	15" (381 mm)	Tan/Black	Conventional Style	Up to 500°F (260°C) for 60 sec
	17" (432 mm)			
810PM*	15" (381 mm)	Tan/Black	Puppet Style	Up to 500°F (260°C) for 60 sec
	17" (432 mm)			



**Terry Oven Mitt**

- Made with heavy-duty, institutional grade terry cloth
- Machine washable
- Steam barrier option available

ITEM	LENGTH	COLOR	DESCRIPTION	TEMPERATURE PROTECTION
8*TM	13" (330 mm)	Natural	Conventional Style	Up to 500°F (260°C) for 30 sec
	17" (432 mm)			
	24" (610 mm)			
817TM-BR	17" (432 mm)	Brown	Conventional Style	Up to 500°F (260°C) for 30 sec
8*TM-SB	13" (330 mm)	Natural	With Steam Barrier	Up to 500°F (260°C) for 30 sec
	17" (432 mm)			



## VALUE-ADDED



### BestGuard® Oven Mitt with Kevlar® WebGuard™

- Ambidextrous & fire retardant
- Kevlar® WebGuard™ for extra protection & comfort
- Wipes clean with a damp cloth

ITEM	LENGTH	COLOR	DESCRIPTION	TEMPERATURE PROTECTION
<b>800FG*</b>	13" (330 mm)	Tan	Conventional Style	Up to 450°F (232°C) for 30 sec
	15" (381 mm)			
	17" (432 mm)			
	24" (610 mm)			
<b>800FG*-BK</b>	13" (330 mm)	Black	Conventional Style	Up to 450°F (232°C) for 30 sec
	15" (381 mm)			
	17" (432 mm)			
	24" (610 mm)			



COMPLIANT



### Wool Oven Mitt

- 100% cotton exterior with wool insulation
- Machine washable

ITEM	LENGTH	COLOR	DESCRIPTION	TEMPERATURE PROTECTION
<b>OM17-GYW</b>	17" (432 mm)	Gray	Conventional Style	Up to 450°F (232°C) for 30 sec



### Bestan® Oven Mitt

- Rinses clean
- Non-stick coating

ITEM	LENGTH	COLOR	DESCRIPTION	TEMPERATURE PROTECTION
<b>811TG*</b>	13" (330 mm)	Tan	Conventional Style	Up to 450°F (232°C) for 15 sec
	15" (381 mm)			
	17" (432 mm)			

## ECONOMY

### Tri-Flex Oven Mitt

- Separate index finger for dial or push button use
- Ambidextrous & fire retardant
- Wipes clean with a damp cloth

ITEM	LENGTH	COLOR	DESCRIPTION	TEMPERATURE PROTECTION
<b>850TF17</b>	17" (432 mm)	Tan	Separate index finger	Up to 400°F (204°C) for 15 sec



COMPLIANT



### Silicone Oven/Freezer Mitt

- Rinses clean
- Non-stick coating
- Works well with hot or cold surfaces

ITEM	LENGTH	COLOR	DESCRIPTION	TEMPERATURE PROTECTION
<b>801SG*</b>	13" (330 mm)	Silver	Conventional Style	0°F (-18°C) up to 400°F (204°C) for 15 sec
	15" (381 mm)			
	17" (432 mm)			



\* Specify desired length after item number. Example: 800FG13

Kevlar® is a registered trademark of Dupont

# TEMP PROTECTION GLOVES &

# SLEEVES

HOT OIL GLOVES

TEMPERATURE GLOVES

TEMPERATURE SLEEVES



## HOT OIL GLOVES

- San Jamar's hot oil gloves are ideal for restaurant deep fryer grease applications and rotisserie pits
- The cotton flocked inner lining provides ease of slipping gloves on and off



6786RMT

## Fryer Oven Mitt

- Liquid-proof, seamless construction
- Cotton flocked inner lining
- Machine washable

ITEM	LENGTH	MATERIALS	TEMPERATURE PROTECTION
6786RMT	14" (356 mm)	Neoprene rubber	Up to 500°F (260°C) for 15 sec
6786RMT-XL	17" (432 mm)	Neoprene rubber	Up to 500°F (260°C) for 15 sec



T1212

## The Rotissi Glove

- Ideal for use in rotisserie pits
- Cotton flocked inner lining

ITEM	LENGTH	MATERIALS	TEMPERATURE PROTECTION
T12*	12" (305 mm), 17" (432 mm)	Neoprene rubber	Up to 500°F (260°C) for 15 sec

## TEMPERATURE GLOVES



### Hot Mill Knit Glove

- Excellent dexterity
- Knitted wrist for a tighter fit
- Grippy surface

ITEM	SIZE	MATERIALS	TEMPERATURE PROTECTION
ML5000	One size fits most	Heavy duty cotton	Up to 400°F (204°C) for 15 sec



### Frozen Food Glove

- Easy on/off
- Non-stick surface
- Great dexterity

ITEM	SIZE	MATERIALS	TEMPERATURE PROTECTION
FGI-OR	One size fits most	PVC with cotton jersey liner	As low as 0°F (-18°C) for 60 sec



### White Waiter's Glove

- Fine stitching
- Great dexterity

ITEM	SIZE	DESCRIPTION	MATERIALS
5312WH-*	M, L	Dotted palm for additional grip ability	Cotton
IG100	One size fits most	Clean, upscale look	Cotton

5312-M

## TEMPERATURE SLEEVES

### EZ-Kleen™ Sleeve **NEW**

- Easy to wipe clean
- Provides heat and steam protection


ITEM	LENGTH	MATERIALS	TEMPERATURE PROTECTION
EZKSL	16" (406 mm)	Coated Poly-Cotton	Up to 150°F (66°C) for 15 sec



### Sleeve with Kevlar®

- Protects forearm against inadvertent heat contact
- Machine washable

ITEM	LENGTH	MATERIALS	TEMPERATURE PROTECTION
SLK16	18" (457 mm)	Kevlar®	Up to 500°F (260°C) for 15 sec



### Terry Sleeve

- Knitted wrist
- Heavy duty institutional grade terry cloth
- Machine washable

ITEM	LENGTH	MATERIALS	TEMPERATURE PROTECTION
SLWT16	18" (457 mm)	100% cotton terry	Up to 350°F (177°C) for 15 sec



\* Specify desired length/size after item number. Example: T1212

Kevlar® is a registered trademark of DuPont

# TEMPERATURE PROTECTION

# HOLDERS

POT HOLDERS

PAN GRABBERS

HANDLE HOLDERS

## POT HOLDERS



### EZ-Kleen™ Hot Pad **NEW**

- Easy to wipe clean
- Provides heat and steam protection
- Wrist strap for ease of use
- Hanging loop

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
EZKHP88	8" x 8" (203 x 203 mm)	Coated Poly-Cotton	Up to 450°F (232°C) for 15 sec

PERSONAL SAFETY



### Cool Touch Flame™ Hot Pads

- Flame, heat, and steam resistant due to Nomex® surface
- Wrist strap for ease of use
- Machine washable

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
CTFHP88	8" x 8" (203 x 203 mm)	Nomex®	Up to 535°F (280 °C) for 30 sec

Nomex® is a registered trademark of DuPont



### UltiGrips® Hot Pads

- Flexible and dishwasher safe
- Provides superior grip ability in hot or cold applications

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
UHP55BK	5.5" x 5.5" (140 x 140 mm)	Non-slip, textured, Neoprene	Up to 500°F (260°C) for 15 sec
UHP77BK	7" x 7" (178 x 178 mm)	Non-slip, textured, Neoprene	Up to 500°F (260°C) for 15 sec
UHP1010BK	10" x 10" (254 x 254 mm)	Non-slip, textured, Neoprene	Up to 500°F (260°C) for 15 sec

### Silicone Pot Holder

- Non-stick coating
- Wipes clean

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
802SPH	7" x 7" (178 x 178 mm)	Cotton/Silicone	Up to 350°F (177°C) for 15 sec



### Round Pot Holder

- Hanging loop
- Machine washable

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
813RPH	8" (203 mm)	Heavy duty terry cloth	Up to 500°F (260°C) for 30 sec



### BestGuard® Terry Pot Holder

- Hanging loop
- Two sided construction: non-stick BestGuard® on one side, terry on the other

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
802TF	8" x 8" (203 x 203 mm)	BestGuard®/Terry cloth	Up to 500°F (260°C) for 30 sec



### Terry Cloth Pot Holder

- Hanging loop
- Machine washable

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
802TPH	8" x 8" (203 x 203 mm)	Heavy duty terry cloth	Up to 500°F (260°C) for 30 sec

### Bestan® Pot Holder

- Non-stick coating
- Wipes clean

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
812TPH	7" x 7" (178 x 178 mm)	Bestan®/Cotton	Up to 350°F (177°C) for 30 sec



## PAN GRABBERS



### Pan Grabber (BAKER'S PAD WITH SLIT)

- Convenient wrist slit for easier use
- Easy to use with sheet pans
- Machine washable

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
835PG	10" x 11" (254 x 279 mm)	Terry cloth	Up to 500°F (260°C) for 30 sec



### Pan Grabber (BAKER'S PAD)

- Machine washable
- Durable and economical

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
823TPH	10" x 11" (254 x 279 mm)	Terry cloth	Up to 500°F (260°C) for 30 sec



### Pan Grabber (BAKER'S PAD WITH WRIST STRAP)

- Elastic wrist strap
- Customize with your logo
- Machine washable

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
803PG	9½" x 11" (241 x 279 mm)	Bestex™/Terry cloth	Up to 400°F (204°C) for 15 sec
803PG-LOGO	9½" x 11" (241 x 279 mm)	Bestex™/Terry cloth	Up to 400°F (204°C) for 15 sec

**Customization Available:** for imprinted version please call customer service for your personalized logo item number



### Junior Pan Grabber (BAKER'S PAD WITH POCKET)

- Pouch pocket provides easy on/off
- Machine washable

ITEM	SIZE	MATERIAL	TEMPERATURE PROTECTION
845PG	6" x 8" (152 x 203 mm)	Cotton/ Canvas	Up to 350°F (177°C) for 15 sec

## HANDLE HOLDERS

### Silicone Handle Holder™ **NEW**

- Contoured for most cast iron pans
- Dishwasher safe
- Hanging hole for easy storage

ITEM	COLOR	SIZE	MATERIAL	TEMPERATURE PROTECTION
806SHH-BK	Black	2" x 5½" (51 x 140 mm)	Silicone	Up to 450°F (232°C) for 15 sec
806SHH-PR	Purple	2" x 5½" (51 x 140 mm)	Silicone	Up to 450°F (232°C) for 15 sec



806SHH-PR



### BestGuard® Handle Holder

- Fire retardant coating
- Wipes clean with damp cloth

ITEM	COLOR	SIZE	MATERIAL	TEMPERATURE PROTECTION
804BG	Tan	3¼" x 6½" (83 x 165 mm)	BestGuard®/Cotton	Up to 450°F (232°C) for 15 sec
804BG-BK	Black	3¼" x 6½" (83 x 165 mm)	BestGuard®/Cotton	Up to 450°F (232°C) for 15 sec



804BG

### Bestan® Handle Holder

- Non-stick surface
- Wipes clean with damp cloth

ITEM	COLOR	SIZE	MATERIAL	TEMPERATURE PROTECTION
804HH	Tan	3¼" x 6½" (83 x 165 mm)	Bestan®/Cotton	Up to 350°F (177°C) for 15 sec



### Hand Safety Organizer

- Easily stores and grabs mitts magnetically
- Minimizes cross contamination

ITEM	SIZE	DESCRIPTION
H01000	18" x 2" (457 x 51 mm)	Magnetic steel bar





# CUT PROTECTION

CUT PROTECTION GLOVES

SAFETY AIDS

## CUT PROTECTION GLOVES

- Cut-Resistant Gloves are available in many different materials including; Dyneema®- The world's strongest fiber™, Stainless Steel, Nylon Cord, and Natural Rubber
- Food safety colors allow for dedicated use, preventing cross contamination
- ANSI Level 4 and ANSI Level 5 Cut-Resistant Gloves available
- Wristband color of glove indicates size



## Cut-Resistant Glove with Dyneema®

WITH EXCLUSIVE DOUBLE GUARD™ ANTIMICROBIAL AGENT

- 10 gauge Dyneema fiber
- Ambidextrous, lightweight & machine washable
- ANSI Level 5 cut protection

ITEM	COLOR	SIZE	LENGTH	MATERIAL	CUT PROTECTION
SG10-*	White	S, M, L, XL	11" (279 mm)	Dyneema*** composite yarn	Meets OSHA standard (29 CFR) 1910.132 - Tested in accordance with ASTM Spec 177.20
SG10-**	Blue (BL) Green (GN) Red (RD) Yellow (Y) Purple (PR)	S, M, L	11" (279 mm)	Dyneema*** composite yarn	Meets OSHA standard (29 CFR) 1910.132 - Tested in accordance with ASTM Spec 177.20



PERSONAL SAFETY

\* Specify desired size after item number. Example: SG10-S  
 \*\* Specify desired color and size after item number. Example: SG10-BL-S  
 \*\*\* Dyneema® is a registered trademark of Royal DSM N.V. Under license of Double D Knitting & Glove, Inc.



### Stainless Steel Mesh Cut-Resistant Glove

- Non-corrosive & easy to clean
- Antimicrobial wrist strap
- Great for deboning

ITEM	SIZE	MATERIAL
MGA515*	XS, S, M, L, XL	Stainless steel mesh



### Cut-Resistant Butcher Glove

WITH EXCLUSIVE DOUBLE GUARD™ ANTI-MICROBIAL AGENT

- 10 gauge yarn
- Ambidextrous, lightweight & machine washable
- ANSI Level 4 cut protection

ITEM	SIZE	MATERIAL	CUT PROTECTION
PBS301-*	XS, S, M, L, XL	Stainless steel/nylon cord	ANSI Level 4 cut protection



### D-Shield™ Cut-Resistant Glove

- 10 gauge Dyneema® fiber
- Ambidextrous & machine washable
- ANSI Level 4 cut protection

ITEM	SIZE	MATERIAL	CUT PROTECTION
DFG1000-*	S, M, L, XL	Dyneema®	ANSI Level 4 cut protection



### Cut Glove with Kevlar®

- 10 gauge terry cloth and Kevlar fibers
- PVC dot coating for improved grip during tasks
- ANSI level 3 cut protection

ITEM	SIZE	CUT PROTECTION
KG1000	One size fits most	ANSI Level 3 cut protection



### Oyster Shucking Glove

- Liquid-proof, cotton lining and easy to clean
- Heavy duty latex palm coating
- Excellent wet or dry grip

ITEM	SIZE	MATERIAL
1000	One size fits most	Natural rubber latex/cotton

\* Specify desired size after item number. Example: MGA515XS  
 Dyneema® is a registered trademark of Royal DSM N.V. Under license of Double D Knitting & Glove, Inc.  
 Kevlar® is a registered trademark of DuPont.

## SAFETY AIDS

### Klever Cutter™ Carton Opener

- Tough high-density plastic with stainless steel safety-type blades
- No need to change blades
- Prevents costly injuries to employees and damage to products

ITEM	COLOR
KK401	Red
KK401BL	Blue
KK401YL	Yellow
KK403 (RETAIL 3-PACK)	Red



### BreadGuard™

- Provides a safe and sanitary barrier between one's hand and the food
- Ribbed grips for improved gripping ability
- Provides cut protection

ITEM	COLOR	QUANTITY
BG100	Red	1 each



### Mani-Kare® Bandages

- Latex-free
- Flexible & breathable
- Non-food blue colored bandages are easy to see



Blue bandages are easy to see, so you won't serve contaminated food – a food safety disaster!

ITEM	SHAPE	DESCRIPTION	DIMENSIONS	QUANTITY
MK0901		Strip bandages	1"L x 3"W (25 x 76 mm)	300 bandages (6 boxes of 50)
MK0902		Small fingertip bandages	1¾"L x 2"W (44 x 51 mm)	240 bandages (6 boxes of 40)
MK0903		Knuckle bandages	1½"L x 3"W (38 x 76 mm)	240 bandages (6 boxes of 40)
MK0904		Large fingertip bandages	1¾"L x 3"W (44 x 76 mm)	150 bandages (6 boxes of 25)
MK0905		Large Patch bandages	2"L x 3"W (51 x 76 mm)	150 bandages (6 boxes of 25)
MK0906	Assorted	Value pack: 2 boxes of MK0901; 1 box of MK0902; 1 box of MK0903; 1 box of MK0904; 1 box of MK0905	Assorted	100 strips (2 boxes), 40 small fingertips (1 box), 40 knuckles (1 box), 25 large fingertips (1 box) & 25 large patches (1 box)
MK0909	Assorted	1 storage box with 1 MK0906	Assorted	Storage box with 100 strips (2 boxes), 40 small fingertips (1 box), 40 knuckles (1 box) & 25 large fingertips (1 box) & 25 large patches (1 box)

# CHEMICAL PROTECTION

APRONS

GLOVES

PROTECTIVE APPAREL

## APRONS



### EZ-Kleen™ Apron **NEW**

- Easy to wipe clean
- Provides heat and steam protection

ITEM	COLOR	THICKNESS	DIMENSIONS W X L	MATERIAL
EZKAPR	Red	20 mil	25½" x 36" (65 x 91 cm)	Coated Poly-Cotton



615NBA-Y

### Neo-Flex™ Bib Apron

- Heat-resistant, fire-retardant
- Durable and cut-resistant
- Repels liquid and grease
- Adjustable neck strap

ITEM	COLOR	THICKNESS	DIMENSIONS W X L	MATERIAL
615NBA-*	Y, BK	25 mil	29" x 43" (74 x 109 cm)	Neo-Flex™



614DVA-BL

### Vinyl Dish Washing Apron

- Includes heavy-duty braided ties

ITEM	COLOR	THICKNESS	DIMENSIONS W X L	MATERIAL
614DVA-WH-**	White	6 mil, 8 mil	36" x 43" (91 x 109 cm)	Institutional grade quality vinyl
614DVA-BL	Blue	8 mil	36" x 43" (91 x 109 cm)	Institutional grade quality vinyl
614DVA	Clear	12 mil	36" x 43" (91 x 109 cm)	Institutional grade quality vinyl



604VBA37-BR

### Economy Vinyl Bib Apron

- A great look for a very affordable price

ITEM	COLOR	THICKNESS	DIMENSIONS W X L	MATERIAL
604VBA-E	Brown	15 mil	25" x 28" (64 x 71 cm)	Vinyl

### Vinyl Bib Apron

- Heavyweight
- Waterproof and fire-retardant

ITEM	COLOR	THICKNESS	LENGTH	DIMENSIONS W X L	MATERIAL
604VBA-BR	Brown	25 mil	Regular	25" x 28" (64 x 71 cm)	Vinyl
604VBA37-BR	Brown	25 mil	Long	25" x 37" (64 x 94 cm)	Vinyl



### 20 mil Vinyl Apron

- Protects against fats, liquids and abrasions
- Extra-long ties for added comfort

ITEM	COLOR	THICKNESS	DIMENSIONS W X L	MATERIAL
614DVA20-GN	Green	20 mil	36" x 45" (91 x 114 cm)	Institutional grade quality vinyl
614DVA-WH20	White	20 mil	36" x 45" (91 x 114 cm)	Institutional grade quality vinyl

614DVA-WH20

### Disposable Bib Apron

- Lightweight
- Economical
- Durable

ITEM	COLOR	THICKNESS	DIMENSIONS W X L	MATERIAL
8706	White	2 mil	28" x 46" (71 x 117 cm)	Polyethylene

\* Specify desired color after item number. Example: 615NBA-Y

\*\* Specify desired thickness after item number. Example: 614DVA-WH-6



### Nitrile Glove

- 22 mil
- Protects to 185°F (85°C)
- Protection against abrasions, punctures and chemicals

ITEM	SIZE	LENGTH	MATERIAL	TEMPERATURE PROTECTION
19NU-*	S, M, L, XL	19" (482 mm)	Nitrile rubber	Protects to 185°F (85°C)



### Nitrile Flock Lined Glove

- Embossed grip
- 15 mil
- FDA compliant (21CFR, 170-199)

ITEM	SIZE	LENGTH	MATERIAL	TEMPERATURE PROTECTION
13NU-*	M, L	13" (330 mm)	Nitrile rubber/flock	Up to 195°F (91°C)



### Neoprene Flock Lined Glove

- 30 mil, cotton flocked lining & embossed grip
- FDA compliant
- Resistant to chlorinated solvents, inorganic acids and petroleum products

ITEM	SIZE	LENGTH	MATERIAL	TEMPERATURE PROTECTION
238SF-*	M, L	15½" (390 mm)	Neoprene	Up to 185°F (85°C)

### Latex Flock Lined Glove

- 18 mil
- Embossed grip
- FDA compliant (21CFR, 170-199)

ITEM	SIZE	LENGTH	MATERIAL
620-*	S, M, L, XL	12" (305 mm)	Natural rubber latex

### Heavy Duty Neoprene & Latex Glove

- 28 mil, flock lined and tear resistant with embossed grip
- Resistant to caustics, alcohols, acids, & detergents
- FDA compliant (21CFR, 170-199)

ITEM	SIZE	MATERIAL
720-*	S, M, L, XL	Neoprene & latex blend

### Heavy-Duty Rubber Glove

- 40 mil, unlined with embossed grip
- Resistant to light chemicals

ITEM	SIZE	LENGTH	MATERIAL	TEMPERATURE PROTECTION
R93517	One size fits most	17" (432 mm)	Natural rubber	Up to 185°F (85°C)

### ProGrip™

- Cut and abrasion resistant
- FDA compliant (21CFR, 170-199)
- 45 mil cuff/50 mil palm

ITEM	SIZE	LENGTH	MATERIAL
CP14-*	S, M, L, XL	14" (356 mm)	Nitrile/cotton liner



### Neoprene Shoulder-Length Glove

- Liquid Proof
- FDA compliant (21CFR, 170-199)
- Full arm protection for chemical or food processing protection

ITEM	SIZE	LENGTH	MATERIAL	TEMPERATURE PROTECTION
P31	One size fits most	31" (787 mm)	Neoprene	Up to 185°F (85°C)

### PVC Glove

- Interior cotton interlock lining
- Rough grip for improved handling
- Oil and chemical resistant

ITEM	SIZE	LENGTH	MATERIAL	TEMPERATURE PROTECTION
884	One size fits most	14" (355 mm)	PVC/Cotton	Up to 185°F (85°C)
887	One size fits most	18" (457 mm)	PVC/Cotton	Up to 185°F (85°C)



### Neoprene Glove

- Liquid proof & steam resistant
- Jersey-lined for extra heat protection & coated with protective Neoprene rubber
- Heavy duty, launderable, FDA compliant (21 CFR, 170-199)

ITEM	SIZE	LENGTH	MATERIAL	TEMPERATURE PROTECTION
1214	One size fits most	14" (355 mm)	Neoprene	Up to 350°F (176°C)
1217EL	One size fits most	17" (432 mm)	Neoprene	Up to 350°F (176°C)



\* Specify desired size after item number. Example: 13NU-M



**EZ-Kleen™ Shin Guards** *NEW*

- Easy to wipe clean
- Heat & steam resistant

ITEM	COLOR	DIMENSIONS W X L	MATERIAL
EZKSHG	Red	12½" x 23¾" (32 x 60 cm)	Coated Poly-Cotton



**EZ-Kleen™ Face Shield** *NEW*

- Easy to wipe clean
- Heat & steam resistant

ITEM	COLOR	DIMENSIONS W X L	MATERIAL
EZKFS	Blue	8" x 15½" (20 x 39 cm)	Plastic



**EZ-Kleen™ Kit** *NEW*

Hot grease, boiling water, exposure to dangerous chemicals and vapors are no longer a problem with our new Full Body Protection Kit. The quality construction of every item holds up to the wear and tear of any job.

ITEM	INCLUDES
EZKKIT	2 ea EZK15, 1 ea EZKAPR, 1 pair EZKSHG, 1 ea EZKFS

**Index**

9VADAP..... 118  
 13NU-L..... 150  
 13NU-M..... 150  
 19NU-L..... 150  
 19NU-M..... 150  
 19NU-S..... 150  
 19NU-XL..... 150  
 238SF-L..... 150  
 238SF-M..... 150  
 604VBA37-BR..... 149  
 604VBA-BR..... 149  
 604VBA-E..... 148  
 614DVA20-GR..... 148  
 614DVA20-WH..... 148  
 614DVA-BL-8..... 149  
 614DVA-CL-12..... 149  
 614DVA-WH-6..... 149  
 614DVA-WH-8..... 149  
 615NBA-BK..... 148  
 615NBA-Y..... 148  
 620-L..... 150  
 620-M..... 150  
 620-S..... 150  
 620-XL..... 150  
 720-L..... 150  
 720-M..... 150  
 720-S..... 150  
 720-XL..... 150  
 800FG13..... 130  
 800FG13-BK..... 130  
 800FG15..... 130  
 800FG15-BK..... 130  
 800FG17..... 130  
 800FG17-BK..... 130  
 800FG24..... 130  
 800FG24-BK..... 130  
 801SG13..... 131  
 801SG15..... 131  
 801SG17..... 131  
 802SPH..... 139  
 802TF..... 138  
 802TPH..... 138  
 803PG..... 140  
 803PG-LOGO..... 140  
 804BG..... 141  
 804BG-BK..... 141  
 804HH..... 141  
 810CM15..... 129  
 810CM17..... 129  
 810PM15..... 129  
 810PM17..... 129  
 811TG13..... 130  
 811TG15..... 130  
 811TG17..... 130  
 812TPH..... 139  
 813RPH..... 139  
 813TM..... 129  
 813TM-SB..... 129  
 817TM..... 129  
 817TM-BR..... 129  
 817TM-SB..... 129  
 823TPH..... 140  
 824TM..... 129  
 835PG..... 140  
 845PG..... 140  
 850TF17..... 131  
 884..... 151

887..... 151  
 1000..... 144  
 1214..... 151  
 1217EL..... 151  
 5312WH-L..... 134  
 5312WH-M..... 134  
 6786RMT..... 133  
 6786RMT-XL..... 133  
 8706..... 149

**A**  
 ASZ121812SYS..... 62, 73  
 ASZTHERMW..... 62, 73

**B**  
 B400BK..... 91  
 B416..... 94  
 B432..... 94  
 B500..... 91  
 B4061INL..... 102  
 B4093L..... 94  
 B4122INL..... 102  
 B4124L..... 94  
 B4155L..... 94  
 B4186L..... 94  
 B4246L..... 94  
 B4300..... 91  
 B4702INL..... 102  
 B4706INL..... 102  
 B5522..... 91  
 B5522D..... 91  
 B5532..... 91  
 B5532D..... 91  
 B5542..... 91  
 B5542D..... 91  
 B5624SG..... 91  
 B5636SG..... 91  
 B6180..... 101  
 B6183INL..... 102  
 B6183L..... 94  
 B6186L..... 94  
 B6706INL..... 102  
 B6766L..... 94  
 BD100S..... 93  
 BD101..... 93  
 BD102..... 93  
 BD103..... 93  
 BD104..... 93  
 BD105..... 93  
 BD106..... 93  
 BD110..... 93  
 BD2001..... 92, 100  
 BD2002..... 92, 100  
 BD2002CAR..... 92, 100  
 BD2003..... 92, 100  
 BD2004CAL..... 92, 100  
 BD2004NL..... 92, 100  
 BD4003..... 92, 100  
 BD4004..... 92, 100  
 BD4005E..... 92  
 BD4005S..... 92  
 BD4006S..... 92  
 BD4014..... 92, 100  
 BD4023S..... 92  
 BDRX400..... 93  
 BDS2203..... 93, 101  
 BDS2204NL..... 93, 101  
 BDS2401NL..... 93, 101  
 BDS2483NL..... 93, 101  
 BDS4206..... 93, 101

BDS4266..... 93, 101  
 BDSX100..... 93, 101  
 BG100..... 145  
 BM1018..... 90  
 BT12..... 99  
 BT30..... 99

**C**  
 C22XC..... 47  
 C24XC..... 47  
 C52XC..... 47  
 C54XC..... 47  
 C2010C..... 46  
 C2210C..... 46  
 C2210C18..... 46  
 C2210SM..... 48  
 C2410C..... 45  
 C2410C18..... 45  
 C2410CBK..... 45  
 C2410SM..... 48  
 C2510C..... 46  
 C2802..... 43  
 C2803..... 43  
 C2804..... 43  
 C2852..... 42  
 C2853..... 42  
 C2854..... 42  
 C2901..... 43  
 C2901BK..... 43  
 C2902..... 43  
 C2902BK..... 43  
 C2903..... 43  
 C2903BK..... 43  
 C2951BK..... 42  
 C2952BK..... 42  
 C2953BK..... 42  
 C3000EWH..... 51  
 C3000PSS..... 51  
 C3165FBL..... 50  
 C3165TBL..... 50  
 C3165WH..... 50  
 C3200CF..... 47  
 C3200CH..... 47  
 C3200CV..... 47  
 C3200EF..... 49  
 C3200EH..... 49  
 C3200EV..... 49  
 C3200P..... 49  
 C3250SS..... 50  
 C3260TBL..... 50  
 C3260TBR..... 50  
 C3400CF..... 47  
 C3400CH..... 47  
 C3400CV..... 47  
 C3400EF..... 49  
 C3400EH..... 49  
 C3400EV..... 49  
 C3400P..... 49  
 C3450SS..... 50  
 C3500CF..... 47  
 C3500CH..... 47  
 C3500CV..... 47  
 C3500EF..... 49  
 C3500EH..... 49  
 C3500EV..... 49  
 C3500P..... 49  
 C3604..... 44  
 C3620..... 44  
 C4150SS..... 50  
 C4160TBL..... 50

C4160WH..... 50  
 C4180CL..... 50  
 C4180TBL..... 50  
 C4180TBLW..... 50  
 C4180TBR..... 50  
 C4200PF..... 51  
 C4210PFSD..... 51  
 C4210PRD..... 51  
 C4400PF..... 51  
 C4410PFSD..... 51  
 C4410PRD..... 51  
 C4500PF..... 51  
 C5250C..... 45  
 C5250C18..... 45  
 C5250SM..... 48  
 C5450C..... 45  
 C5450C18..... 45  
 C5450SM..... 48  
 C8003WFBS..... 44  
 C8005WFBS..... 44  
 C8500S..... 44  
 C8503WVF..... 44  
 C8503WVFD..... 44  
 C8504WVF..... 44  
 C8504WVFD..... 44  
 C9002..... 43  
 C2400350..... 46  
 C2400363..... 46  
 C2400368..... 46  
 C2400413..... 46  
 C2400450..... 46  
 CB1008..... 99  
 CB1218KC..... 81  
 CB1218QS..... 81  
 CB1520KC..... 81  
 CB1520QS..... 81  
 CB1824KC..... 81  
 CB1824QS..... 81  
 CB6912WH..... 83, 90  
 CB12181WH..... 82  
 CB15201WH..... 82  
 CB18241WH..... 82  
 CB101212GN..... 81  
 CB101212WH..... 82  
 CB101212YL..... 81  
 CB121812BL..... 81  
 CB121812BR..... 81  
 CB121812GN..... 81  
 CB121812GVWH..... 82  
 CB121812RD..... 81  
 CB121812WH..... 82  
 CB121812YL..... 81  
 CB121834BL..... 81  
 CB121834GN..... 81  
 CB121834RD..... 81  
 CB121834WH..... 82  
 CB121834YL..... 81  
 CB152012BL..... 81  
 CB152012BR..... 81  
 CB152012GN..... 81  
 CB152012GVWH..... 82  
 CB152012RD..... 81  
 CB152012WH..... 82  
 CB152012YL..... 81  
 CB152034WH..... 82  
 CB182412BL..... 81  
 CB182412BR..... 81  
 CB182412GN..... 81  
 CB182412GVWH..... 82  
 CB182412RD..... 81



STK1006PRL..... 62, 73  
 STK1006RDL..... 73  
 STK1006YLL..... 73  
 STK1008..... 73  
 STL511..... 72  
 SW12..... 72  
 SW18..... 72  
 SW1218..... 72  
 SW1218SC..... 72  
 SWX100..... 72

**T**

T12..... 133  
 T400TBK..... 14  
 T400TBL..... 14  
 T410TBK..... 14  
 T410TBL..... 14  
 T450TBK..... 14  
 T450TBL..... 14  
 T451XC..... 14  
 T800WH..... 15  
 T850TBK..... 15  
 T850TBL..... 15  
 T950TBK..... 15  
 T950TBL..... 15  
 T990TBK..... 15  
 T990TBL..... 15  
 T1100TBK..... 15  
 T1100TBL..... 15  
 T1100WH..... 15  
 T1190TBK..... 15  
 T1190TBL..... 15  
 T1300TBK..... 12  
 T1300TBL..... 12  
 T1370BKSS..... 12  
 T1370SS..... 12  
 T1370WHCL..... 12  
 T1390TBK..... 12  
 T1390TBL..... 12  
 T1400TBK..... 11  
 T1400TBKHW..... 11  
 T1400TBL..... 11  
 T1400WH..... 11  
 T1470BKSS..... 11  
 T1470SS..... 11  
 T1470WHCL..... 11  
 T1490TBK..... 11  
 T1490TBL..... 11  
 T1700TBK..... 16  
 T1700TBL..... 16  
 T1720TBK..... 17  
 T1720TBL..... 17  
 T1730TBK..... 26  
 T1750TBK..... 16  
 T1750TBL..... 16  
 T1750WH..... 16  
 T1755TBK..... 16  
 T1755TBL..... 16  
 T1759TBK..... 16  
 T1759TBL..... 16  
 T1790TBK..... 16  
 T1790TBL..... 16  
 T1800WH..... 17  
 T1800XC..... 17  
 T1905WH..... 17  
 T1905XC..... 17  
 T7000TBK..... 13  
 T7000TBL..... 13  
 T7090TBK..... 13  
 T7090TBL..... 13  
 T7100TBK..... 13  
 T7400TBK..... 13  
 T7470BKSS..... 13  
 T7470SS..... 13  
 T7470WHCL..... 13  
 T7500TBK..... 14  
 T7590TBK..... 14  
 T8000TBK..... 12  
 T8000TBL..... 12  
 T8000WH..... 12  
 T8006BKADA..... 12  
 T8008BKUNV..... 12  
 T8090TBK..... 12  
 T8090TBL..... 12  
 T8400TBK..... 11  
 T8400TBL..... 11  
 T8400WH..... 11  
 T8406SSADA..... 12  
 T8408SSUNV..... 12  
 T8490TBK..... 11  
 T8490TBL..... 11  
 TC7501..... 83  
 TC7502..... 83

TC7503..... 83  
 TC121812..... 83  
 TC121812GV..... 83  
 TC152012..... 83  
 TC152012GV..... 83  
 TC182412..... 83  
 TC182412GV..... 83  
 TC481201..... 84  
 TC4812012..... 84  
 TC4812014..... 84  
 TC4812034..... 84  
 THDGA..... 121  
 THDGBK..... 121  
 THDGBL..... 121  
 THDGP..... 121  
 THDGPCKT..... 122  
 THDGNP..... 122  
 THDGRF..... 120  
 THDGTMTS..... 122  
 THDLBEV..... 119  
 THDLC..... 119  
 THDLCDF..... 119  
 THDLF..... 119  
 THDLF2..... 119  
 THDLLD..... 119  
 THDLOV..... 120  
 THDLRFG..... 120  
 THDLRFSS..... 120  
 TMDGTE..... 123  
 TMDGTS..... 123  
 TMDGXL..... 123  
 TPB20-MRN..... 111  
 TS510TBK..... 27  
 TS510TBL..... 27

**U**

UCMX13BK..... 129  
 UCMX15BK..... 129  
 UCMX17BK..... 129  
 UHP55BK..... 138  
 UHP77BK..... 138  
 UHP1010BK..... 138  
 UL5103..... 95  
 UL5104..... 95  
 UL5105..... 95  
 UL5403..... 95  
 UL5405..... 95  
 UPM15BK..... 129  
 UPM17BK..... 129

**V**

VM5180BK..... 95  
 VM5280BK..... 95  
 VM5280BK-12..... 95  
 VM5280CL..... 95  
 VM5280CL-12..... 95  
 VM5280RD..... 95  
 VM5280RD-12..... 95  
 VM5280WN..... 95  
 VM5280WN-12..... 95

**W**

WF107 80 1204..... 30  
 WF107 80 1206..... 30  
 WP107 80 1202..... 29  
 WP107 80 1203..... 29  
 WP1202MB..... 31  
 WP1202TW..... 31  
 WP9070BKSS..... 29  
 WP9070SS..... 29  
 WP9070WHCL..... 29  
 WS107 80 1207..... 30  
 WS107 80 1208..... 30

**X**

X101924..... 44  
 X101987..... 44  
 XC2022..... 46  
 XC2226..... 46  
 XC2226BK..... 46  
 XC2426..... 46  
 XC2426BK..... 46  
 XC2526..... 46

Limited Warranty – San Jamar warrants to the original purchaser of each new product of its manufacture for a period of one (1) year from the date of shipment, (or if shorter, the period of the product’s normal useful life) that all parts shall be free from defects in material and workmanship under normal use and service.

The warranties defined herein shall not apply to any damage or defects created or arising from accident, misapplication, abuse, misuse, neglect, alteration, acts of God, vandalism, flood, fire or any other occurrences beyond the control of San Jamar.

Claims under the foregoing warranty will be honored only if San Jamar (i) has received the entire payment of the purchase price for the product with respect to which any such claim is made (ii) has received notification of the claim prior to the expiration of the one (1) year (or shorter) warranty period described above, and (iii) determines upon examination of the returned product that it is defective under the terms of such warranty.

San Jamar’s sole obligation under the foregoing warranty and other claims related to any product shall be limited to, at San Jamar’s option (i) repairing or (ii) replacing F.O.B. factory or any product which San Jamar determines is defective under the terms of such warranty.

THE FOREGOING WARRANTY AND REMEDIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTIES AND REMEDIES WHATSOEVER, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE, ALL OF WHICH SAN JAMAR HEREBY EXPRESSLY DISCLAIMS.

Return Policy – Product returned to San Jamar must have a Returned Goods Authorization (RGA) number from the Customer Care Department. It will be the customer’s responsibility to cover freight charges, and a 20% Restocking Charge will be applicable to all returned product. To receive credit for returned goods, they must be returned in unopened cartons, be less than 90 days from date of invoice and not be an obsolete or phased out product, labeled with the RGA number, and returned within 30 days of the RGA being issued. Returns consistent with these parameters may be made at any time between January 1st and November 30th of any calendar year. No returns will be accepted in the month of December. Credit will be determined upon receipt and inspection of product. Any shipping discrepancies (i.e. shortages, damage, etc.) must be reported to the Customer Care department within 10 business days of receipt of product. Should you have any questions, please contact Customer Care at 800-248-9826 or orders@sanjamar.com.



# sanjamar.com

## **San Jamar**

555 Koopman Lane  
Elkhorn, Wisconsin 53121  
USA  
T: +1.262.723.6133  
F: +1.262.723.4204  
info@sanjamar.com  
www.sanjamar.com

## **Canada**

3280 Bloor Street West  
Suite 1140  
11th Floor, Centre Tower  
Toronto, ON M8X 2X3  
CANADA  
T: +1.262.723.6133  
F: +1.262.723.4204  
canada@sanjamar.com

## **Europe**

Schoorstraat 26a, bus 1  
2220 Heist-op-den-Berg  
BELGIUM  
T: +32 15 22 81 40  
F: +32 15 22 81 48  
emea@sanjamar.com

## **México**

Av. Paseo de la Reforma No. 350 - 10  
Col. Juárez  
Deleg. Cuauhtemoc, CP 06600  
MEXICO, D.F.  
T: +52 (55) 3626 0772  
mexico@sanjamar.com